J2
401: B61
1991
c. 2

BASIC AUTOMATED BIRTH YEARBOOK



NORTH CAROLINA RESIDENTS '91

N.C. DOCUMENTS
CLEARINGHOUSE

SEP 9 1992

N.C. STATE LIBRARY
RALEIGH

Digitized by the Internet Archive
in 2016

https://archive.org/details/basicautomatedbi1991nort

BASIC AUTOMATED BIRTH YEARBOOK

This report, referred to as ***The Baby Book***, contains computerized tables showing statewide counts and percentages for 1991 resident live births classified according to selected infant and maternal characteristics. This volume and corresponding county microfiche are prepared and distributed for the use of family planning programs and other users of baseline birth data.

This year's cover features Dina Louise Roberts born December 5, 1991, as photographed by Bill Ellington.

Dina's mother is Annie Roberts of Information Services Section in the State Center for Health and Environmental Statistics.

North Carolina Residents

1991

DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES
STATE CENTER FOR HEALTH AND ENVIRONMENTAL STATISTICS
POST OFFICE BOX 29538
RALEIGH, NORTH CAROLINA 27626-0538

August, 1992

STATE OF NORTH CAROLINA

James G. Martin, Governor

DEPARTMENT OF ENVIRONMENT, HEALTH, AND NATURAL RESOURCES

William W. Cobey, Jr., Secretary

STATE CENTER FOR HEALTH AND ENVIRONMENTAL STATISTICS

Delton Atkinson, M.S.P.H., M.P.H., Director

BASIC AUTOMATED BIRTH YEARBOOK

NORTH CAROLINA RESIDENTS

1991

DEFINITIONS

A ***'live birth'*** is the complete expulsion or extraction from its mother of a product of conception irrespective of the duration of pregnancy, which, after such separation, breathes or shows any other evidence of life, such as beating of the heart, pulsation of the umbilical cord, or any definite movement of voluntary muscles, whether or not the umbilical cord has been cut or the placenta is attached. (Definition adopted by the World Health Organization in 1950.)

A ***'not married'*** mother is one who has never been legally married or who has been widowed or legally divorced from her husband in excess of 280 days.

'Birth order' is the sum of all previous deliveries (live births plus other reported terminations, i.e., spontaneous and induced at any time after conception) plus the present live birth.

'Birth weight' is expressed in grams. A low-weight birth is defined as a live born infant weighing 2500 grams (5 pounds, 8 ounces) or less at birth, regardless of the period of gestation. (Birth Weight Index recommended by the expert group on prematurity of the World Health Organization, 1950.)

'Age of mother' is reported age in completed years at last birthday.

'Education of mother' is the number of years of schooling completed by the mother at time of the birth.

Beginning in 1990, the last seven tables of this report (Tables 16-22) provide crosstabulations of new birth certificate items by birth weight by race. These pertain to medical history of the mother, maternal smoking and weight gain, obstetric procedures, events of labor and delivery, method of delivery, and conditions of the newborn. These items were added to the North Carolina birth certificate in 1988. In Tables 16 and 19-22, the row totals do not equal the total number of live births because some births involve multiple conditions within a variable.

RESIDENCE ALLOCATION

Births are allocated to the usual residence of the mother, regardless of the place of occurrence.

RACE ALLOCATION

Two broad categories, 'white' and 'nonwhite,' are used. In cases of mixed parentage, the newborn is considered to be the race of the mother.

COMPLETENESS OF BIRTH REGISTRATION

Counts and percentages in this report are based on live births filed with the local registrar prior to April and processed in the state office prior to May of the year following the birth. The number filed subsequently is considered negligible for statistical purposes.

INSTRUCTIONS FOR READING THE TABLES

The following page provides an example and instructions for reading the tables of this printout.

LISTING OF CROSSTABULATIONS OF RESIDENT LIVE BIRTHS

TABLE		Page
1.	Age of Mother by Birth Order by Marital Status by Race (AGE/BTH ORDR/MS/RACE)	1
2.	Age of Mother by Birth Order by Race (AGE/BTH ORDR/RACE)	11
3.	Age of Mother by Birth Weight by Race (AGE/BTH WT/RACE)	17
4.	Education of Mother by Birth Weight by Race (ED/BTH WT/RACE)	23
5.	Month Prenatal Care Began by Education of Mother by Race (MPCB/ED/RACE)	26
6.	Month Prenatal Care Began by Age of Mother by Race (MPCB/AGE/RACE)	29
7.	Month Prenatal Care Began by Marital Status by Race (MPCB/MS/RACE)	35
8.	Month Prenatal Care Began by Birth Order by Race (MPCB/BTH ORDR/RACE)	38
9.	Month Prenatal Care Began by Birth Weight by Race (MPCB/BTH WT/RACE)	41
10.	Number of Prenatal Visits by Education of Mother by Race (PRENTL VSTS/ED/RACE)	44
11.	Number of Prenatal Visits by Age of Mother by Race (PRENTL VSTS/AGE/RACE)	50
12.	Number of Prenatal Visits by Marital Status by Race (PRENTL VSTS/MS/RACE)	62

13. Number of Prenatal Visits by Birth Order by Race 68
(PRENTL VSTS/BTH ORDR/RACE

14. Number of Prenatal Visits by Birth Weight by Race 74
(PRENTL VSTS/BTH WT/RACE)

15. Month Prenatal Care Began by Number of Prenatal Visits by Race 80
(MPCB/PRENTL VSTS/RACE)

16. Medical History by Birth Weight by Race 86
(MED HIS/BTH WT/RACE)

17. Maternal Smoking by Birth Weight by Race 89
(SMOKING/BTH WT/RACE)

18. Maternal Weight Gain by Birth Weight by Race 92
(WT GAIN/BTH WT/RACE)

19. Obstetric Procedures by Birth Weight by Race 95
(OB PROCS/BTH WT/RACE)

20. Events of Labor/Delivery by Birth Weight by Race 98
(EV OF LAB/BTH WT/RACE)

21. Method of Delivery by Birth Weight by Race 101
(METH DEL/BTH WT/RACE)

22. Conditions of Newborn by Birth Weight by Race 104
(CONDITION/BTH WT/RACE)

AGE AGE OF MOTHER BY BW BIRTH WEIGHT IN GRAMS
CONTROLLING FOR..
MS MARITAL STATUS OF MOTHER VALUE = 1 MARRIED
RACE VALUE = 1 WHITE

AGE	BW: 2500 GMS OR LESS (1)	BW: OVER 2500 GMS (2)	ROW TOTAL
20	355 14.2 10.4	2150 85.8 9.4	2505 9.5
21	275 12.9 8.0	1855 87.1 8.1	2130 8.1
22	209 11.5 6.1	1615 88.5 7.0	1824 6.9
23	175 11.0 5.1	1420 89.0 6.2	1595 6.1
24	177 12.9 5.2	1190 87.1 5.2	1367 5.2
25 - 29 25	503 11.2 14.7	3990 88.8 17.4	4493 17.1
30 - 34 26	216 11.4 6.3	1678 88.6 7.3	1894 7.2
35 - 39 27	97 12.4 2.8	685 87.6 3.0	782 3.0
40 - 44 28	35 15.0 1.0	199 85.0 0.9	234 0.9
COLUMN TOTAL	3425 13.0	22925 87.0	26350 100.0

(CONTINUED)

INSTRUCTIONS FOR READING THE TABLES

TABLES PRODUCED BY THE STATISTICAL PACKAGE FOR THE SOCIAL SCIENCES (SPSS) HAVE THREE SECTIONS. THE FIRST SECTION INCLUDES A TITLE AND/OR OTHER INFORMATION. IN THIS EXAMPLE, WE HAVE RESIDENT BIRTHS FOR THE YEAR 0001.

THE SECOND SECTION SHOWS THE VARIABLES ASSOCIATED WITH THE TABLE. IN THIS EXAMPLE, THE TABLE CROSSTABULATES 'AGE OF MOTHER' AND 'BIRTH WEIGHT IN GRAMS' FOR MARRIED WHITE BIRTHS. THIS TABLE WILL BE PRINTED ON 3 PAGES OF WHICH THIS IS THE SECOND (PAGE 2 OF 3).

THE THIRD SECTION IS THE TABLE ITSELF. THE LOWER RIGHT HAND NUMBER IS THE TOTAL NUMBER OF EVENTS SHOWN IN THE ENTIRE TABLE. IN THIS EXAMPLE, A TOTAL OF 26350 BIRTHS ARE TABULATED IN THE 3-PAGE TABLE.

AT THE LEFT OF THE TABLE IS THE ROW VARIABLE 'AGE' (AGE OF MOTHER) AND ITS VALUES. AT THE RIGHT ARE THE ROW COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 2505 MARRIED WHITE BIRTHS TO WOMEN AGE 20 AND THESE CONSTITUTED 9.5 PERCENT OF 26350 MARRIED WHITE BIRTHS.

AT THE TOP OF THE TABLE IS THE COLUMN VARIABLE 'BW' (BIRTH WEIGHT IN GRAMS) AND ITS VALUES. AT THE BOTTOM ARE THE COLUMN COUNTS AND PERCENTS. FOR EXAMPLE, THERE WERE 3425 MARRIED WHITE BIRTHS THAT WEIGHED 2500 GRAMS OR LESS AND THESE CONSTITUTED 13.0 PERCENT OF THE 26350 MARRIED WHITE BIRTHS.

THE BODY OF THE TABLE IS DIVIDED INTO CELLS, EACH CONTAINING THREE NUMBERS. THE FIRST NUMBER IS THE COUNT (E.G., THE NUMBER OF BIRTHS FOR THE SPECIFIED AGE AND BIRTH WEIGHT). THE SECOND NUMBER IS THE ROW PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED AGE GROUP THAT WERE OF A PARTICULAR BIRTH WEIGHT). THE THIRD NUMBER IS THE COLUMN PERCENT (E.G., THE PERCENTAGE OF THE SPECIFIED BIRTH WEIGHT GROUP THAT WERE BORN TO WOMEN OF A PARTICULAR AGE). TO ILLUSTRATE, IN THE UPPER LEFT CELL ARE THE NUMBERS 355, 14.2, AND 10.4. THIS MEANS THAT

- 355 MARRIED WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GRAMS OR LESS.
- 14.2 PERCENT OF 2505 MARRIED WHITE BIRTHS TO WOMEN AGE 20 HAD A BIRTH WEIGHT OF 2500 GRAMS OR LESS.
- 10.4 PERCENT OF 3425 MARRIED WHITE BIRTHS WEIGHING 2500 GRAMS OR LESS WERE TO WOMEN AGE 20.

AGE OF MOTHER BY BIRTH ORDER

BY MARITAL STATUS

BY RACE

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
12		1										1
		100.0										.0
		.0										
14		8	2									10
		80.0	20.0									.0
		.0	.0									
15		68	8									76
		89.5	10.5									.1
		.3	.0									
16		228	43	10	1							282
		80.9	15.2	3.5	.4							.5
		1.1	.2	.1	.0							
17		485	147	32	3		1				1	669
		72.5	22.0	4.8	.4		.1				.1	1.2
		2.4	.7	.3	.1		.1				1.4	
18		785	346	75	16	2	1				2	1227
		64.0	28.2	6.1	1.3	.2	.1				.2	2.1
		3.9	1.8	.7	.4	.1	.1				2.9	
19		1092	623	181	42	8	6	1			3	1956
		55.8	31.9	9.3	2.1	.4	.3	.1			.2	3.4
		5.4	3.2	1.7	.9	.4	.8	.3			4.3	
20		1387	842	317	95	23	7				1	2672
		51.9	31.5	11.9	3.6	.9	.3				.0	4.6
		6.9	4.3	3.0	2.1	1.3	1.0				1.4	
21		1304	1013	403	146	43	8	3		1	1	2922
		44.6	34.7	13.8	5.0	1.5	.3	.1		.0	.0	5.0
		6.4	5.2	3.8	3.2	2.4	1.1	1.0		.8	1.4	
22		1356	1066	481	178	54	13	2	1	2	6	3159
		42.9	33.7	15.2	5.6	1.7	.4	.1	.0	.1	.2	5.4
		6.7	5.4	4.6	3.9	3.0	1.8	.7	.9	1.6	8.7	
23		1233	1140	517	183	73	15	9	2	4	5	3181
		38.8	35.8	16.3	5.8	2.3	.5	.3	.1	.1	.2	5.5
		6.1	5.8	4.9	4.0	4.0	2.0	3.1	1.7	3.3	7.2	
(Continued)	Column Total	20223 34.8	19626 33.8	10568 18.2	4564 7.9	1827 3.1	734 1.3	287 .5	115 .2	123 .2	69 .1	58136 100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
	24	1316	1140	571	226	60	26	9	3		1	3352
		39.3	34.0	17.0	6.7	1.8	.8	.3	.1		.0	5.8
		6.5	5.8	5.4	5.0	3.3	3.5	3.1	2.6		1.4	
25 - 29	25	6887	6765	3437	1415	516	205	81	26	19	25	19376
		35.5	34.9	17.7	7.3	2.7	1.1	.4	.1	.1	.1	33.3
		34.1	34.5	32.5	31.0	28.2	27.9	28.2	22.6	15.4	36.2	
30 - 34	26	3196	4958	3206	1482	627	261	95	36	38	17	13916
		23.0	35.6	23.0	10.6	4.5	1.9	.7	.3	.3	.1	23.9
		15.8	25.3	30.3	32.5	34.3	35.6	33.1	31.3	30.9	24.6	
35 - 39	27	777	1381	1199	667	348	151	67	38	46	6	4680
		16.6	29.5	25.6	14.3	7.4	3.2	1.4	.8	1.0	.1	8.1
		3.8	7.0	11.3	14.6	19.0	20.6	23.3	33.0	37.4	8.7	
40 - 44	28	71	123	120	100	62	38	19	9	12	1	555
		12.8	22.2	21.6	18.0	11.2	6.8	3.4	1.6	2.2	.2	1.0
		.4	.6	1.1	2.2	3.4	5.2	6.6	7.8	9.8	1.4	
45 AND OVER	29	2	1	3	1	7	1	1		1		17
		11.8	5.9	17.6	5.9	41.2	5.9	5.9		5.9		.0
		.0	.0	.0	.0	.4	.1	.3		.8		
NOT STATED	30	27	28	16	9	4	1					85
		31.8	32.9	18.8	10.6	4.7	1.2					.1
		.1	.1	.2	.2	.2	.1					
	Column Total	20223	19626	10568	4564	1827	734	287	115	123	69	58136
		34.8	33.8	18.2	7.9	3.1	1.3	.5	.2	.2	.1	100.0

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 1 WHITE

AGE (Count / Row Pct / Col Pct)	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
12	3 75.0 .1	1 25.0 .0									4 .0
13	10 90.9 .2	1 9.1 .0									11 .1
14	55 96.5 1.0	2 3.5 .1									57 .5
15	227 95.0 4.0	11 4.6 .4	1 .4 .1								239 2.2
16	529 89.8 9.4	52 8.8 1.9	8 1.4 .5								589 5.3
17	828 83.8 14.7	141 14.3 5.1	13 1.3 .9	4 .4 .6	1 .1 .4					1 .1 12.5	988 8.9
18	850 73.8 15.1	242 21.0 8.8	48 4.2 3.2	10 .9 1.5						2 .2 25.0	1152 10.4
19	787 63.6 14.0	338 27.3 12.2	80 6.5 5.4	28 2.3 4.1	3 .2 1.1	1 .1 .8					1237 11.2
20	608 53.8 10.8	315 27.9 11.4	137 12.1 9.2	47 4.2 6.9	11 1.0 4.0	7 .6 5.5	2 .2 3.2	2 .2 5.1	1 .1 3.6	1 .1 12.5	1131 10.2
21	445 44.5 7.9	332 33.2 12.0	152 15.2 10.2	55 5.5 8.1	8 .8 2.9	4 .4 3.1	2 .2 3.2	1 .1 2.6	1 .1 3.6		1000 9.0
22	289 38.9 5.1	230 31.0 8.3	136 18.3 9.2	65 8.7 9.6	15 2.0 5.4	6 .8 4.7	1 .1 1.6	1 .1 2.6			743 6.7
Column Total	5622 50.7	2760 24.9	1486 13.4	677 6.1	277 2.5	128 1.2	63 .6	39 .4	28 .3	8 .1	11088 100.0

(Continued)

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
	23	233	182	127	61	30	10	1	3			647
		36.0	28.1	19.6	9.4	4.6	1.5	.2	.5			5.8
		4.1	6.6	8.5	9.0	10.8	7.8	1.6	7.7			
	24	151	163	113	55	19	9	3	1	1		515
		29.3	31.7	21.9	10.7	3.7	1.7	.6	.2	.2		4.6
		2.7	5.9	7.6	8.1	6.9	7.0	4.8	2.6	3.6		
	25	390	466	392	198	101	41	25	14	6	2	1635
25 - 29		23.9	28.5	24.0	12.1	6.2	2.5	1.5	.9	.4	.1	14.7
		6.9	16.9	26.4	29.2	36.5	32.0	39.7	35.9	21.4	25.0	
	26	157	200	192	110	60	32	18	12	10	1	792
30 - 34		19.8	25.3	24.2	13.9	7.6	4.0	2.3	1.5	1.3	.1	7.1
		2.8	7.2	12.9	16.2	21.7	25.0	28.6	30.8	35.7	12.5	
	27	45	66	67	37	25	13	8	4	6		271
35 - 39		16.6	24.4	24.7	13.7	9.2	4.8	3.0	1.5	2.2		2.4
		.8	2.4	4.5	5.5	9.0	10.2	12.7	10.3	21.4		
	28	5	14	15	6	4	5	2	1	3		55
40 - 44		9.1	25.5	27.3	10.9	7.3	9.1	3.6	1.8	5.5		.5
		.1	.5	1.0	.9	1.4	3.9	3.2	2.6	10.7		
	29			1								1
45 AND OVER				100.0								.0
				.1								
	30	10	4	4	1			1			1	21
NOT STATED		47.6	19.0	19.0	4.8			4.8			4.8	.2
		.2	.1	.3	.1			1.6			12.5	
	Column Total	5622	2760	1486	677	277	128	63	39	28	8	11088
		50.7	24.9	13.4	6.1	2.5	1.2	.6	.4	.3	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 3 NOT STATED
RACE Value = 1 WHITE

Page 1 of 1

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	3RD (3)	4TH (4)	7TH (7)	NOT STATED (10)	Row Total
	20					1 100.0 50.0	1 11.1
	23		2 100.0 100.0				2 22.2
25 - 29	25	2 66.7 66.7				1 33.3 50.0	3 33.3
30 - 34	26	1 100.0 33.3					1 11.1
35 - 39	27			1 50.0 100.0	1 50.0 100.0		2 22.2
	Column Total	3 33.3	2 22.2	1 11.1	1 11.1	2 22.2	9 100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 2 NONWHITE

AGE (Count / Row Pct / Col Pct)	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
13					1 100.0 .1						1 .0
14	2 100.0 .1										2 .0
15	3 75.0 .1		1 25.0 .0								4 .0
16	8 80.0 .3	1 10.0 .0	1 10.0 .0								10 .1
17	22 40.0 .9	22 40.0 .6	8 14.5 .3	3 5.5 .2							55 .5
18	54 37.5 2.1	52 36.1 1.5	27 18.8 1.0	9 6.3 .6	2 1.4 .3						144 1.2
19	126 41.2 5.0	96 31.4 2.7	60 19.6 2.2	12 3.9 .8	9 2.9 1.1	3 1.0 .8					306 2.6
20	133 29.5 5.3	168 37.3 4.7	94 20.8 3.5	46 10.2 3.0	8 1.8 1.0		1 .2 .6	1 .2 1.2			451 3.8
21	181 29.9 7.1	208 34.4 5.9	125 20.7 4.6	54 8.9 3.6	24 4.0 3.1	12 2.0 3.2	1 .2 .6				605 5.1
22	175 25.3 6.9	232 33.5 6.5	172 24.8 6.3	71 10.2 4.7	24 3.5 3.1	12 1.7 3.2	5 .7 3.2		1 .1 1.0	1 .1 6.7	693 5.9
23	203 25.2 8.0	251 31.1 7.1	192 23.8 7.1	95 11.8 6.3	43 5.3 5.5	11 1.4 2.9	6 .7 3.8	2 .2 2.4	2 .2 1.9	1 .1 6.7	806 6.8
Column Total	2532 21.4	3554 30.0	2720 23.0	1512 12.8	783 6.6	373 3.2	156 1.3	84 .7	103 .9	15 .1	11832 100.0

(Continued)

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 1 MARRIED
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
	24	195	267	171	100	35	17	4	2			791
		24.7	33.8	21.6	12.6	4.4	2.1	.5	.3			6.7
		7.7	7.5	6.3	6.6	4.5	4.6	2.6	2.4			
25 - 29	25	905	1240	923	493	279	138	41	22	20	4	4065
		22.3	30.5	22.7	12.1	6.9	3.4	1.0	.5	.5	.1	34.4
		35.7	34.9	33.9	32.6	35.6	37.0	26.3	26.2	19.4	26.7	
30 - 34	26	419	775	695	446	216	108	54	26	36	5	2780
		15.1	27.9	25.0	16.0	7.8	3.9	1.9	.9	1.3	.2	23.5
		16.5	21.8	25.6	29.5	27.6	29.0	34.6	31.0	35.0	33.3	
35 - 39	27	96	217	215	161	125	59	37	25	28	3	966
		9.9	22.5	22.3	16.7	12.9	6.1	3.8	2.6	2.9	.3	8.2
		3.8	6.1	7.9	10.6	16.0	15.8	23.7	29.8	27.2	20.0	
40 - 44	28	9	21	28	21	15	13	7	6	16	1	137
		6.6	15.3	20.4	15.3	10.9	9.5	5.1	4.4	11.7	.7	1.2
		.4	.6	1.0	1.4	1.9	3.5	4.5	7.1	15.5	6.7	
45 AND OVER	29			1		1						2
				50.0		50.0						.0
				.0		.1						
NOT STATED	30	1	4	7	1	1						14
		7.1	28.6	50.0	7.1	7.1						.1
		.0	.1	.3	.1	.1						
	Column Total	2532	3554	2720	1512	783	373	156	84	103	15	11832
		21.4	30.0	23.0	12.8	6.6	3.2	1.3	.7	.9	.1	100.0

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 2 NONWHITE

AGE (Count / Row Pct / Col Pct)	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
11	3										3
	100.0										.0
	.0										
12	10										10
	100.0										.0
	.1										
13	64										64
	100.0										.3
	.8										
14	224	18	2							1	245
	91.4	7.3	.8							.4	1.2
	2.9	.3	.1							2.4	
15	500	82	6	1						1	590
	84.7	13.9	1.0	.2						.2	2.8
	6.4	1.4	.2	.1						2.4	
16	810	196	29							2	1037
	78.1	18.9	2.8							.2	4.9
	10.4	3.3	.8							4.9	
17	969	365	100	15	2	1					1452
	66.7	25.1	6.9	1.0	.1	.1					6.8
	12.4	6.1	2.6	.8	.2	.2					
18	1035	617	203	35	11	5					1906
	54.3	32.4	10.7	1.8	.6	.3					9.0
	13.2	10.4	5.4	1.8	1.1	1.2					
19	1016	710	322	107	20	9	1			4	2189
	46.4	32.4	14.7	4.9	.9	.4	.0			.2	10.3
	13.0	12.0	8.5	5.6	2.1	2.2	.5			9.8	
20	811	740	421	181	49	11	1	1		2	2217
	36.6	33.4	19.0	8.2	2.2	.5	.0	.0		.1	10.4
	10.4	12.5	11.1	9.4	5.0	2.7	.5	1.1		4.9	
21	579	611	400	178	75	24	6	4		3	1880
	30.8	32.5	21.3	9.5	4.0	1.3	.3	.2		.2	8.9
	7.4	10.3	10.6	9.3	7.7	5.8	3.3	4.3		7.3	
Column Total	7817	5941	3781	1923	971	414	184	92	75	41	21239
	36.8	28.0	17.8	9.1	4.6	1.9	.9	.4	.4	.2	100.0

(Continued)

TABLE 1

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 2 NOT MARRIED
RACE Value = 2 NONWHITE

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
	22	422	481	368	188	86	39	9	3	1	2	1599
		26.4	30.1	23.0	11.8	5.4	2.4	.6	.2	.1	.1	7.5
		5.4	8.1	9.7	9.8	8.9	9.4	4.9	3.3	1.3	4.9	
	23	310	387	338	175	67	22	18	4	3	5	1329
		23.3	29.1	25.4	13.2	5.0	1.7	1.4	.3	.2	.4	6.3
		4.0	6.5	8.9	9.1	6.9	5.3	9.8	4.3	4.0	12.2	
	24	243	295	258	135	83	37	8	5	2	4	1070
		22.7	27.6	24.1	12.6	7.8	3.5	.7	.5	.2	.4	5.0
		3.1	5.0	6.8	7.0	8.5	8.9	4.3	5.4	2.7	9.8	
	25	575	953	850	544	310	132	61	28	20	13	3486
25 - 29		16.5	27.3	24.4	15.6	8.9	3.8	1.7	.8	.6	.4	16.4
		7.4	16.0	22.5	28.3	31.9	31.9	33.2	30.4	26.7	31.7	
	26	197	381	376	264	183	87	56	28	25	3	1600
30 - 34		12.3	23.8	23.5	16.5	11.4	5.4	3.5	1.8	1.6	.2	7.5
		2.5	6.4	9.9	13.7	18.8	21.0	30.4	30.4	33.3	7.3	
	27	40	87	97	88	73	40	21	14	19	1	480
35 - 39		8.3	18.1	20.2	18.3	15.2	8.3	4.4	2.9	4.0	.2	2.3
		.5	1.5	2.6	4.6	7.5	9.7	11.4	15.2	25.3	2.4	
	28	5	9	10	12	11	7	3	5	5		67
40 - 44		7.5	13.4	14.9	17.9	16.4	10.4	4.5	7.5	7.5		.3
		.1	.2	.3	.6	1.1	1.7	1.6	5.4	6.7		
	29					1						1
45 AND OVER						100.0						.0
						.1						
	30	4	9	1								14
NOT STATED		28.6	64.3	7.1								.1
		.1	.2	.0								
	Column Total	7817	5941	3781	1923	971	414	184	92	75	41	21239
		36.8	28.0	17.8	9.1	4.6	1.9	.9	.4	.4	.2	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
STATUS MARITAL STATUS OF MOTHER Value = 3 NOT STATED
RACE Value = 2 NONWHITE

Page 1 of 1

AGE	Count / Row Pct / Col Pct	BO 2ND	BO NOT STATED	Row Total
	20		1 100.0 33.3	1 20.0
	24	1 100.0 50.0		1 20.0
25 - 29	25		2 100.0 66.7	2 40.0
35 - 39	27	1 100.0 50.0		1 20.0
	Column Total	2 40.0	3 60.0	5 100.0

Number of Missing Observations: 0

AGE OF MOTHER

BY BIRTH ORDER

BY RACE

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
11		3										3
		100.0										.0
		.0										
12		14	1									15
		93.3	6.7									.0
		.0	.0									
13		74	1			1						76
		97.4	1.3			1.3						.1
		.2	.0			.0						
14		289	22	2							1	314
		92.0	7.0	.6							.3	.3
		.8	.1	.0							.7	
15		798	101	8	1						1	909
		87.8	11.1	.9	.1						.1	.9
		2.2	.3	.0	.0						.7	
16		1575	292	48	1						2	1918
		82.1	15.2	2.5	.1						.1	1.9
		4.4	.9	.3	.0						1.4	
17		2304	675	153	25	3	2				2	3164
		72.8	21.3	4.8	.8	.1	.1				.1	3.1
		6.4	2.1	.8	.3	.1	.1				1.4	
18		2724	1257	353	70	15	6				4	4429
		61.5	28.4	8.0	1.6	.3	.1				.1	4.3
		7.5	3.9	1.9	.8	.4	.4				2.9	
19		3021	1767	643	189	40	19	2			7	5688
		53.1	31.1	11.3	3.3	.7	.3	.0			.1	5.6
		8.3	5.5	3.5	2.2	1.0	1.2	.3			5.1	
20		2939	2065	969	369	91	25	4	4	1	6	6473
		45.4	31.9	15.0	5.7	1.4	.4	.1	.1	.0	.1	6.3
		8.1	6.5	5.2	4.3	2.4	1.5	.6	1.2	.3	4.3	
21		2509	2164	1080	433	150	48	12	5	2	4	6407
		39.2	33.8	16.9	6.8	2.3	.7	.2	.1	.0	.1	6.3
		6.9	6.8	5.8	5.0	3.9	2.9	1.7	1.5	.6	2.9	
	Column Total	36197	31883	18557	8677	3858	1649	691	330	329	138	102309
		35.4	31.2	18.1	8.5	3.8	1.6	.7	.3	.3	.1	100.0

(Continued)

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

AGE	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
	22	2242	2009	1157	502	179	70	17	5	4	9	6194
		36.2	32.4	18.7	8.1	2.9	1.1	.3	.1	.1	.1	6.1
		6.2	6.3	6.2	5.8	4.6	4.2	2.5	1.5	1.2	6.5	
	23	1979	1960	1176	514	213	58	34	11	9	11	5965
		33.2	32.9	19.7	8.6	3.6	1.0	.6	.2	.2	.2	5.8
		5.5	6.1	6.3	5.9	5.5	3.5	4.9	3.3	2.7	8.0	
	24	1905	1866	1113	516	197	89	24	11	3	5	5729
		33.3	32.6	19.4	9.0	3.4	1.6	.4	.2	.1	.1	5.6
		5.3	5.9	6.0	5.9	5.1	5.4	3.5	3.3	.9	3.6	
	25	8759	9424	5602	2650	1206	516	208	90	65	47	28567
25 - 29		30.7	33.0	19.6	9.3	4.2	1.8	.7	.3	.2	.2	27.9
		24.2	29.6	30.2	30.5	31.3	31.3	30.1	27.3	19.8	34.1	
	26	3970	6314	4469	2302	1086	488	223	102	109	26	19089
30 - 34		20.8	33.1	23.4	12.1	5.7	2.6	1.2	.5	.6	.1	18.7
		11.0	19.8	24.1	26.5	28.1	29.6	32.3	30.9	33.1	18.8	
	27	958	1752	1578	954	571	263	134	81	99	10	6400
35 - 39		15.0	27.4	24.7	14.9	8.9	4.1	2.1	1.3	1.5	.2	6.3
		2.6	5.5	8.5	11.0	14.8	15.9	19.4	24.5	30.1	7.2	
	28	90	167	173	139	92	63	31	21	36	2	814
40 - 44		11.1	20.5	21.3	17.1	11.3	7.7	3.8	2.6	4.4	.2	.8
		.2	.5	.9	1.6	2.4	3.8	4.5	6.4	10.9	1.4	
	29	2	1	5	1	9	1	1		1		21
45 AND OVER		9.5	4.8	23.8	4.8	42.9	4.8	4.8		4.8		.0
		.0	.0	.0	.0	.2	.1	.1		.3		
	30	42	45	28	11	5	1	1			1	134
NOT STATED		31.3	33.6	20.9	8.2	3.7	.7	.7			.7	.1
		.1	.1	.2	.1	.1	.1	.1			.7	
	Column Total	36197	31883	18557	8677	3858	1649	691	330	329	138	102309
		35.4	31.2	18.1	8.5	3.8	1.6	.7	.3	.3	.1	100.0

Number of Missing Observations: 0

TABLE 2

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
12		4	1									5
		80.0	20.0									.0
		.0	.0									
13		10	1									11
		90.9	9.1									.0
		.0	.0									
14		63	4									67
		94.0	6.0									.1
		.2	.0									
15		295	19	1								315
		93.7	6.0	.3								.5
		1.1	.1	.0								
16		757	95	18	1							871
		86.9	10.9	2.1	.1							1.3
		2.9	.4	.1	.0							
17		1313	288	45	7	1	1				2	1657
		79.2	17.4	2.7	.4	.1	.1				.1	2.4
		5.1	1.3	.4	.1	.0	.1				2.5	
18		1635	588	123	26	2	1				4	2379
		68.7	24.7	5.2	1.1	.1	.0				.2	3.4
		6.3	2.6	1.0	.5	.1	.1				5.1	
19		1879	961	261	70	11	7	1			3	3193
		58.8	30.1	8.2	2.2	.3	.2	.0			.1	4.6
		7.3	4.3	2.2	1.3	.5	.8	.3			3.8	
20		1995	1157	454	142	34	14	2	2	1	3	3804
		52.4	30.4	11.9	3.7	.9	.4	.1	.1	.0	.1	5.5
		7.7	5.2	3.8	2.7	1.6	1.6	.6	1.3	.7	3.8	
21		1749	1345	555	201	51	12	5	1	2	1	3922
		44.6	34.3	14.2	5.1	1.3	.3	.1	.0	.1	.0	5.7
		6.8	6.0	4.6	3.8	2.4	1.4	1.4	.6	1.3	1.3	
22		1645	1296	617	243	69	19	3	2	2	6	3902
		42.2	33.2	15.8	6.2	1.8	.5	.1	.1	.1	.2	5.6
		6.4	5.8	5.1	4.6	3.3	2.2	.9	1.3	1.3	7.6	
	Column Total	25848	22386	12056	5242	2104	862	351	154	151	79	69233
		37.3	32.3	17.4	7.6	3.0	1.2	.5	.2	.2	.1	100.0

(Continued)

TABLE 2

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

AGE	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
	23	1466	1322	646	244	103	25	10	5	4	5	3830
		38.3	34.5	16.9	6.4	2.7	.7	.3	.1	.1	.1	5.5
		5.7	5.9	5.4	4.7	4.9	2.9	2.8	3.2	2.6	6.3	
	24	1467	1303	684	281	79	35	12	4	1	1	3867
		37.9	33.7	17.7	7.3	2.0	.9	.3	.1	.0	.0	5.6
		5.7	5.8	5.7	5.4	3.8	4.1	3.4	2.6	.7	1.3	
	25	7279	7231	3829	1613	617	246	106	40	25	28	21014
25 - 29		34.6	34.4	18.2	7.7	2.9	1.2	.5	.2	.1	.1	30.4
		28.2	32.3	31.8	30.8	29.3	28.5	30.2	26.0	16.6	35.4	
	26	3354	5158	3398	1592	687	293	113	48	48	18	14709
30 - 34		22.8	35.1	23.1	10.8	4.7	2.0	.8	.3	.3	.1	21.2
		13.0	23.0	28.2	30.4	32.7	34.0	32.2	31.2	31.8	22.8	
	27	822	1447	1266	705	373	164	76	42	52	6	4953
35 - 39		16.6	29.2	25.6	14.2	7.5	3.3	1.5	.8	1.0	.1	7.2
		3.2	6.5	10.5	13.4	17.7	19.0	21.7	27.3	34.4	7.6	
	28	76	137	135	106	66	43	21	10	15	1	610
40 - 44		12.5	22.5	22.1	17.4	10.8	7.0	3.4	1.6	2.5	.2	.9
		.3	.6	1.1	2.0	3.1	5.0	6.0	6.5	9.9	1.3	
	29	2	1	4	1	7	1	1		1		18
45 AND OVER		11.1	5.6	22.2	5.6	38.9	5.6	5.6		5.6		.0
		.0	.0	.0	.0	.3	.1	.3		.7		
	30	37	32	20	10	4	1	1			1	106
NOT STATED		34.9	30.2	18.9	9.4	3.8	.9	.9			.9	.2
		.1	.1	.2	.2	.2	.1	.3			1.3	
	Column Total	25848	22386	12056	5242	2104	862	351	154	151	79	69233
		37.3	32.3	17.4	7.6	3.0	1.2	.5	.2	.2	.1	100.0

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

AGE	BO: 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
11	3										3
	100.0										.0
	.0										
12	10										10
	100.0										.0
	.1										
13	64				1						65
	98.5				1.5						.2
	.6				.1						
14	226	18	2							1	247
	91.5	7.3	.8							.4	.7
	2.2	.2	.0							1.7	
15	503	82	7	1						1	594
	84.7	13.8	1.2	.2						.2	1.8
	4.9	.9	.1	.0						1.7	
16	818	197	30							2	1047
	78.1	18.8	2.9							.2	3.2
	7.9	2.1	.5							3.4	
17	991	387	108	18	2	1					1507
	65.8	25.7	7.2	1.2	.1	.1					4.6
	9.6	4.1	1.7	.5	.1	.1					
18	1089	669	230	44	13	5					2050
	53.1	32.6	11.2	2.1	.6	.2					6.2
	10.5	7.0	3.5	1.3	.7	.6					
19	1142	806	382	119	29	12	1			4	2495
	45.8	32.3	15.3	4.8	1.2	.5	.0			.2	7.5
	11.0	8.5	5.9	3.5	1.7	1.5	.3			6.8	
20	944	908	515	227	57	11	2	2		3	2669
	35.4	34.0	19.3	8.5	2.1	.4	.1	.1		.1	8.1
	9.1	9.6	7.9	6.6	3.2	1.4	.6	1.1		5.1	
21	760	819	525	232	99	36	7	4		3	2485
	30.6	33.0	21.1	9.3	4.0	1.4	.3	.2		.1	7.5
	7.3	8.6	8.1	6.8	5.6	4.6	2.1	2.3		5.1	
Column Total	10349	9497	6501	3435	1754	787	340	176	178	59	33076
	31.3	28.7	19.7	10.4	5.3	2.4	1.0	.5	.5	.2	100.0

(Continued)

TABLE 2

AGE AGE OF MOTHER by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

AGE	BO: 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
22	597	713	540	259	110	51	14	3	2	3	2292
	26.0	31.1	23.6	11.3	4.8	2.2	.6	.1	.1	.1	6.9
	5.8	7.5	8.3	7.5	6.3	6.5	4.1	1.7	1.1	5.1	
23	513	638	530	270	110	33	24	6	5	6	2135
	24.0	29.9	24.8	12.6	5.2	1.5	1.1	.3	.2	.3	6.5
	5.0	6.7	8.2	7.9	6.3	4.2	7.1	3.4	2.8	10.2	
24	438	563	429	235	118	54	12	7	2	4	1862
	23.5	30.2	23.0	12.6	6.3	2.9	.6	.4	.1	.2	5.6
	4.2	5.9	6.6	6.8	6.7	6.9	3.5	4.0	1.1	6.8	
25 - 29 (25)	1480	2193	1773	1037	589	270	102	50	40	19	7553
	19.6	29.0	23.5	13.7	7.8	3.6	1.4	.7	.5	.3	22.8
	14.3	23.1	27.3	30.2	33.6	34.3	30.0	28.4	22.5	32.2	
30 - 34 (26)	616	1156	1071	710	399	195	110	54	61	8	4380
	14.1	26.4	24.5	16.2	9.1	4.5	2.5	1.2	1.4	.2	13.2
	6.0	12.2	16.5	20.7	22.7	24.8	32.4	30.7	34.3	13.6	
35 - 39 (27)	136	305	312	249	198	99	58	39	47	4	1447
	9.4	21.1	21.6	17.2	13.7	6.8	4.0	2.7	3.2	.3	4.4
	1.3	3.2	4.8	7.2	11.3	12.6	17.1	22.2	26.4	6.8	
40 - 44 (28)	14	30	38	33	26	20	10	11	21	1	204
	6.9	14.7	18.6	16.2	12.7	9.8	4.9	5.4	10.3	.5	.6
	.1	.3	.6	1.0	1.5	2.5	2.9	6.3	11.8	1.7	
45 AND OVER (29)			1		2						3
			33.3		66.7						.0
			.0		.1						
NOT STATED (30)	5	13	8	1	1						28
	17.9	46.4	28.6	3.6	3.6						.1
	.0	.1	.1	.0	.1						
Column Total	10349	9497	6501	3435	1754	787	340	176	178	59	33076
	31.3	28.7	19.7	10.4	5.3	2.4	1.0	.5	.5	.2	100.0

Number of Missing Observations: 0

AGE OF MOTHER

BY BIRTH WEIGHT

BY RACE

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 2

AGE	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
11				3		3
				100.0		.0
				.0		
12			4	11		15
			26.7	73.3		.0
			.1	.0		
13		2	9	65		76
		2.6	11.8	85.5		.1
		.1	.1	.1		
14		7	37	267	3	314
		2.2	11.8	85.0	1.0	.3
		.4	.5	.3	4.5	
15		26	100	780	3	909
		2.9	11.0	85.8	.3	.9
		1.5	1.4	.8	4.5	
16		41	179	1694	4	1918
		2.1	9.3	88.3	.2	1.9
		2.4	2.6	1.8	6.1	
17		69	271	2822	2	3164
		2.2	8.6	89.2	.1	3.1
		4.0	3.9	3.0	3.0	
18		85	368	3974	2	4429
		1.9	8.3	89.7	.0	4.3
		5.0	5.3	4.2	3.0	
19		123	417	5143	5	5688
		2.2	7.3	90.4	.1	5.6
		7.2	6.0	5.5	7.6	
20		106	475	5886	6	6473
		1.6	7.3	90.9	.1	6.3
		6.2	6.9	6.3	9.1	
21		93	446	5866	2	6407
		1.5	7.0	91.6	.0	6.3
		5.4	6.5	6.3	3.0	
	Column Total	1713	6902	93628	66	102309
		1.7	6.7	91.5	.1	100.0

(Continued)

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

AGE	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
22	141 2.3 8.2	402 6.5 5.8	5646 91.2 6.0	5 .1 7.6	6194 6.1
23	89 1.5 5.2	382 6.4 5.5	5488 92.0 5.9	6 .1 9.1	5965 5.8
24	81 1.4 4.7	379 6.6 5.5	5267 91.9 5.6	2 .0 3.0	5729 5.6
25 - 29 (25)	429 1.5 25.0	1720 6.0 24.9	26407 92.4 28.2	11 .0 16.7	28567 27.9
30 - 34 (26)	271 1.4 15.8	1201 6.3 17.4	17605 92.2 18.8	12 .1 18.2	19089 18.7
35 - 39 (27)	127 2.0 7.4	439 6.9 6.4	5832 91.1 6.2	2 .0 3.0	6400 6.3
40 - 44 (28)	20 2.5 1.2	61 7.5 .9	733 90.0 .8		814 .8
45 AND OVER (29)		4 19.0 .1	17 81.0 .0		21 .0
NOT STATED (30)	3 2.2 .2	8 6.0 .1	122 91.0 .1	1 .7 1.5	134 .1
Column Total	1713 1.7	6902 6.7	93628 91.5	66 .1	102309 100.0

Number of Missing Observations: 0

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 1 of 2

AGE	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
12			1	4		5
			20.0	80.0		.0
			.0	.0		
13			2	9		11
			18.2	81.8		.0
			.1	.0		
14		1	7	59		67
		1.5	10.4	88.1		.1
		.1	.2	.1		
15		6	28	281		315
		1.9	8.9	89.2		.5
		.8	.8	.4		
16		14	70	786	1	871
		1.6	8.0	90.2	.1	1.3
		1.9	1.9	1.2	3.0	
17		23	111	1522	1	1657
		1.4	6.7	91.9	.1	2.4
		3.0	3.0	2.3	3.0	
18		29	152	2197	1	2379
		1.2	6.4	92.3	.0	3.4
		3.8	4.1	3.4	3.0	
19		43	193	2954	3	3193
		1.3	6.0	92.5	.1	4.6
		5.7	5.3	4.6	9.1	
20		38	225	3537	4	3804
		1.0	5.9	93.0	.1	5.5
		5.0	6.1	5.5	12.1	
21		44	223	3654	1	3922
		1.1	5.7	93.2	.0	5.7
		5.8	6.1	5.6	3.0	
22		61	194	3646	1	3902
		1.6	5.0	93.4	.0	5.6
		8.1	5.3	5.6	3.0	
	Column Total	756	3669	64775	33	69233
		1.1	5.3	93.6	.0	100.0

(Continued)

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 2 of 2

AGE	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
	23	40	202	3586	2	3830
		1.0	5.3	93.6	.1	5.5
		5.3	5.5	5.5	6.1	
	24	36	197	3633	1	3867
		.9	5.1	93.9	.0	5.6
		4.8	5.4	5.6	3.0	
25 - 29	25	190	988	19829	7	21014
		.9	4.7	94.4	.0	30.4
		25.1	26.9	30.6	21.2	
30 - 34	26	149	731	13820	9	14709
		1.0	5.0	94.0	.1	21.2
		19.7	19.9	21.3	27.3	
35 - 39	27	69	295	4588	1	4953
		1.4	6.0	92.6	.0	7.2
		9.1	8.0	7.1	3.0	
40 - 44	28	12	40	558		610
		2.0	6.6	91.5		.9
		1.6	1.1	.9		
45 AND OVER	29		3	15		18
			16.7	83.3		.0
			.1	.0		
NOT STATED	30	1	7	97	1	106
		.9	6.6	91.5	.9	.2
		.1	.2	.1	3.0	
	Column Total	756	3669	64775	33	69233
		1.1	5.3	93.6	.0	100.0

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 2

AGE	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
	11			3		3
				100.0		.0
				.0		
	12		3	7		10
			30.0	70.0		.0
			.1	.0		
	13	2	7	56		65
		3.1	10.8	86.2		.2
		.2	.2	.2		
	14	6	30	208	3	247
		2.4	12.1	84.2	1.2	.7
		.6	.9	.7	9.1	
	15	20	72	499	3	594
		3.4	12.1	84.0	.5	1.8
		2.1	2.2	1.7	9.1	
	16	27	109	908	3	1047
		2.6	10.4	86.7	.3	3.2
		2.8	3.4	3.1	9.1	
	17	46	160	1300	1	1507
		3.1	10.6	86.3	.1	4.6
		4.8	4.9	4.5	3.0	
	18	56	216	1777	1	2050
		2.7	10.5	86.7	.0	6.2
		5.9	6.7	6.2	3.0	
	19	80	224	2189	2	2495
		3.2	9.0	87.7	.1	7.5
		8.4	6.9	7.6	6.1	
	20	68	250	2349	2	2669
		2.5	9.4	88.0	.1	8.1
		7.1	7.7	8.1	6.1	
	21	49	223	2212	1	2485
		2.0	9.0	89.0	.0	7.5
		5.1	6.9	7.7	3.0	
(Continued)	Column Total	957	3233	28853	33	33076
		2.9	9.8	87.2	.1	100.0

AGE AGE OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 2 of 2

AGE	Count / Row Pct / Col Pct	BW UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
	22	80	208	2000	4	2292
		3.5	9.1	87.3	.2	6.9
		8.4	6.4	6.9	12.1	
	23	49	180	1902	4	2135
		2.3	8.4	89.1	.2	6.5
		5.1	5.6	6.6	12.1	
	24	45	182	1634	1	1862
		2.4	9.8	87.8	.1	5.6
		4.7	5.6	5.7	3.0	
	25	239	732	6578	4	7553
25 - 29		3.2	9.7	87.1	.1	22.8
		25.0	22.6	22.8	12.1	
	26	122	470	3785	3	4380
30 - 34		2.8	10.7	86.4	.1	13.2
		12.7	14.5	13.1	9.1	
	27	58	144	1244	1	1447
35 - 39		4.0	10.0	86.0	.1	4.4
		6.1	4.5	4.3	3.0	
	28	8	21	175		204
40 - 44		3.9	10.3	85.8		.6
		.8	.6	.6		
	29		1	2		3
45 AND OVER			33.3	66.7		.0
			.0	.0		
	30	2	1	25		28
NOT STATED		7.1	3.6	89.3		.1
		.2	.0	.1		
	Column Total	957	3233	28853	33	33076
		2.9	9.8	87.2	.1	100.0

Number of Missing Observations: 0

EDUCATION OF MOTHER

BY BIRTH WEIGHT

BY RACE

EDUC EDUCATION OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 1

EDUC	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE OR ELEM.	1	64	341	3174	4	3583
		1.8	9.5	88.6	.1	3.5
		3.7	4.9	3.4	6.1	
H.S. 1-3 YEARS	2	433	1872	17823	13	20141
		2.1	9.3	88.5	.1	19.7
		25.3	27.1	19.0	19.7	
H.S. 4 YEARS	3	717	2735	36954	16	40422
		1.8	6.8	91.4	.0	39.5
		41.9	39.6	39.5	24.2	
COL.1-3 YEARS	4	297	1137	18682	11	20127
		1.5	5.6	92.8	.1	19.7
		17.3	16.5	20.0	16.7	
COL. 4+ YEARS	5	193	806	16866	8	17873
		1.1	4.5	94.4	.0	17.5
		11.3	11.7	18.0	12.1	
NOT STATED	6	9	11	129	14	163
		5.5	6.7	79.1	8.6	.2
		.5	.2	.1	21.2	
	Column Total	1713	6902	93628	66	102309
		1.7	6.7	91.5	.1	100.0

Number of Missing Observations: 0

TABLE 4

EDUC EDUCATION OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 1 of 1

EDUC	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
1 NONE OR ELEM.	36	202	2227	2	2467
	1.5	8.2	90.3	.1	3.6
	4.8	5.5	3.4	6.1	
2 H.S. 1-3 YEARS	162	855	10476	5	11498
	1.4	7.4	91.1	.0	16.6
	21.4	23.3	16.2	15.2	
3 H.S. 4 YEARS	280	1331	23709	7	25327
	1.1	5.3	93.6	.0	36.6
	37.0	36.3	36.6	21.2	
4 COL.1-3 YEARS	147	682	13748	6	14583
	1.0	4.7	94.3	.0	21.1
	19.4	18.6	21.2	18.2	
5 COL. 4+ YEARS	127	597	14539	4	15267
	.8	3.9	95.2	.0	22.1
	16.8	16.3	22.4	12.1	
6 NOT STATED	4	2	76	9	91
	4.4	2.2	83.5	9.9	.1
	.5	.1	.1	27.3	
Column Total	756	3669	64775	33	69233
	1.1	5.3	93.6	.0	100.0

TABLE 4

EDUC EDUCATION OF MOTHER by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

EDUC	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE OR ELEM.	1	28	139	947	2	1116
		2.5	12.5	84.9	.2	3.4
		2.9	4.3	3.3	6.1	
H.S. 1-3 YEARS	2	271	1017	7347	8	8643
		3.1	11.8	85.0	.1	26.1
		28.3	31.5	25.5	24.2	
H.S. 4 YEARS	3	437	1404	13245	9	15095
		2.9	9.3	87.7	.1	45.6
		45.7	43.4	45.9	27.3	
COL.1-3 YEARS	4	150	455	4934	5	5544
		2.7	8.2	89.0	.1	16.8
		15.7	14.1	17.1	15.2	
COL. 4+ YEARS	5	66	209	2327	4	2606
		2.5	8.0	89.3	.2	7.9
		6.9	6.5	8.1	12.1	
NOT STATED	6	5	9	53	5	72
		6.9	12.5	73.6	6.9	.2
		.5	.3	.2	15.2	
	Column Total	957	3233	28853	33	33076
		2.9	9.8	87.2	.1	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY EDUCATION OF MOTHER

BY RACE

MPCB MONTH PRENATAL CARE BEGAN by EDUC EDUCATION OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. 1	H.S. 1-3 YEARS 2	H.S. 4 YEARS 3	COL.1-3 YEARS 4	COL. 4+ YEARS 5	NOT STATED 6	Row Total
NONE	0	113	640	667	197	26	13	1656
		6.8	38.6	40.3	11.9	1.6	.8	1.6
		3.2	3.2	1.7	1.0	.1	8.0	
FIRST MONTH	1	274	1815	5857	4030	4901	17	16894
		1.6	10.7	34.7	23.9	29.0	.1	16.5
		7.6	9.0	14.5	20.0	27.4	10.4	
SECOND MONTH	2	859	5597	16065	9821	9922	41	42305
		2.0	13.2	38.0	23.2	23.5	.1	41.4
		24.0	27.8	39.7	48.8	55.5	25.2	
THIRD MONTH	3	770	4376	8205	3322	2177	15	18865
		4.1	23.2	43.5	17.6	11.5	.1	18.4
		21.5	21.7	20.3	16.5	12.2	9.2	
FOURTH MONTH	4	524	2897	4127	1302	472	19	9341
		5.6	31.0	44.2	13.9	5.1	.2	9.1
		14.6	14.4	10.2	6.5	2.6	11.7	
FIFTH MONTH	5	419	2000	2508	658	176	12	5773
		7.3	34.6	43.4	11.4	3.0	.2	5.6
		11.7	9.9	6.2	3.3	1.0	7.4	
SIXTH MONTH	6	274	1307	1426	381	88	9	3485
		7.9	37.5	40.9	10.9	2.5	.3	3.4
		7.6	6.5	3.5	1.9	.5	5.5	
SEVENTH MONTH	7	189	838	856	212	44	8	2147
		8.8	39.0	39.9	9.9	2.0	.4	2.1
		5.3	4.2	2.1	1.1	.2	4.9	
EIGHTH MONTH	8	113	451	476	123	31	2	1196
		9.4	37.7	39.8	10.3	2.6	.2	1.2
		3.2	2.2	1.2	.6	.2	1.2	
NINTH MONTH	9	24	140	124	33	9	2	332
		7.2	42.2	37.3	9.9	2.7	.6	.3
		.7	.7	.3	.2	.1	1.2	
NOT STATED	10	24	80	111	48	27	25	315
		7.6	25.4	35.2	15.2	8.6	7.9	.3
		.7	.4	.3	.2	.2	15.3	
	Column Total	3583	20141	40422	20127	17873	163	102309
		3.5	19.7	39.5	19.7	17.5	.2	100.0

Number of Missing Observations: 0

TABLE 5

MPCB MONTH PRENATAL CARE BEGAN by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. 1	H.S. 1-3 YEARS 2	H.S. 4 YEARS 3	COL.1-3 YEARS 4	COL. 4+ YEARS 5	NOT STATED 6	Row Total
NONE	0	68 12.0 2.8	191 33.6 1.7	204 35.9 .8	87 15.3 .6	14 2.5 .1	5 .9 5.5	569 .8
FIRST MONTH	1	204 1.6 8.3	1128 8.7 9.8	4178 32.1 16.5	3184 24.5 21.8	4302 33.1 28.2	10 .1 11.0	13006 18.8
SECOND MONTH	2	651 2.0 26.4	3813 11.7 33.2	11725 35.9 46.3	7759 23.7 53.2	8710 26.6 57.1	29 .1 31.9	32687 47.2
THIRD MONTH	3	557 4.6 22.6	2615 21.5 22.7	5012 41.3 19.8	2222 18.3 15.2	1727 14.2 11.3	9 .1 9.9	12142 17.5
FOURTH MONTH	4	345 7.0 14.0	1540 31.1 13.4	2045 41.4 8.1	694 14.0 4.8	311 6.3 2.0	9 .2 9.9	4944 7.1
FIFTH MONTH	5	242 9.0 9.8	994 37.0 8.6	1045 38.9 4.1	309 11.5 2.1	94 3.5 .6	2 .1 2.2	2686 3.9
SIXTH MONTH	6	178 11.8 7.2	578 38.5 5.0	548 36.5 2.2	147 9.8 1.0	48 3.2 .3	4 .3 4.4	1503 2.2
SEVENTH MONTH	7	118 13.3 4.8	358 40.4 3.1	297 33.5 1.2	89 10.0 .6	22 2.5 .1	3 .3 3.3	887 1.3
EIGHTH MONTH	8	69 13.8 2.8	185 37.0 1.6	179 35.8 .7	49 9.8 .3	17 3.4 .1	1 .2 1.1	500 .7
NINTH MONTH	9	19 13.9 .8	55 40.1 .5	41 29.9 .2	17 12.4 .1	3 2.2 .0	2 1.5 2.2	137 .2
NOT STATED	10	16 9.3 .6	41 23.8 .4	53 30.8 .2	26 15.1 .2	19 11.0 .1	17 9.9 18.7	172 .2
	Column Total	2467 3.6	11498 16.6	25327 36.6	14583 21.1	15267 22.1	91 .1	69233 100.0

MPCB MONTH PRENATAL CARE BEGAN by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

MPCB	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
NONE	0	45	449	463	110	12	8	1087
		4.1	41.3	42.6	10.1	1.1	.7	3.3
		4.0	5.2	3.1	2.0	.5	11.1	
FIRST MONTH	1	70	687	1679	846	599	7	3888
		1.8	17.7	43.2	21.8	15.4	.2	11.8
		6.3	7.9	11.1	15.3	23.0	9.7	
SECOND MONTH	2	208	1784	4340	2062	1212	12	9618
		2.2	18.5	45.1	21.4	12.6	.1	29.1
		18.6	20.6	28.8	37.2	46.5	16.7	
THIRD MONTH	3	213	1761	3193	1100	450	6	6723
		3.2	26.2	47.5	16.4	6.7	.1	20.3
		19.1	20.4	21.2	19.8	17.3	8.3	
FOURTH MONTH	4	179	1357	2082	608	161	10	4397
		4.1	30.9	47.4	13.8	3.7	.2	13.3
		16.0	15.7	13.8	11.0	6.2	13.9	
FIFTH MONTH	5	177	1006	1463	349	82	10	3087
		5.7	32.6	47.4	11.3	2.7	.3	9.3
		15.9	11.6	9.7	6.3	3.1	13.9	
SIXTH MONTH	6	96	729	878	234	40	5	1982
		4.8	36.8	44.3	11.8	2.0	.3	6.0
		8.6	8.4	5.8	4.2	1.5	6.9	
SEVENTH MONTH	7	71	480	559	123	22	5	1260
		5.6	38.1	44.4	9.8	1.7	.4	3.8
		6.4	5.6	3.7	2.2	.8	6.9	
EIGHTH MONTH	8	44	266	297	74	14	1	696
		6.3	38.2	42.7	10.6	2.0	.1	2.1
		3.9	3.1	2.0	1.3	.5	1.4	
NINTH MONTH	9	5	85	83	16	6		195
		2.6	43.6	42.6	8.2	3.1		.6
		.4	1.0	.5	.3	.2		
NOT STATED	10	8	39	58	22	8	8	143
		5.6	27.3	40.6	15.4	5.6	5.6	.4
		.7	.5	.4	.4	.3	11.1	
	Column Total	1116	8643	15095	5544	2606	72	33076
		3.4	26.1	45.6	16.8	7.9	.2	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY AGE OF MOTHER

BY RACE

TABLE 6

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
NONE	0		2 .1 13.3	2 .1 2.6	14 .8 4.5	46 2.8 5.1	59 3.6 3.1	91 5.5 2.9	123 7.4 2.8	159 9.6 2.8	139 8.4 2.1	123 7.4 1.9	1656 1.6
FIRST MONTH	1				16 .1 5.1	41 .2 4.5	135 .8 7.0	235 1.4 7.4	357 2.1 8.1	534 3.2 9.4	691 4.1 10.7	801 4.7 12.5	16894 16.5
SECOND MONTH	2		2 .0 13.3	13 .0 17.1	51 .1 16.2	157 .4 17.3	429 1.0 22.4	774 1.8 24.5	1157 2.7 26.1	1637 3.9 28.8	2060 4.9 31.8	2179 5.2 34.0	42305 41.4
THIRD MONTH	3			12 .1 15.8	56 .3 17.8	186 1.0 20.5	423 2.2 22.1	720 3.8 22.8	980 5.2 22.1	1242 6.6 21.8	1407 7.5 21.7	1349 7.2 21.1	18865 18.4
FOURTH MONTH	4		2 .0 13.3	13 .1 17.1	47 .5 15.0	158 1.7 17.4	322 3.4 16.8	512 5.5 16.2	708 7.6 16.0	831 8.9 14.6	861 9.2 13.3	747 8.0 11.7	9341 9.1
FIFTH MONTH	5	1 .0 33.3	5 .1 33.3	14 .2 18.4	53 .9 16.9	126 2.2 13.9	212 3.7 11.1	351 6.1 11.1	474 8.2 10.7	547 9.5 9.6	545 9.4 8.4	523 9.1 8.2	5773 5.6
SIXTH MONTH	6		3 .1 20.0	10 .3 13.2	32 .9 10.2	103 3.0 11.3	154 4.4 8.0	228 6.5 7.2	314 9.0 7.1	360 10.3 6.3	349 10.0 5.4	314 9.0 4.9	3485 3.4
SEVENTH MONTH	7	2 .1 66.7	1 .0 6.7	7 .3 9.2	25 1.2 8.0	55 2.6 6.1	101 4.7 5.3	150 7.0 4.7	165 7.7 3.7	213 9.9 3.7	242 11.3 3.7	203 9.5 3.2	2147 2.1
EIGHTH MONTH	8			3 .3 3.9	14 1.2 4.5	29 2.4 3.2	57 4.8 3.0	67 5.6 2.1	105 8.8 2.4	110 9.2 1.9	124 10.4 1.9	118 9.9 1.8	1196 1.2
NINTH MONTH	9				2 .6 .6	5 1.5 .6	15 4.5 .8	19 5.7 .6	27 8.1 .6	31 9.3 .5	33 9.9 .5	28 8.4 .4	332 .3
NOT STATED	10			2 .6 2.6	4 1.3 1.3	3 1.0 .3	11 3.5 .6	17 5.4 .5	19 6.0 .4	24 7.6 .4	22 7.0 .3	22 7.0 .3	315 .3
(Continued)	Column Total	3 .0	15 .0	76 .1	314 .3	909 .9	1918 1.9	3164 3.1	4429 4.3	5688 5.6	6473 6.3	6407 6.3	102309 100.0

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

MPCB (Count / Row Pct / Col Pct)	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
0 NONE	125	116	87	329	154	62	22		3	1656
	7.5	7.0	5.3	19.9	9.3	3.7	1.3		.2	1.6
	2.0	1.9	1.5	1.2	.8	1.0	2.7		2.2	
1 FIRST MONTH	842	824	902	5620	4253	1423	179	6	35	16894
	5.0	4.9	5.3	33.3	25.2	8.4	1.1	.0	.2	16.5
	13.6	13.8	15.7	19.7	22.3	22.2	22.0	28.6	26.1	
2 SECOND MONTH	2287	2482	2412	13548	9532	3167	364	7	47	42305
	5.4	5.9	5.7	32.0	22.5	7.5	.9	.0	.1	41.4
	36.9	41.6	42.1	47.4	49.9	49.5	44.7	33.3	35.1	
3 THIRD MONTH	1249	1151	1142	4773	2996	1032	118	5	24	18865
	6.6	6.1	6.1	25.3	15.9	5.5	.6	.0	.1	18.4
	20.2	19.3	19.9	16.7	15.7	16.1	14.5	23.8	17.9	
4 FOURTH MONTH	675	567	478	1969	1047	328	63	1	12	9341
	7.2	6.1	5.1	21.1	11.2	3.5	.7	.0	.1	9.1
	10.9	9.5	8.3	6.9	5.5	5.1	7.7	4.8	9.0	
5 FIFTH MONTH	430	366	319	1088	511	160	38	2	8	5773
	7.4	6.3	5.5	18.8	8.9	2.8	.7	.0	.1	5.6
	6.9	6.1	5.6	3.8	2.7	2.5	4.7	9.5	6.0	
6 SIXTH MONTH	270	212	169	587	269	95	14		2	3485
	7.7	6.1	4.8	16.8	7.7	2.7	.4		.1	3.4
	4.4	3.6	2.9	2.1	1.4	1.5	1.7		1.5	
7 SEVENTH MONTH	165	142	104	329	164	68	10		1	2147
	7.7	6.6	4.8	15.3	7.6	3.2	.5		.0	2.1
	2.7	2.4	1.8	1.2	.9	1.1	1.2		.7	
8 EIGHTH MONTH	99	74	71	194	89	38	3		1	1196
	8.3	6.2	5.9	16.2	7.4	3.2	.3		.1	1.2
	1.6	1.2	1.2	.7	.5	.6	.4		.7	
9 NINTH MONTH	32	14	26	56	30	14				332
	9.6	4.2	7.8	16.9	9.0	4.2				.3
	.5	.2	.5	.2	.2	.2				
10 NOT STATED	20	17	19	74	44	13	3		1	315
	6.3	5.4	6.0	23.5	14.0	4.1	1.0		.3	.3
	.3	.3	.3	.3	.2	.2	.4		.7	
Column Total	6194	5965	5729	28567	19089	6400	814	21	134	102309
	6.1	5.8	5.6	27.9	18.7	6.3	.8	.0	.1	100.0

Number of Missing Observations: 0

TABLE 6

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

MPCB (Count / Row Pct / Col Pct)	12	13	14	15	16	17	18	19	20	21	22	Row Total
0 NONE			3 .5 4.5	15 2.6 4.8	15 2.6 1.7	28 4.9 1.7	44 7.7 1.8	54 9.5 1.7	46 8.1 1.2	40 7.0 1.0	47 8.3 1.2	569 .8
1 FIRST MONTH			1 .0 1.5	19 .1 6.0	57 .4 6.5	129 1.0 7.8	205 1.6 8.6	337 2.6 10.6	448 3.4 11.8	540 4.2 13.8	603 4.6 15.5	13006 18.8
2 SECOND MONTH	1 .0 20.0	5 .0 45.5	14 .0 20.9	65 .2 20.6	232 .7 26.6	493 1.5 29.8	710 2.2 29.8	1093 3.3 34.2	1474 4.5 38.7	1547 4.7 39.4	1659 5.1 42.5	32687 47.2
3 THIRD MONTH		2 .0 18.2	18 .1 26.9	74 .6 23.5	209 1.7 24.0	380 3.1 22.9	558 4.6 23.5	726 6.0 22.7	816 6.7 21.5	838 6.9 21.4	739 6.5 20.2	12142 17.5
4 FOURTH MONTH	1 .0 20.0		7 .1 10.4	48 1.0 15.2	146 3.0 16.8	267 5.4 16.1	373 7.5 15.7	418 8.5 13.1	429 8.7 11.3	391 7.9 10.0	355 7.2 9.1	4944 7.1
5 FIFTH MONTH	1 .0 20.0	2 .1 18.2	9 .3 13.4	30 1.1 9.5	91 3.4 10.4	165 6.1 10.0	211 7.9 8.9	261 9.7 8.2	255 9.5 6.7	263 9.8 6.7	194 7.2 5.0	2686 3.9
6 SIXTH MONTH	1 .1 20.0		6 .4 9.0	31 2.1 9.8	51 3.4 5.9	91 6.1 5.5	141 9.4 5.9	142 9.4 4.4	162 10.8 4.3	148 9.8 3.8	117 7.8 3.0	1503 2.2
7 SEVENTH MONTH	1 .1 20.0	2 .2 18.2	5 .6 7.5	19 2.1 6.0	34 3.8 3.9	63 7.1 3.8	73 8.2 3.1	92 10.4 2.9	102 11.5 2.7	85 9.6 2.2	66 7.4 1.7	887 1.3
8 EIGHTH MONTH			3 .6 4.5	10 2.0 3.2	20 4.0 2.3	28 5.6 1.7	42 8.4 1.8	46 9.2 1.4	49 9.8 1.3	47 9.4 1.2	47 9.4 1.2	500 .7
9 NINTH MONTH			1 .7 1.5	2 1.5 .6	10 7.3 1.1	4 2.9 .2	13 9.5 .5	12 8.8 .4	10 7.3 .3	11 8.0 .3	11 8.0 .3	137 .2
10 NOT STATED				2 1.2 .6	6 3.5 .7	9 5.2 .5	9 5.2 .4	12 7.0 .4	13 7.6 .3	12 7.0 .3	14 8.1 .4	172 .2
Column Total	5 .0	11 .0	67 .1	315 .5	871 1.3	1657 2.4	2379 3.4	3193 4.6	3804 5.5	3922 5.7	3902 5.6	69233 100.0

(Continued)

TABLE 6

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

MPCB (Count / Row Pct / Col Pct)	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
0 NONE	48 8.4 1.3	26 4.6 .7	108 19.0 .5	54 9.5 .4	24 4.2 .5	15 2.6 2.5		2 .4 1.9	569 .8
1 FIRST MONTH	558 4.3 14.6	675 5.2 17.5	4529 34.8 21.6	3523 27.1 24.0	1198 9.2 24.2	150 1.2 24.6	4 .0 22.2	30 .2 28.3	13006 18.8
2 SECOND MONTH	1813 5.5 47.3	1864 5.7 48.2	10885 33.3 51.8	7877 24.1 53.6	2608 8.0 52.7	300 .9 49.2	7 .0 38.9	40 .1 37.7	32687 47.2
3 THIRD MONTH	729 6.0 19.0	717 5.9 18.5	3280 27.0 15.6	2159 17.8 14.7	744 6.1 15.0	82 .7 13.4	5 .0 27.8	16 .1 15.1	12142 17.5
4 FOURTH MONTH	325 6.6 8.5	251 5.1 6.5	1124 22.7 5.3	575 11.6 3.9	188 3.8 3.8	36 .7 5.9	1 .0 5.6	9 .2 8.5	4944 7.1
5 FIFTH MONTH	171 6.4 4.5	147 5.5 3.8	520 19.4 2.5	255 9.5 1.7	87 3.2 1.8	19 .7 3.1	1 .0 5.6	4 .1 3.8	2686 3.9
6 SIXTH MONTH	92 6.1 2.4	91 6.1 2.4	259 17.2 1.2	121 8.1 .8	44 2.9 .9	4 .3 .7		2 .1 1.9	1503 2.2
7 SEVENTH MONTH	54 6.1 1.4	47 5.3 1.2	152 17.1 .7	65 7.3 .4	24 2.7 .5	2 .2 .3		1 .1 .9	887 1.3
8 EIGHTH MONTH	26 5.2 .7	24 4.8 .6	92 18.4 .4	45 9.0 .3	18 3.6 .4	2 .4 .3		1 .2 .9	500 .7
9 NINTH MONTH	7 5.1 .2	16 11.7 .4	22 16.1 .1	10 7.3 .1	8 5.8 .2				137 .2
10 NOT STATED	7 4.1 .2	9 5.2 .2	43 25.0 .2	25 14.5 .2	10 5.8 .2			1 .6 .9	172 .2
Column Total	3830 5.5	3867 5.6	21014 30.4	14709 21.2	4953 7.2	610 .9	18 .0	106 .2	69233 100.0

TABLE 6

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

MPCB (Count / Row Pct / Col Pct)	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
0 NONE		2 .2 20.0	2 .2 3.1	11 1.0 4.5	31 2.9 5.2	44 4.0 4.2	63 5.8 4.2	79 7.3 3.9	105 9.7 4.2	93 8.6 3.5	83 7.6 3.3	1087 3.3
1 FIRST MONTH				15 .4 6.1	22 .6 3.7	78 2.0 7.4	106 2.7 7.0	152 3.9 7.4	197 5.1 7.9	243 6.3 9.1	261 6.7 10.5	3888 11.8
2 SECOND MONTH		1 .0 10.0	8 .1 12.3	37 .4 15.0	92 1.0 15.5	197 2.0 18.8	281 2.9 18.6	447 4.6 21.8	544 5.7 21.8	586 6.1 22.0	632 6.6 25.4	9618 29.1
3 THIRD MONTH			10 .1 15.4	38 .6 15.4	112 1.7 18.9	214 3.2 20.4	340 5.1 22.6	422 6.3 20.6	516 7.7 20.7	591 8.8 22.1	511 7.6 20.6	6723 20.3
4 FOURTH MONTH		1 .0 10.0	13 .3 20.0	40 .9 16.2	110 2.5 18.5	176 4.0 16.8	245 5.6 16.3	335 7.6 16.3	413 9.4 16.6	432 9.8 16.2	356 8.1 14.3	4397 13.3
5 FIFTH MONTH	1 .0 33.3	4 .1 40.0	12 .4 18.5	44 1.4 17.8	96 3.1 16.2	121 3.9 11.6	186 6.0 12.3	263 8.5 12.8	286 9.3 11.5	290 9.4 10.9	260 8.4 10.5	3087 9.3
6 SIXTH MONTH		2 .1 20.0	10 .5 15.4	26 1.3 10.5	72 3.6 12.1	103 5.2 9.8	137 6.9 9.1	173 8.7 8.4	218 11.0 8.7	187 9.4 7.0	166 8.4 6.7	1982 6.0
7 SEVENTH MONTH	2 .2 66.7		5 .4 7.7	20 1.6 8.1	36 2.9 6.1	67 5.3 6.4	87 6.9 5.8	92 7.3 4.5	121 9.6 4.8	140 11.1 5.2	118 9.4 4.7	1260 3.8
8 EIGHTH MONTH			3 .4 4.6	11 1.6 4.5	19 2.7 3.2	37 5.3 3.5	39 5.6 2.6	63 9.1 3.1	64 9.2 2.6	75 10.8 2.8	71 10.2 2.9	696 2.1
9 NINTH MONTH				1 .5 .4	3 1.5 .5	5 2.6 .5	15 7.7 1.0	14 7.2 .7	19 9.7 .8	23 11.8 .9	17 8.7 .7	195 .6
10 NOT STATED			2 1.4 3.1	4 2.8 1.6	1 .7 .2	5 3.5 .5	8 5.6 .5	10 7.0 .5	12 8.4 .5	9 6.3 .3	10 7.0 .4	143 .4
Column Total	3 .0	10 .0	65 .2	247 .7	594 1.8	1047 3.2	1507 4.6	2050 6.2	2495 7.5	2669 8.1	2485 7.5	33076 100.0

(Continued)

TABLE 6

MPCB MONTH PRENATAL CARE BEGAN by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

MPCB	AGE: 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
0 NONE	78 7.2 3.4	68 6.3 3.2	61 5.6 3.3	221 20.3 2.9	100 9.2 2.3	38 3.5 2.6	7 .6 3.4		1 .1 3.6	1087 3.3
1 FIRST MONTH	239 6.1 10.4	266 6.8 12.5	227 5.8 12.2	1091 28.1 14.4	730 18.8 16.7	225 5.8 15.5	29 .7 14.2	2 .1 66.7	5 .1 17.9	3888 11.8
2 SECOND MONTH	628 6.5 27.4	669 7.0 31.3	548 5.7 29.4	2663 27.7 35.3	1655 17.2 37.8	559 5.8 38.6	64 .7 31.4		7 .1 25.0	9618 29.1
3 THIRD MONTH	460 6.8 20.1	422 6.3 19.8	425 6.3 22.8	1493 22.2 19.8	837 12.4 19.1	288 4.3 19.9	36 .5 17.6		8 .1 28.6	6723 20.3
4 FOURTH MONTH	320 7.3 14.0	242 5.5 11.3	227 5.2 12.2	845 19.2 11.2	472 10.7 10.8	140 3.2 9.7	27 .6 13.2		3 .1 10.7	4397 13.3
5 FIFTH MONTH	236 7.6 10.3	195 6.3 9.1	172 5.6 9.2	568 18.4 7.5	256 8.3 5.8	73 2.4 5.0	19 .6 9.3	1 .0 33.3	4 .1 14.3	3087 9.3
6 SIXTH MONTH	153 7.7 6.7	120 6.1 5.6	78 3.9 4.2	328 16.5 4.3	148 7.5 3.4	51 2.6 3.5	10 .5 4.9			1982 6.0
7 SEVENTH MONTH	99 7.9 4.3	88 7.0 4.1	57 4.5 3.1	177 14.0 2.3	99 7.9 2.3	44 3.5 3.0	8 .6 3.9			1260 3.8
8 EIGHTH MONTH	52 7.5 2.3	48 6.9 2.2	47 6.8 2.5	102 14.7 1.4	44 6.3 1.0	20 2.9 1.4	1 .1 .5			696 2.1
9 NINTH MONTH	21 10.8 .9	7 3.6 .3	10 5.1 .5	34 17.4 .5	20 10.3 .5	6 3.1 .4				195 .6
10 NOT STATED	6 4.2 .3	10 7.0 .5	10 7.0 .5	31 21.7 .4	19 13.3 .4	3 2.1 .2	3 2.1 1.5			143 .4
Column Total	2292 6.9	2135 6.5	1862 5.6	7553 22.8	4380 13.2	1447 4.4	204 .6	3 .0	28 .1	33076 100.0

MONTH PRENATAL CARE BEGAN

BY MARITAL STATUS

BY RACE

MPCB MONTH PRENATAL CARE BEGAN by STATUS MARITAL STATUS OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 1

MPCB	Count / Row Pct / Col Pct	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	Row Total
NONE	0	388 23.4 .6	1268 76.6 3.9		1656 1.6
FIRST MONTH	1	14102 83.5 20.2	2791 16.5 8.6	1 .0 7.1	16894 16.5
SECOND MONTH	2	33950 80.3 48.5	8352 19.7 25.8	3 .0 21.4	42305 41.4
THIRD MONTH	3	12005 63.6 17.2	6857 36.3 21.2	3 .0 21.4	18865 18.4
FOURTH MONTH	4	4549 48.7 6.5	4791 51.3 14.8	1 .0 7.1	9341 9.1
FIFTH MONTH	5	2336 40.5 3.3	3436 59.5 10.6	1 .0 7.1	5773 5.6
SIXTH MONTH	6	1222 35.1 1.7	2263 64.9 7.0		3485 3.4
SEVENTH MONTH	7	742 34.6 1.1	1405 65.4 4.3		2147 2.1
EIGHTH MONTH	8	404 33.8 .6	792 66.2 2.4		1196 1.2
NINTH MONTH	9	112 33.7 .2	220 66.3 .7		332 .3
NOT STATED	10	158 50.2 .2	152 48.3 .5	5 1.6 35.7	315 .3
	Column Total	69968 68.4	32327 31.6	14 .0	102309 100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 1 WHITE

Page 1 of 1

MPCB	Count / Row Pct / Col Pct	STATUS: MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
NONE	0	237 41.7 .4	332 58.3 3.0		569 .8
FIRST MONTH	1	12061 92.7 20.7	945 7.3 8.5		13006 18.8
SECOND MONTH	2	29350 89.8 50.5	3335 10.2 30.1	2 .0 22.2	32687 47.2
THIRD MONTH	3	9631 79.3 16.6	2508 20.7 22.6	3 .0 33.3	12142 17.5
FOURTH MONTH	4	3381 68.4 5.8	1563 31.6 14.1		4944 7.1
FIFTH MONTH	5	1654 61.6 2.8	1031 38.4 9.3	1 .0 11.1	2686 3.9
SIXTH MONTH	6	857 57.0 1.5	646 43.0 5.8		1503 2.2
SEVENTH MONTH	7	491 55.4 .8	396 44.6 3.6		887 1.3
EIGHTH MONTH	8	280 56.0 .5	220 44.0 2.0		500 .7
NINTH MONTH	9	74 54.0 .1	63 46.0 .6		137 .2
NOT STATED	10	120 69.8 .2	49 28.5 .4	3 1.7 33.3	172 .2
	Column Total	58136 84.0	11088 16.0	9 .0	69233 100.0

MPCB MONTH PRENATAL CARE BEGAN by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 1

MPCB	Count / Row Pct / Col Pct	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	Row Total
NONE	0	151	936		1087
		13.9	86.1		3.3
		1.3	4.4		
FIRST MONTH	1	2041	1846	1	3888
		52.5	47.5	.0	11.8
		17.2	8.7	20.0	
SECOND MONTH	2	4600	5017	1	9618
		47.8	52.2	.0	29.1
		38.9	23.6	20.0	
THIRD MONTH	3	2374	4349		6723
		35.3	64.7		20.3
		20.1	20.5		
FOURTH MONTH	4	1168	3228	1	4397
		26.6	73.4	.0	13.3
		9.9	15.2	20.0	
FIFTH MONTH	5	682	2405		3087
		22.1	77.9		9.3
		5.8	11.3		
SIXTH MONTH	6	365	1617		1982
		18.4	81.6		6.0
		3.1	7.6		
SEVENTH MONTH	7	251	1009		1260
		19.9	80.1		3.8
		2.1	4.8		
EIGHTH MONTH	8	124	572		696
		17.8	82.2		2.1
		1.0	2.7		
NINTH MONTH	9	38	157		195
		19.5	80.5		.6
		.3	.7		
NOT STATED	10	38	103	2	143
		26.6	72.0	1.4	.4
		.3	.5	40.0	
	Column Total	11832	21239	5	33076
		35.8	64.2	.0	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY BIRTH ORDER

BY RACE

TABLE 8

MPCB MONTH PRENATAL CARE BEGAN by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
NONE	0	377 22.8 1.0	409 24.7 1.3	357 21.6 1.9	226 13.6 2.6	121 7.3 3.1	77 4.6 4.7	43 2.6 6.2	23 1.4 7.0	18 1.1 5.5	5 .3 3.6	1656 1.6
FIRST MONTH	1	6060 35.9 16.7	5598 33.1 17.6	2981 17.6 16.1	1294 7.7 14.9	548 3.2 14.2	234 1.4 14.2	78 .5 11.3	41 .2 12.4	43 .3 13.1	17 .1 12.3	16894 16.5
SECOND MONTH	2	15699 37.1 43.4	13848 32.7 43.4	7385 17.5 39.8	3140 7.4 36.2	1280 3.0 33.2	517 1.2 31.4	198 .5 28.7	100 .2 30.3	89 .2 27.1	49 .1 35.5	42305 41.4
THIRD MONTH	3	6751 35.8 18.7	5601 29.7 17.6	3486 18.5 18.8	1650 8.7 19.0	800 4.2 20.7	278 1.5 16.9	145 .8 21.0	68 .4 20.6	65 .3 19.8	21 .1 15.2	18865 18.4
FOURTH MONTH	4	3170 33.9 8.8	2698 28.9 8.5	1771 19.0 9.5	923 9.9 10.6	421 4.5 10.9	212 2.3 12.9	72 .8 10.4	31 .3 9.4	35 .4 10.6	8 .1 5.8	9341 9.1
FIFTH MONTH	5	1822 31.6 5.0	1700 29.4 5.3	1131 19.6 6.1	607 10.5 7.0	270 4.7 7.0	135 2.3 8.2	55 1.0 8.0	25 .4 7.6	19 .3 5.8	9 .2 6.5	5773 5.6
SIXTH MONTH	6	1161 33.3 3.2	930 26.7 2.9	604 17.3 3.3	406 11.6 4.7	191 5.5 5.0	96 2.8 5.8	44 1.3 6.4	18 .5 5.5	28 .8 8.5	7 .2 5.1	3485 3.4
SEVENTH MONTH	7	630 29.3 1.7	616 28.7 1.9	444 20.7 2.4	223 10.4 2.6	122 5.7 3.2	51 2.4 3.1	25 1.2 3.6	15 .7 4.5	20 .9 6.1	1 .0 .7	2147 2.1
EIGHTH MONTH	8	353 29.5 1.0	294 24.6 .9	276 23.1 1.5	136 11.4 1.6	73 6.1 1.9	30 2.5 1.8	21 1.8 3.0	6 .5 1.8	6 .5 1.8	1 .1 .7	1196 1.2
NINTH MONTH	9	76 22.9 .2	89 26.8 .3	70 21.1 .4	44 13.3 .5	24 7.2 .6	13 3.9 .8	9 2.7 1.3	2 .6 .6	5 1.5 1.5		332 .3
NOT STATED	10	98 31.1 .3	100 31.7 .3	52 16.5 .3	28 8.9 .3	8 2.5 .2	6 1.9 .4	1 .3 .1	1 .3 .3	1 .3 .3	20 6.3 14.5	315 .3
	Column Total	36197 35.4	31883 31.2	18557 18.1	8677 8.5	3858 3.8	1649 1.6	691 .7	330 .3	329 .3	138 .1	102309 100.0

Number of Missing Observations: 0

TABLE 8

MPCB MONTH PRENATAL CARE BEGAN by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
NONE	0	183 32.2 .7	128 22.5 .6	127 22.3 1.1	57 10.0 1.1	32 5.6 1.5	20 3.5 2.3	11 1.9 3.1	3 .5 1.9	7 1.2 4.6	1 .2 1.3	569 .8
FIRST MONTH	1	4893 37.6 18.9	4398 33.8 19.6	2195 16.9 18.2	927 7.1 17.7	340 2.6 16.2	147 1.1 17.1	47 .4 13.4	22 .2 14.3	25 .2 16.6	12 .1 15.2	13006 18.8
SECOND MONTH	2	12573 38.5 48.6	10932 33.4 48.8	5514 16.9 45.7	2214 6.8 42.2	855 2.6 40.6	331 1.0 38.4	130 .4 37.0	57 .2 37.0	50 .2 33.1	31 .1 39.2	32687 47.2
THIRD MONTH	3	4446 36.6 17.2	3734 30.8 16.7	2219 18.3 18.4	980 8.1 18.7	447 3.7 21.2	157 1.3 18.2	76 .6 21.7	40 .3 26.0	31 .3 20.5	12 .1 15.2	12142 17.5
FOURTH MONTH	4	1757 35.5 6.8	1470 29.7 6.6	910 18.4 7.5	469 9.5 8.9	189 3.8 9.0	91 1.8 10.6	28 .6 8.0	12 .2 7.8	15 .3 9.9	3 .1 3.8	4944 7.1
FIFTH MONTH	5	890 33.1 3.4	828 30.8 3.7	512 19.1 4.2	265 9.9 5.1	105 3.9 5.0	47 1.7 5.5	24 .9 6.8	6 .2 3.9	5 .2 3.3	4 .1 5.1	2686 3.9
SIXTH MONTH	6	529 35.2 2.0	411 27.3 1.8	254 16.9 2.1	174 11.6 3.3	58 3.9 2.8	36 2.4 4.2	22 1.5 6.3	6 .4 3.9	10 .7 6.6	3 .2 3.8	1503 2.2
SEVENTH MONTH	7	298 33.6 1.2	266 30.0 1.2	176 19.8 1.5	77 8.7 1.5	44 5.0 2.1	16 1.8 1.9	4 .5 1.1	3 .3 1.9	3 .3 2.0		887 1.3
EIGHTH MONTH	8	177 35.4 .7	124 24.8 .6	97 19.4 .8	53 10.6 1.0	24 4.8 1.1	10 2.0 1.2	7 1.4 2.0	4 .8 2.6	3 .6 2.0	1 .2 1.3	500 .7
NINTH MONTH	9	42 30.7 .2	40 29.2 .2	25 18.2 .2	12 8.8 .2	8 5.8 .4	5 3.6 .6	2 1.5 .6	1 .7 .6	2 1.5 1.3		137 .2
NOT STATED	10	60 34.9 .2	55 32.0 .2	27 15.7 .2	14 8.1 .3	2 1.2 .1	2 1.2 .2				12 7.0 15.2	172 .2
	Column Total	25848 37.3	22386 32.3	12056 17.4	5242 7.6	2104 3.0	862 1.2	351 .5	154 .2	151 .2	79 .1	69233 100.0

TABLE 8

MPCB MONTH PRENATAL CARE BEGAN by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

MPCB	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
NONE	0	194 17.8 1.9	281 25.9 3.0	230 21.2 3.5	169 15.5 4.9	89 8.2 5.1	57 5.2 7.2	32 2.9 9.4	20 1.8 11.4	11 1.0 6.2	4 .4 6.8	1087 3.3
FIRST MONTH	1	1167 30.0 11.3	1200 30.9 12.6	786 20.2 12.1	367 9.4 10.7	208 5.3 11.9	87 2.2 11.1	31 .8 9.1	19 .5 10.8	18 .5 10.1	5 .1 8.5	3888 11.8
SECOND MONTH	2	3126 32.5 30.2	2916 30.3 30.7	1871 19.5 28.8	926 9.6 27.0	425 4.4 24.2	186 1.9 23.6	68 .7 20.0	43 .4 24.4	39 .4 21.9	18 .2 30.5	9618 29.1
THIRD MONTH	3	2305 34.3 22.3	1867 27.8 19.7	1267 18.8 19.5	670 10.0 19.5	353 5.3 20.1	121 1.8 15.4	69 1.0 20.3	28 .4 15.9	34 .5 19.1	9 .1 15.3	6723 20.3
FOURTH MONTH	4	1413 32.1 13.7	1228 27.9 12.9	861 19.6 13.2	454 10.3 13.2	232 5.3 13.2	121 2.8 15.4	44 1.0 12.9	19 .4 10.8	20 .5 11.2	5 .1 8.5	4397 13.3
FIFTH MONTH	5	932 30.2 9.0	872 28.2 9.2	619 20.1 9.5	342 11.1 10.0	165 5.3 9.4	88 2.9 11.2	31 1.0 9.1	19 .6 10.8	14 .5 7.9	5 .2 8.5	3087 9.3
SIXTH MONTH	6	632 31.9 6.1	519 26.2 5.5	350 17.7 5.4	232 11.7 6.8	133 6.7 7.6	60 3.0 7.6	22 1.1 6.5	12 .6 6.8	18 .9 10.1	4 .2 6.8	1982 6.0
SEVENTH MONTH	7	332 26.3 3.2	350 27.8 3.7	268 21.3 4.1	146 11.6 4.3	78 6.2 4.4	35 2.8 4.4	21 1.7 6.2	12 1.0 6.8	17 1.3 9.6	1 .1 1.7	1260 3.8
EIGHTH MONTH	8	176 25.3 1.7	170 24.4 1.8	179 25.7 2.8	83 11.9 2.4	49 7.0 2.8	20 2.9 2.5	14 2.0 4.1	2 .3 1.1	3 .4 1.7		696 2.1
NINTH MONTH	9	34 17.4 .3	49 25.1 .5	45 23.1 .7	32 16.4 .9	16 8.2 .9	8 4.1 1.0	7 3.6 2.1	1 .5 .6	3 1.5 1.7		195 .6
NOT STATED	10	38 26.6 .4	45 31.5 .5	25 17.5 .4	14 9.8 .4	6 4.2 .3	4 2.8 .5	1 .7 .3	1 .7 .6	1 .7 .6	8 5.6 13.6	143 .4
	Column Total	10349 31.3	9497 28.7	6501 19.7	3435 10.4	1754 5.3	787 2.4	340 1.0	176 .5	178 .5	59 .2	33076 100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY BIRTH WEIGHT

BY RACE

MPCB MONTH PRENATAL CARE BEGAN by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 1

MPCB	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0 NONE	171	297	1178	10	1656
	10.3	17.9	71.1	.6	1.6
	10.0	4.3	1.3	15.2	
1 FIRST MONTH	305	1044	15539	6	16894
	1.8	6.2	92.0	.0	16.5
	17.8	15.1	16.6	9.1	
2 SECOND MONTH	593	2421	39279	12	42305
	1.4	5.7	92.8	.0	41.4
	34.6	35.1	42.0	18.2	
3 THIRD MONTH	310	1287	17258	10	18865
	1.6	6.8	91.5	.1	18.4
	18.1	18.6	18.4	15.2	
4 FOURTH MONTH	148	737	8450	6	9341
	1.6	7.9	90.5	.1	9.1
	8.6	10.7	9.0	9.1	
5 FIFTH MONTH	105	463	5205		5773
	1.8	8.0	90.2		5.6
	6.1	6.7	5.6		
6 SIXTH MONTH	52	328	3102	3	3485
	1.5	9.4	89.0	.1	3.4
	3.0	4.8	3.3	4.5	
7 SEVENTH MONTH	12	178	1956	1	2147
	.6	8.3	91.1	.0	2.1
	.7	2.6	2.1	1.5	
8 EIGHTH MONTH	5	99	1092		1196
	.4	8.3	91.3		1.2
	.3	1.4	1.2		
9 NINTH MONTH	2	16	314		332
	.6	4.8	94.6		.3
	.1	.2	.3		
10 NOT STATED	10	32	255	18	315
	3.2	10.2	81.0	5.7	.3
	.6	.5	.3	27.3	
Column Total	1713	6902	93628	66	102309
	1.7	6.7	91.5	.1	100.0

Number of Missing Observations: 0

MPCB MONTH PRENATAL CARE BEGAN by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

MPCB	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0 NONE	41 7.2 5.4	85 14.9 2.3	439 77.2 .7	4 .7 12.1	569 .8
1 FIRST MONTH	178 1.4 23.5	705 5.4 19.2	12121 93.2 18.7	2 .0 6.1	13006 18.8
2 SECOND MONTH	322 1.0 42.6	1558 4.8 42.5	30798 94.2 47.5	9 .0 27.3	32687 47.2
3 THIRD MONTH	130 1.1 17.2	656 5.4 17.9	11351 93.5 17.5	5 .0 15.2	12142 17.5
4 FOURTH MONTH	41 .8 5.4	291 5.9 7.9	4611 93.3 7.1	1 .0 3.0	4944 7.1
5 FIFTH MONTH	28 1.0 3.7	150 5.6 4.1	2508 93.4 3.9		2686 3.9
6 SIXTH MONTH	10 .7 1.3	122 8.1 3.3	1371 91.2 2.1		1503 2.2
7 SEVENTH MONTH	2 .2 .3	48 5.4 1.3	837 94.4 1.3		887 1.3
8 EIGHTH MONTH	1 .2 .1	39 7.8 1.1	460 92.0 .7		500 .7
9 NINTH MONTH	1 .7 .1	6 4.4 .2	130 94.9 .2		137 .2
10 NOT STATED	2 1.2 .3	9 5.2 .2	149 86.6 .2	12 7.0 36.4	172 .2
Column Total	756 1.1	3669 5.3	64775 93.6	33 .0	69233 100.0

MPCB MONTH PRENATAL CARE BEGAN by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

MPCB	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE (0)	130	212	739	6	1087
	12.0	19.5	68.0	.6	3.3
	13.6	6.6	2.6	18.2	
FIRST MONTH (1)	127	339	3418	4	3888
	3.3	8.7	87.9	.1	11.8
	13.3	10.5	11.8	12.1	
SECOND MONTH (2)	271	863	8481	3	9618
	2.8	9.0	88.2	.0	29.1
	28.3	26.7	29.4	9.1	
THIRD MONTH (3)	180	631	5907	5	6723
	2.7	9.4	87.9	.1	20.3
	18.8	19.5	20.5	15.2	
FOURTH MONTH (4)	107	446	3839	5	4397
	2.4	10.1	87.3	.1	13.3
	11.2	13.8	13.3	15.2	
FIFTH MONTH (5)	77	313	2697		3087
	2.5	10.1	87.4		9.3
	8.0	9.7	9.3		
SIXTH MONTH (6)	42	206	1731	3	1982
	2.1	10.4	87.3	.2	6.0
	4.4	6.4	6.0	9.1	
SEVENTH MONTH (7)	10	130	1119	1	1260
	.8	10.3	88.8	.1	3.8
	1.0	4.0	3.9	3.0	
EIGHTH MONTH (8)	4	60	632		696
	.6	8.6	90.8		2.1
	.4	1.9	2.2		
NINTH MONTH (9)	1	10	184		195
	.5	5.1	94.4		.6
	.1	.3	.6		
NOT STATED (10)	8	23	106	6	143
	5.6	16.1	74.1	4.2	.4
	.8	.7	.4	18.2	
Column Total	957	3233	28853	33	33076
	2.9	9.8	87.2	.1	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS

BY EDUCATION OF MOTHER

BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. 1	H.S. 1-3 YEARS 2	H.S. 4 YEARS 3	COL.1-3 YEARS 4	COL. 4+ YEARS 5	NOT STATED 6	Row Total
NONE	0	113	640	667	197	26	13	1656
		6.8	38.6	40.3	11.9	1.6	.8	1.6
		3.2	3.2	1.7	1.0	.1	8.0	
ONE	1	41	172	165	37	7	1	423
		9.7	40.7	39.0	8.7	1.7	.2	.4
		1.1	.9	.4	.2	.0	.6	
TWO	2	59	319	284	64	9	3	738
		8.0	43.2	38.5	8.7	1.2	.4	.7
		1.6	1.6	.7	.3	.1	1.8	
THREE	3	91	417	350	98	15	6	977
		9.3	42.7	35.8	10.0	1.5	.6	1.0
		2.5	2.1	.9	.5	.1	3.7	
FOUR	4	110	549	589	138	37	4	1427
		7.7	38.5	41.3	9.7	2.6	.3	1.4
		3.1	2.7	1.5	.7	.2	2.5	
FIVE	5	153	682	781	203	70	8	1897
		8.1	36.0	41.2	10.7	3.7	.4	1.9
		4.3	3.4	1.9	1.0	.4	4.9	
SIX	6	185	860	1006	297	111	5	2464
		7.5	34.9	40.8	12.1	4.5	.2	2.4
		5.2	4.3	2.5	1.5	.6	3.1	
SEVEN	7	164	813	1042	363	158	3	2543
		6.4	32.0	41.0	14.3	6.2	.1	2.5
		4.6	4.0	2.6	1.8	.9	1.8	
EIGHT	8	257	1261	1753	606	355	3	4235
		6.1	29.8	41.4	14.3	8.4	.1	4.1
		7.2	6.3	4.3	3.0	2.0	1.8	
NINE	9	179	1111	1807	650	405	4	4156
		4.3	26.7	43.5	15.6	9.7	.1	4.1
		5.0	5.5	4.5	3.2	2.3	2.5	
TEN	10	414	2244	4109	1594	1131	13	9505
		4.4	23.6	43.2	16.8	11.9	.1	9.3
		11.6	11.1	10.2	7.9	6.3	8.0	
(Continued)	Column Total	3583	20141	40422	20127	17873	163	102309
		3.5	19.7	39.5	19.7	17.5	.2	100.0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
ELEVEN	11	229	1194	2190	1009	785	8	5415
		4.2	22.0	40.4	18.6	14.5	.1	5.3
		6.4	5.9	5.4	5.0	4.4	4.9	
TWELVE	12	523	3200	7837	4533	4311	12	20416
		2.6	15.7	38.4	22.2	21.1	.1	20.0
		14.6	15.9	19.4	22.5	24.1	7.4	
THIRTEEN	13	182	1196	2799	1533	1566	15	7291
		2.5	16.4	38.4	21.0	21.5	.2	7.1
		5.1	5.9	6.9	7.6	8.8	9.2	
FOURTEEN	14	240	1398	3773	2153	2330	10	9904
		2.4	14.1	38.1	21.7	23.5	.1	9.7
		6.7	6.9	9.3	10.7	13.0	6.1	
FIFTEEN	15	322	2013	5707	3316	3496	19	14873
		2.2	13.5	38.4	22.3	23.5	.1	14.5
		9.0	10.0	14.1	16.5	19.6	11.7	
SIXTEEN OR MORE	16	300	1993	5450	3278	3035	10	14066
		2.1	14.2	38.7	23.3	21.6	.1	13.7
		8.4	9.9	13.5	16.3	17.0	6.1	
NOT STATED	17	21	79	113	58	26	26	323
		6.5	24.5	35.0	18.0	8.0	8.0	.3
		.6	.4	.3	.3	.1	16.0	
	Column Total	3583	20141	40422	20127	17873	163	102309
		3.5	19.7	39.5	19.7	17.5	.2	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
NONE	0	68	191	204	87	14	5	569
		12.0	33.6	35.9	15.3	2.5	.9	.8
		2.8	1.7	.8	.6	.1	5.5	
ONE	1	24	51	32	15	4	1	127
		18.9	40.2	25.2	11.8	3.1	.8	.2
		1.0	.4	.1	.1	.0	1.1	
TWO	2	33	95	66	28	4	1	227
		14.5	41.9	29.1	12.3	1.8	.4	.3
		1.3	.8	.3	.2	.0	1.1	
THREE	3	51	151	101	35	6	2	346
		14.7	43.6	29.2	10.1	1.7	.6	.5
		2.1	1.3	.4	.2	.0	2.2	
FOUR	4	61	216	203	59	20	3	562
		10.9	38.4	36.1	10.5	3.6	.5	.8
		2.5	1.9	.8	.4	.1	3.3	
FIVE	5	91	250	261	77	43	4	726
		12.5	34.4	36.0	10.6	5.9	.6	1.0
		3.7	2.2	1.0	.5	.3	4.4	
SIX	6	119	383	406	127	72	1	1108
		10.7	34.6	36.6	11.5	6.5	.1	1.6
		4.8	3.3	1.6	.9	.5	1.1	
SEVEN	7	106	400	455	189	111	2	1263
		8.4	31.7	36.0	15.0	8.8	.2	1.8
		4.3	3.5	1.8	1.3	.7	2.2	
EIGHT	8	179	640	810	368	265	1	2263
		7.9	28.3	35.8	16.3	11.7	.0	3.3
		7.3	5.6	3.2	2.5	1.7	1.1	
NINE	9	124	580	939	412	315		2370
		5.2	24.5	39.6	17.4	13.3		3.4
		5.0	5.0	3.7	2.8	2.1		
TEN	10	274	1260	2261	1041	922	6	5764
		4.8	21.9	39.2	18.1	16.0	.1	8.3
		11.1	11.0	8.9	7.1	6.0	6.6	
(Continued)	Column Total	2467	11498	25327	14583	15267	91	69233
		3.6	16.6	36.6	21.1	22.1	.1	100.0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. 1	H.S. 1-3 YEARS 2	H.S. 4 YEARS 3	COL.1-3 YEARS 4	COL. 4+ YEARS 5	NOT STATED 6	Row Total
ELEVEN	11	168	708	1350	705	687	4	3622
		4.6	19.5	37.3	19.5	19.0	.1	5.2
		6.8	6.2	5.3	4.8	4.5	4.4	
TWELVE	12	372	2056	5404	3480	3757	5	15074
		2.5	13.6	35.8	23.1	24.9	.0	21.8
		15.1	17.9	21.3	23.9	24.6	5.5	
THIRTEEN	13	132	765	1931	1194	1347	11	5380
		2.5	14.2	35.9	22.2	25.0	.2	7.8
		5.4	6.7	7.6	8.2	8.8	12.1	
FOURTEEN	14	188	940	2802	1666	2040	8	7644
		2.5	12.3	36.7	21.8	26.7	.1	11.0
		7.6	8.2	11.1	11.4	13.4	8.8	
FIFTEEN	15	234	1301	3970	2501	2994	13	11013
		2.1	11.8	36.0	22.7	27.2	.1	15.9
		9.5	11.3	15.7	17.2	19.6	14.3	
SIXTEEN OR MORE	16	232	1469	4072	2566	2648	7	10994
		2.1	13.4	37.0	23.3	24.1	.1	15.9
		9.4	12.8	16.1	17.6	17.3	7.7	
NOT STATED	17	11	42	60	33	18	17	181
		6.1	23.2	33.1	18.2	9.9	9.4	.3
		.4	.4	.2	.2	.1	18.7	
	Column Total	2467	11498	25327	14583	15267	91	69233
		3.6	16.6	36.6	21.1	22.1	.1	100.0

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
NONE	0	45	449	463	110	12	8	1087
		4.1	41.3	42.6	10.1	1.1	.7	3.3
		4.0	5.2	3.1	2.0	.5	11.1	
ONE	1	17	121	133	22	3		296
		5.7	40.9	44.9	7.4	1.0		.9
		1.5	1.4	.9	.4	.1		
TWO	2	26	224	218	36	5	2	511
		5.1	43.8	42.7	7.0	1.0	.4	1.5
		2.3	2.6	1.4	.6	.2	2.8	
THREE	3	40	266	249	63	9	4	631
		6.3	42.2	39.5	10.0	1.4	.6	1.9
		3.6	3.1	1.6	1.1	.3	5.6	
FOUR	4	49	333	386	79	17	1	865
		5.7	38.5	44.6	9.1	2.0	.1	2.6
		4.4	3.9	2.6	1.4	.7	1.4	
FIVE	5	62	432	520	126	27	4	1171
		5.3	36.9	44.4	10.8	2.3	.3	3.5
		5.6	5.0	3.4	2.3	1.0	5.6	
SIX	6	66	477	600	170	39	4	1356
		4.9	35.2	44.2	12.5	2.9	.3	4.1
		5.9	5.5	4.0	3.1	1.5	5.6	
SEVEN	7	58	413	587	174	47	1	1280
		4.5	32.3	45.9	13.6	3.7	.1	3.9
		5.2	4.8	3.9	3.1	1.8	1.4	
EIGHT	8	78	621	943	238	90	2	1972
		4.0	31.5	47.8	12.1	4.6	.1	6.0
		7.0	7.2	6.2	4.3	3.5	2.8	
NINE	9	55	531	868	238	90	4	1786
		3.1	29.7	48.6	13.3	5.0	.2	5.4
		4.9	6.1	5.8	4.3	3.5	5.6	
TEN	10	140	984	1848	553	209	7	3741
		3.7	26.3	49.4	14.8	5.6	.2	11.3
		12.5	11.4	12.2	10.0	8.0	9.7	
	Column Total	1116	8643	15095	5544	2606	72	33076
		3.4	26.1	45.6	16.8	7.9	.2	100.0

(Continued)

TABLE 10

PCVISIT NUMBER OF PRENATAL VISITS by EDUC EDUCATION OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	EDUC: NONE OR ELEM. (1)	H.S. 1-3 YEARS (2)	H.S. 4 YEARS (3)	COL.1-3 YEARS (4)	COL. 4+ YEARS (5)	NOT STATED (6)	Row Total
ELEVEN	11	61	486	840	304	98	4	1793
		3.4	27.1	46.8	17.0	5.5	.2	5.4
		5.5	5.6	5.6	5.5	3.8	5.6	
TWELVE	12	151	1144	2433	1053	554	7	5342
		2.8	21.4	45.5	19.7	10.4	.1	16.2
		13.5	13.2	16.1	19.0	21.3	9.7	
THIRTEEN	13	50	431	868	339	219	4	1911
		2.6	22.6	45.4	17.7	11.5	.2	5.8
		4.5	5.0	5.8	6.1	8.4	5.6	
FOURTEEN	14	52	458	971	487	290	2	2260
		2.3	20.3	43.0	21.5	12.8	.1	6.8
		4.7	5.3	6.4	8.8	11.1	2.8	
FIFTEEN	15	88	712	1737	815	502	6	3860
		2.3	18.4	45.0	21.1	13.0	.2	11.7
		7.9	8.2	11.5	14.7	19.3	8.3	
SIXTEEN OR MORE	16	68	524	1378	712	387	3	3072
		2.2	17.1	44.9	23.2	12.6	.1	9.3
		6.1	6.1	9.1	12.8	14.9	4.2	
NOT STATED	17	10	37	53	25	8	9	142
		7.0	26.1	37.3	17.6	5.6	6.3	.4
		.9	.4	.4	.5	.3	12.5	
	Column Total	1116	8643	15095	5544	2606	72	33076
		3.4	26.1	45.6	16.8	7.9	.2	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS

BY AGE OF MOTHER

BY RACE

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
NONE	0		2 .1 13.3	2 .1 2.6	14 .8 4.5	46 2.8 5.1	59 3.6 3.1	91 5.5 2.9	123 7.4 2.8	159 9.6 2.8	139 8.4 2.1	123 7.4 1.9	1656 1.6
ONE	1		1 .2 6.7		2 .5 .6	8 1.9 .9	15 3.5 .8	21 5.0 .7	43 10.2 1.0	34 8.0 .6	42 9.9 .6	33 7.8 .5	423 .4
TWO	2				8 1.1 2.5	20 2.7 2.2	32 4.3 1.7	50 6.8 1.6	54 7.3 1.2	81 11.0 1.4	76 10.3 1.2	65 8.8 1.0	738 .7
THREE	3		1 .1 6.7	5 .5 6.6	9 .9 2.9	21 2.1 2.3	40 4.1 2.1	57 5.8 1.8	84 8.6 1.9	94 9.6 1.7	103 10.5 1.6	101 10.3 1.6	977 1.0
FOUR	4		2 .1 13.3	1 .1 1.3	14 1.0 4.5	32 2.2 3.5	56 3.9 2.9	84 5.9 2.7	107 7.5 2.4	134 9.4 2.4	136 9.5 2.1	144 10.1 2.2	1427 1.4
FIVE	5		1 .1 6.7	11 .6 14.5	17 .9 5.4	42 2.2 4.6	88 4.6 4.6	94 5.0 3.0	147 7.7 3.3	169 8.9 3.0	184 9.7 2.8	166 8.8 2.6	1897 1.9
SIX	6	1 .0 33.3	1 .0 6.7	2 .1 2.6	24 1.0 7.6	57 2.3 6.3	95 3.9 5.0	130 5.3 4.1	203 8.2 4.6	188 7.6 3.3	236 9.6 3.6	214 8.7 3.3	2464 2.4
SEVEN	7		2 .1 13.3	5 .2 6.6	16 .6 5.1	46 1.8 5.1	74 2.9 3.9	133 5.2 4.2	181 7.1 4.1	235 9.2 4.1	217 8.5 3.4	221 8.7 3.4	2543 2.5
EIGHT	8	1 .0 33.3	1 .0 6.7	8 .2 10.5	22 .5 7.0	67 1.6 7.4	142 3.4 7.4	215 5.1 6.8	289 6.8 6.5	331 7.8 5.8	345 8.1 5.3	334 7.9 5.2	4235 4.1
NINE	9		1 .0 6.7	4 .1 5.3	14 .3 4.5	55 1.3 6.1	104 2.5 5.4	197 4.7 6.2	267 6.4 6.0	342 8.2 6.0	347 8.3 5.4	282 6.8 4.4	4156 4.1
TEN	10			7 .1 9.2	43 .5 13.7	117 1.2 12.9	239 2.5 12.5	370 3.9 11.7	525 5.5 11.9	600 6.3 10.5	704 7.4 10.9	678 7.1 10.6	9505 9.3
(Continued)	Column Total	3 .0	15 .0	76 .1	314 .3	909 .9	1918 1.9	3164 3.1	4429 4.3	5688 5.6	6473 6.3	6407 6.3	102309 100.0

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 22	23	24	25	26	27	28	29	30	Row Total
					25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
NONE	0	125	116	87	329	154	62	22		3	1656
		7.5	7.0	5.3	19.9	9.3	3.7	1.3		.2	1.6
		2.0	1.9	1.5	1.2	.8	1.0	2.7		2.2	
ONE	1	35	28	35	81	34	11				423
		8.3	6.6	8.3	19.1	8.0	2.6				.4
		.6	.5	.6	.3	.2	.2				
TWO	2	58	38	40	133	54	23	5		1	738
		7.9	5.1	5.4	18.0	7.3	3.1	.7		.1	.7
		.9	.6	.7	.5	.3	.4	.6		.7	
THREE	3	84	70	55	154	68	26	2		3	977
		8.6	7.2	5.6	15.8	7.0	2.7	.2		.3	1.0
		1.4	1.2	1.0	.5	.4	.4	.2		2.2	
FOUR	4	122	93	63	245	132	57	5			1427
		8.5	6.5	4.4	17.2	9.3	4.0	.4			1.4
		2.0	1.6	1.1	.9	.7	.9	.6			
FIVE	5	135	124	105	346	199	61	7	1		1897
		7.1	6.5	5.5	18.2	10.5	3.2	.4	.1		1.9
		2.2	2.1	1.8	1.2	1.0	1.0	.9	4.8		
SIX	6	198	151	123	500	244	86	8		3	2464
		8.0	6.1	5.0	20.3	9.9	3.5	.3		.1	2.4
		3.2	2.5	2.1	1.8	1.3	1.3	1.0		2.2	
SEVEN	7	179	167	130	543	254	121	16		3	2543
		7.0	6.6	5.1	21.4	10.0	4.8	.6		.1	2.5
		2.9	2.8	2.3	1.9	1.3	1.9	2.0		2.2	
EIGHT	8	311	275	245	918	533	165	27		6	4235
		7.3	6.5	5.8	21.7	12.6	3.9	.6		.1	4.1
		5.0	4.6	4.3	3.2	2.8	2.6	3.3		4.5	
NINE	9	278	238	218	1015	568	184	33		9	4156
		6.7	5.7	5.2	24.4	13.7	4.4	.8		.2	4.1
		4.5	4.0	3.8	3.6	3.0	2.9	4.1		6.7	
TEN	10	603	595	581	2409	1475	466	73	4	16	9505
		6.3	6.3	6.1	25.3	15.5	4.9	.8	.0	.2	9.3
		9.7	10.0	10.1	8.4	7.7	7.3	9.0	19.0	11.9	
(Continued)	Column Total	6194	5965	5729	28567	19089	6400	814	21	134	102309
		6.1	5.8	5.6	27.9	18.7	6.3	.8	.0	.1	100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
11 ELEVEN			1	8	15	54	136	238	256	298	375	365	5415
			.0	.1	.3	1.0	2.5	4.4	4.7	5.5	6.9	6.7	5.3
			6.7	10.5	4.8	5.9	7.1	7.5	5.8	5.2	5.8	5.7	
12 TWELVE			1	5	34	138	306	519	670	970	1097	1090	20416
			.0	.0	.2	.7	1.5	2.5	3.3	4.8	5.4	5.3	20.0
			6.7	6.6	10.8	15.2	16.0	16.4	15.1	17.1	16.9	17.0	
13 THIRTEEN				3	13	44	95	187	240	376	406	415	7291
				.0	.2	.6	1.3	2.6	3.3	5.2	5.6	5.7	7.1
				3.9	4.1	4.8	5.0	5.9	5.4	6.6	6.3	6.5	
14 FOURTEEN				2	16	39	100	217	335	413	484	561	9904
				.0	.2	.4	1.0	2.2	3.4	4.2	4.9	5.7	9.7
				2.6	5.1	4.3	5.2	6.9	7.6	7.3	7.5	8.8	
15 FIFTEEN				8	30	68	167	288	474	637	785	836	14873
				.1	.2	.5	1.1	1.9	3.2	4.3	5.3	5.6	14.5
				10.5	9.6	7.5	8.7	9.1	10.7	11.2	12.1	13.0	
16 SIXTEEN OR MORE		1	1	4	19	52	160	261	417	602	777	752	14066
		.0	.0	.0	.1	.4	1.1	1.9	3.0	4.3	5.5	5.3	13.7
		33.3	6.7	5.3	6.1	5.7	8.3	8.2	9.4	10.6	12.0	11.7	
17 NOT STATED				1	4	3	10	12	14	25	20	27	323
				.3	1.2	.9	3.1	3.7	4.3	7.7	6.2	8.4	.3
				1.3	1.3	.3	.5	.4	.3	.4	.3	.4	
(Continued)	Column Total	3 .0	15 .0	76 .1	314 .3	909 .9	1918 1.9	3164 3.1	4429 4.3	5688 5.6	6473 6.3	6407 6.3	102309 100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	AGE 22	23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
ELEVEN	11	356	307	296	1406	956	304	33	1	10	5415
		6.6	5.7	5.5	26.0	17.7	5.6	.6	.0	.2	5.3
		5.7	5.1	5.2	4.9	5.0	4.8	4.1	4.8	7.5	
TWELVE	12	1145	1151	1157	6132	4324	1456	187	3	31	20416
		5.6	5.6	5.7	30.0	21.2	7.1	.9	.0	.2	20.0
		18.5	19.3	20.2	21.5	22.7	22.8	23.0	14.3	23.1	
THIRTEEN	13	435	424	403	2214	1505	460	58	3	10	7291
		6.0	5.8	5.5	30.4	20.6	6.3	.8	.0	.1	7.1
		7.0	7.1	7.0	7.8	7.9	7.2	7.1	14.3	7.5	
FOURTEEN	14	530	537	529	3131	2189	729	83	1	8	9904
		5.4	5.4	5.3	31.6	22.1	7.4	.8	.0	.1	9.7
		8.6	9.0	9.2	11.0	11.5	11.4	10.2	4.8	6.0	
FIFTEEN	15	819	846	856	4668	3186	1065	119	3	18	14873
		5.5	5.7	5.8	31.4	21.4	7.2	.8	.0	.1	14.5
		13.2	14.2	14.9	16.3	16.7	16.6	14.6	14.3	13.4	
SIXTEEN OR MORE	16	761	791	789	4258	3164	1110	134	5	8	14066
		5.4	5.6	5.6	30.3	22.5	7.9	1.0	.0	.1	13.7
		12.3	13.3	13.8	14.9	16.6	17.3	16.5	23.8	6.0	
NOT STATED	17	20	14	17	85	50	14	2		5	323
		6.2	4.3	5.3	26.3	15.5	4.3	.6		1.5	.3
		.3	.2	.3	.3	.3	.2	.2		3.7	
	Column Total	6194	5965	5729	28567	19089	6400	814	21	134	102309
		6.1	5.8	5.6	27.9	18.7	6.3	.8	.0	.1	100.0

Number of Missing Observations: 0

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
NONE	0			3	15	15	28	44	54	46	40	47	569
				.5	2.6	2.6	4.9	7.7	9.5	8.1	7.0	8.3	.8
				4.5	4.8	1.7	1.7	1.8	1.7	1.2	1.0	1.2	
ONE	1				1	4	8	14	10	9	6	11	127
					.8	3.1	6.3	11.0	7.9	7.1	4.7	8.7	.2
					.3	.5	.5	.6	.3	.2	.2	.3	
TWO	2			2	3	12	17	20	26	20	21	18	227
				.9	1.3	5.3	7.5	8.8	11.5	8.8	9.3	7.9	.3
				3.0	1.0	1.4	1.0	.8	.8	.5	.5	.5	
THREE	3			4	4	13	17	27	33	38	34	29	346
				1.2	1.2	3.8	4.9	7.8	9.5	11.0	9.8	8.4	.5
				6.0	1.3	1.5	1.0	1.1	1.0	1.0	.9	.7	
FOUR	4	1			6	18	25	47	55	48	58	60	562
		.2			1.1	3.2	4.4	8.4	9.8	8.5	10.3	10.7	.8
		20.0			1.9	2.1	1.5	2.0	1.7	1.3	1.5	1.5	
FIVE	5			4	12	36	26	47	62	73	74	44	726
				.6	1.7	5.0	3.6	6.5	8.5	10.1	10.2	6.1	1.0
				6.0	3.8	4.1	1.6	2.0	1.9	1.9	1.9	1.1	
SIX	6			5	21	29	60	91	81	99	90	79	1108
				.5	1.9	2.6	5.4	8.2	7.3	8.9	8.1	7.1	1.6
				7.5	6.7	3.3	3.6	3.8	2.5	2.6	2.3	2.0	
SEVEN	7	2	1	2	15	32	64	93	103	99	120	81	1263
		.2	.1	.2	1.2	2.5	5.1	7.4	8.2	7.8	9.5	6.4	1.8
		40.0	9.1	3.0	4.8	3.7	3.9	3.9	3.2	2.6	3.1	2.1	
EIGHT	8		1	2	19	63	91	123	154	175	170	168	2263
			.0	.1	.8	2.8	4.0	5.4	6.8	7.7	7.5	7.4	3.3
			9.1	3.0	6.0	7.2	5.5	5.2	4.8	4.6	4.3	4.3	
NINE	9			5	14	54	85	123	170	176	156	147	2370
				.2	.6	2.3	3.6	5.2	7.2	7.4	6.6	6.2	3.4
				7.5	4.4	6.2	5.1	5.2	5.3	4.6	4.0	3.8	
TEN	10		1	7	42	97	197	261	329	399	398	321	5764
			.0	.1	.7	1.7	3.4	4.5	5.7	6.9	6.9	5.6	8.3
			9.1	10.4	13.3	11.1	11.9	11.0	10.3	10.5	10.1	8.2	
(Continued)	Column Total	5	11	67	315	871	1657	2379	3193	3804	3922	3902	69233
		.0	.0	.1	.5	1.3	2.4	3.4	4.6	5.5	5.7	5.6	100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
NONE	0	48 8.4 1.3	26 4.6 .7	108 19.0 .5	54 9.5 .4	24 4.2 .5	15 2.6 2.5		2 .4 1.9	569 .8
ONE	1	11 8.7 .3	16 12.6 .4	24 18.9 .1	7 5.5 .0	6 4.7 .1				127 .2
TWO	2	14 6.2 .4	12 5.3 .3	39 17.2 .2	10 4.4 .1	11 4.8 .2	1 .4 .2		1 .4 .9	227 .3
THREE	3	30 8.7 .8	17 4.9 .4	60 17.3 .3	25 7.2 .2	10 2.9 .2	2 .6 .3		3 .9 2.8	346 .5
FOUR	4	41 7.3 1.1	25 4.4 .6	96 17.1 .5	58 10.3 .4	24 4.3 .5				562 .8
FIVE	5	37 5.1 1.0	37 5.1 1.0	160 22.0 .8	74 10.2 .5	36 5.0 .7	3 .4 .5	1 .1 5.6		726 1.0
SIX	6	63 5.7 1.6	63 5.7 1.6	253 22.8 1.2	126 11.4 .9	43 3.9 .9	3 .3 .5		2 .2 1.9	1108 1.6
SEVEN	7	81 6.4 2.1	71 5.6 1.8	285 22.6 1.4	142 11.2 1.0	62 4.9 1.3	7 .6 1.1		3 .2 2.8	1263 1.8
EIGHT	8	147 6.5 3.8	133 5.9 3.4	541 23.9 2.6	345 15.2 2.3	108 4.8 2.2	18 .8 3.0		5 .2 4.7	2263 3.3
NINE	9	140 5.9 3.7	135 5.7 3.5	647 27.3 3.1	378 15.9 2.6	111 4.7 2.2	24 1.0 3.9		5 .2 4.7	2370 3.4
TEN	10	358 6.2 9.3	355 6.2 9.2	1589 27.6 7.6	1016 17.6 6.9	341 5.9 6.9	42 .7 6.9	4 .1 22.2	7 .1 6.6	5764 8.3
(Continued)	Column Total	3830 5.5	3867 5.6	21014 30.4	14709 21.2	4953 7.2	610 .9	18 .0	106 .2	69233 100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT (Count / Row Pct / Col Pct)	AGE 12	13	14	15	16	17	18	19	20	21	22	Row Total
11 ELEVEN	1	1	4	22	64	136	151	175	225	211	226	3622
	.0	.0	.1	.6	1.8	3.8	4.2	4.8	6.2	5.8	6.2	5.2
	20.0	9.1	6.0	7.0	7.3	8.2	6.3	5.5	5.9	5.4	5.8	
12 TWELVE		1	6	48	156	290	384	601	684	701	796	15074
		.0	.0	.3	1.0	1.9	2.5	4.0	4.5	4.7	5.3	21.8
		9.1	9.0	15.2	17.9	17.5	16.1	18.8	18.0	17.9	20.4	
13 THIRTEEN		1	4	18	45	102	150	223	288	292	320	5380
		.0	.1	.3	.8	1.9	2.8	4.1	5.4	5.4	5.9	7.8
		9.1	6.0	5.7	5.2	6.2	6.3	7.0	7.6	7.4	8.2	
14 FOURTEEN		1	4	21	50	137	208	284	343	404	408	7644
		.0	.1	.3	.7	1.8	2.7	3.7	4.5	5.3	5.3	11.0
		9.1	6.0	6.7	5.7	8.3	8.7	8.9	9.0	10.3	10.5	
15 FIFTEEN		2	9	26	83	177	282	401	512	574	554	11013
		.0	.1	.2	.8	1.6	2.6	3.6	4.6	5.2	5.0	15.9
		18.2	13.4	8.3	9.5	10.7	11.9	12.6	13.5	14.6	14.2	
16 SIXTEEN OR MORE	1	2	6	28	97	192	305	423	555	559	581	10994
	.0	.0	.1	.3	.9	1.7	2.8	3.8	5.0	5.1	5.3	15.9
	20.0	18.2	9.0	8.9	11.1	11.6	12.8	13.2	14.6	14.3	14.9	
17 NOT STATED					3	5	9	9	15	14	12	181
					1.7	2.8	5.0	5.0	8.3	7.7	6.6	.3
					.3	.3	.4	.3	.4	.4	.3	
Column Total	5	11	67	315	871	1657	2379	3193	3804	3922	3902	69233
	.0	.0	.1	.5	1.3	2.4	3.4	4.6	5.5	5.7	5.6	100.0

(Continued)

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 23	24	25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	Row Total
ELEVEN	11	200	202	997	739	230	28	1	9	3622
		5.5	5.6	27.5	20.4	6.4	.8	.0	.2	5.2
		5.2	5.2	4.7	5.0	4.6	4.6	5.6	8.5	
TWELVE	12	810	834	4874	3514	1191	154	3	27	15074
		5.4	5.5	32.3	23.3	7.9	1.0	.0	.2	21.8
		21.1	21.6	23.2	23.9	24.0	25.2	16.7	25.5	
THIRTEEN	13	290	284	1721	1218	367	45	2	10	5380
		5.4	5.3	32.0	22.6	6.8	.8	.0	.2	7.8
		7.6	7.3	8.2	8.3	7.4	7.4	11.1	9.4	
FOURTEEN	14	381	402	2516	1800	613	65	1	6	7644
		5.0	5.3	32.9	23.5	8.0	.9	.0	.1	11.0
		9.9	10.4	12.0	12.2	12.4	10.7	5.6	5.7	
FIFTEEN	15	578	623	3643	2569	865	96	3	16	11013
		5.2	5.7	33.1	23.3	7.9	.9	.0	.1	15.9
		15.1	16.1	17.3	17.5	17.5	15.7	16.7	15.1	
SIXTEEN OR MORE	16	596	624	3405	2603	901	106	3	7	10994
		5.4	5.7	31.0	23.7	8.2	1.0	.0	.1	15.9
		15.6	16.1	16.2	17.7	18.2	17.4	16.7	6.6	
NOT STATED	17	5	8	56	31	10	1		3	181
		2.8	4.4	30.9	17.1	5.5	.6		1.7	.3
		.1	.2	.3	.2	.2	.2		2.8	
	Column Total	3830	3867	21014	14709	4953	610	18	106	69233
		5.5	5.6	30.4	21.2	7.2	.9	.0	.2	100.0

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
NONE	0		2 .2 20.0	2 .2 3.1	11 1.0 4.5	31 2.9 5.2	44 4.0 4.2	63 5.8 4.2	79 7.3 3.9	105 9.7 4.2	93 8.6 3.5	83 7.6 3.3	1087 3.3
ONE	1		1 .3 10.0		2 .7 .8	7 2.4 1.2	11 3.7 1.1	13 4.4 .9	29 9.8 1.4	24 8.1 1.0	33 11.1 1.2	27 9.1 1.1	296 .9
TWO	2				6 1.2 2.4	17 3.3 2.9	20 3.9 1.9	33 6.5 2.2	34 6.7 1.7	55 10.8 2.2	56 11.0 2.1	44 8.6 1.8	511 1.5
THREE	3		1 .2 10.0	5 .8 7.7	5 .8 2.0	17 2.7 2.9	27 4.3 2.6	40 6.3 2.7	57 9.0 2.8	61 9.7 2.4	65 10.3 2.4	67 10.6 2.7	631 1.9
FOUR	4		1 .1 10.0	1 .1 1.5	14 1.6 5.7	26 3.0 4.4	38 4.4 3.6	59 6.8 3.9	60 6.9 2.9	79 9.1 3.2	88 10.2 3.3	86 9.9 3.5	865 2.6
FIVE	5		1 .1 10.0	11 .9 16.9	13 1.1 5.3	30 2.6 5.1	52 4.4 5.0	68 5.8 4.5	100 8.5 4.9	107 9.1 4.3	111 9.5 4.2	92 7.9 3.7	1171 3.5
SIX	6	1 .1 33.3	1 .1 10.0	2 .1 3.1	19 1.4 7.7	36 2.7 6.1	66 4.9 6.3	70 5.2 4.6	112 8.3 5.5	107 7.9 4.3	137 10.1 5.1	124 9.1 5.0	1356 4.1
SEVEN	7			4 .3 6.2	14 1.1 5.7	31 2.4 5.2	42 3.3 4.0	69 5.4 4.6	88 6.9 4.3	132 10.3 5.3	118 9.2 4.4	101 7.9 4.1	1280 3.9
EIGHT	8	1 .1 33.3	1 .1 10.0	7 .4 10.8	20 1.0 8.1	48 2.4 8.1	79 4.0 7.5	124 6.3 8.2	166 8.4 8.1	177 9.0 7.1	170 8.6 6.4	164 8.3 6.6	1972 6.0
NINE	9		1 .1 10.0	4 .2 6.2	9 .5 3.6	41 2.3 6.9	50 2.8 4.8	112 6.3 7.4	144 8.1 7.0	172 9.6 6.9	171 9.6 6.4	126 7.1 5.1	1786 5.4
TEN	10			6 .2 9.2	36 1.0 14.6	75 2.0 12.6	142 3.8 13.6	173 4.6 11.5	264 7.1 12.9	271 7.2 10.9	305 8.2 11.4	280 7.5 11.3	3741 11.3
(Continued)	Column Total	3 .0	10 .0	65 .2	247 .7	594 1.8	1047 3.2	1507 4.6	2050 6.2	2495 7.5	2669 8.1	2485 7.5	33076 100.0

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 22	23	24	25	26	27	28	29	30	Row Total
					25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
NONE	0	78	68	61	221	100	38	7		1	1087
		7.2	6.3	5.6	20.3	9.2	3.5	.6		.1	3.3
		3.4	3.2	3.3	2.9	2.3	2.6	3.4		3.6	
ONE	1	24	17	19	57	27	5				296
		8.1	5.7	6.4	19.3	9.1	1.7				.9
		1.0	.8	1.0	.8	.6	.3				
TWO	2	40	24	28	94	44	12	4			511
		7.8	4.7	5.5	18.4	8.6	2.3	.8			1.5
		1.7	1.1	1.5	1.2	1.0	.8	2.0			
THREE	3	55	40	38	94	43	16				631
		8.7	6.3	6.0	14.9	6.8	2.5				1.9
		2.4	1.9	2.0	1.2	1.0	1.1				
FOUR	4	62	52	38	149	74	33	5			865
		7.2	6.0	4.4	17.2	8.6	3.8	.6			2.6
		2.7	2.4	2.0	2.0	1.7	2.3	2.5			
FIVE	5	91	87	68	186	125	25	4			1171
		7.8	7.4	5.8	15.9	10.7	2.1	.3			3.5
		4.0	4.1	3.7	2.5	2.9	1.7	2.0			
SIX	6	119	88	60	247	118	43	5		1	1356
		8.8	6.5	4.4	18.2	8.7	3.2	.4		.1	4.1
		5.2	4.1	3.2	3.3	2.7	3.0	2.5		3.6	
SEVEN	7	98	86	59	258	112	59	9			1280
		7.7	6.7	4.6	20.2	8.8	4.6	.7			3.9
		4.3	4.0	3.2	3.4	2.6	4.1	4.4			
EIGHT	8	143	128	112	377	188	57	9		1	1972
		7.3	6.5	5.7	19.1	9.5	2.9	.5		.1	6.0
		6.2	6.0	6.0	5.0	4.3	3.9	4.4		3.6	
NINE	9	131	98	83	368	190	73	9		4	1786
		7.3	5.5	4.6	20.6	10.6	4.1	.5		.2	5.4
		5.7	4.6	4.5	4.9	4.3	5.0	4.4		14.3	
TEN	10	282	237	226	820	459	125	31		9	3741
		7.5	6.3	6.0	21.9	12.3	3.3	.8		.2	11.3
		12.3	11.1	12.1	10.9	10.5	8.6	15.2		32.1	
(Continued)	Column Total	2292	2135	1862	7553	4380	1447	204	3	28	33076
		6.9	6.5	5.6	22.8	13.2	4.4	.6	.0	.1	100.0

TABLE 11

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT (Count / Row Pct / Col Pct)	AGE 11	12	13	14	15	16	17	18	19	20	21	Row Total
11 ELEVEN			7 .4 10.8	11 .6 4.5	32 1.8 5.4	72 4.0 6.9	102 5.7 6.8	105 5.9 5.1	123 6.9 4.9	150 8.4 5.6	154 8.6 6.2	1793 5.4
12 TWELVE		1 .0 10.0	4 .1 6.2	28 .5 11.3	90 1.7 15.2	150 2.8 14.3	229 4.3 15.2	286 5.4 14.0	369 6.9 14.8	413 7.7 15.5	389 7.3 15.7	5342 16.2
13 THIRTEEN			2 .1 3.1	9 .5 3.6	26 1.4 4.4	50 2.6 4.8	85 4.4 5.6	90 4.7 4.4	153 8.0 6.1	118 6.2 4.4	123 6.4 4.9	1911 5.8
14 FOURTEEN			1 .0 1.5	12 .5 4.9	18 .8 3.0	50 2.2 4.8	80 3.5 5.3	127 5.6 6.2	129 5.7 5.2	141 6.2 5.3	157 6.9 6.3	2260 6.8
15 FIFTEEN			6 .2 9.2	21 .5 8.5	42 1.1 7.1	84 2.2 8.0	111 2.9 7.4	192 5.0 9.4	236 6.1 9.5	273 7.1 10.2	262 6.8 10.5	3860 11.7
16 SIXTEEN OR MORE	1 .0 33.3		2 .1 3.1	13 .4 5.3	24 .8 4.0	63 2.1 6.0	69 2.2 4.6	112 3.6 5.5	179 5.8 7.2	222 7.2 8.3	193 6.3 7.8	3072 9.3
17 NOT STATED			1 .7 1.5	4 2.8 1.6	3 2.1 .5	7 4.9 .7	7 4.9 .5	5 3.5 .2	16 11.3 .6	5 3.5 .2	13 9.2 .5	142 .4
Column Total	3 .0	10 .0	65 .2	247 .7	594 1.8	1047 3.2	1507 4.6	2050 6.2	2495 7.5	2669 8.1	2485 7.5	33076 100.0

(Continued)

PCVISIT NUMBER OF PRENATAL VISITS by AGE AGE OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	AGE 22	23	24	25	26	27	28	29	30	Row Total
					25 - 29	30 - 34	35 - 39	40 - 44	45 AND OVER	NOT STATED	
ELEVEN	11	130	107	94	409	217	74	5		1	1793
		7.3	6.0	5.2	22.8	12.1	4.1	.3		.1	5.4
		5.7	5.0	5.0	5.4	5.0	5.1	2.5		3.6	
TWELVE	12	349	341	323	1258	810	265	33		4	5342
		6.5	6.4	6.0	23.5	15.2	5.0	.6		.1	16.2
		15.2	16.0	17.3	16.7	18.5	18.3	16.2		14.3	
THIRTEEN	13	115	134	119	493	287	93	13	1		1911
		6.0	7.0	6.2	25.8	15.0	4.9	.7	.1		5.8
		5.0	6.3	6.4	6.5	6.6	6.4	6.4	33.3		
FOURTEEN	14	122	156	127	615	389	116	18		2	2260
		5.4	6.9	5.6	27.2	17.2	5.1	.8		.1	6.8
		5.3	7.3	6.8	8.1	8.9	8.0	8.8		7.1	
FIFTEEN	15	265	268	233	1025	617	200	23		2	3860
		6.9	6.9	6.0	26.6	16.0	5.2	.6		.1	11.7
		11.6	12.6	12.5	13.6	14.1	13.8	11.3		7.1	
SIXTEEN OR MORE	16	180	195	165	853	561	209	28	2	1	3072
		5.9	6.3	5.4	27.8	18.3	6.8	.9	.1	.0	9.3
		7.9	9.1	8.9	11.3	12.8	14.4	13.7	66.7	3.6	
NOT STATED	17	8	9	9	29	19	4	1		2	142
		5.6	6.3	6.3	20.4	13.4	2.8	.7		1.4	.4
		.3	.4	.5	.4	.4	.3	.5		7.1	
	Column Total	2292	2135	1862	7553	4380	1447	204	3	28	33076
		6.9	6.5	5.6	22.8	13.2	4.4	.6	.0	.1	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS

BY MARITAL STATUS

BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	STATUS: MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
NONE	0	388 23.4 .6	1268 76.6 3.9		1656 1.6
ONE	1	118 27.9 .2	305 72.1 .9		423 .4
TWO	2	211 28.6 .3	527 71.4 1.6		738 .7
THREE	3	315 32.2 .5	662 67.8 2.0		977 1.0
FOUR	4	496 34.8 .7	931 65.2 2.9		1427 1.4
FIVE	5	710 37.4 1.0	1187 62.6 3.7		1897 1.9
SIX	6	1006 40.8 1.4	1458 59.2 4.5		2464 2.4
SEVEN	7	1255 49.4 1.8	1288 50.6 4.0		2543 2.5
EIGHT	8	2119 50.0 3.0	2115 49.9 6.5	1 .0 7.1	4235 4.1
NINE	9	2296 55.2 3.3	1859 44.7 5.8	1 .0 7.1	4156 4.1
TEN	10	5676 59.7 8.1	3827 40.3 11.8	2 .0 14.3	9505 9.3
(Continued)	Column Total	69968 68.4	32327 31.6	14 .0	102309 100.0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
XRACE Value = 0 TOTAL

Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	STATUS: MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
ELEVEN	11	3641 67.2 5.2	1774 32.8 5.5		5415 5.3
TWELVE	12	15444 75.6 22.1	4971 24.3 15.4	1 .0 7.1	20416 20.0
THIRTEEN	13	5522 75.7 7.9	1768 24.2 5.5	1 .0 7.1	7291 7.1
FOURTEEN	14	7808 78.8 11.2	2096 21.2 6.5		9904 9.7
FIFTEEN	15	11508 77.4 16.4	3363 22.6 10.4	2 .0 14.3	14873 14.5
SIXTEEN OR MORE	16	11288 80.3 16.1	2777 19.7 8.6	1 .0 7.1	14066 13.7
NOT STATED	17	167 51.7 .2	151 46.7 .5	5 1.5 35.7	323 .3
	Column Total	69968 68.4	32327 31.6	14 .0	102309 100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 1 WHITE

STATUS Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
NONE	0	237 41.7 .4	332 58.3 3.0		569 .8
ONE	1	74 58.3 .1	53 41.7 .5		127 .2
TWO	2	121 53.3 .2	106 46.7 1.0		227 .3
THREE	3	200 57.8 .3	146 42.2 1.3		346 .5
FOUR	4	317 56.4 .5	245 43.6 2.2		562 .8
FIVE	5	464 63.9 .8	262 36.1 2.4		726 1.0
SIX	6	705 63.6 1.2	403 36.4 3.6		1108 1.6
SEVEN	7	911 72.1 1.6	352 27.9 3.2		1263 1.8
EIGHT	8	1618 71.5 2.8	644 28.5 5.8	1 .0 11.1	2263 3.3
NINE	9	1757 74.1 3.0	613 25.9 5.5		2370 3.4
TEN	10	4496 78.0 7.7	1266 22.0 11.4	2 .0 22.2	5764 8.3
(Continued)	Column Total	58136 84.0	11088 16.0	9 .0	69233 100.0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 1 WHITE

Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	STATUS: MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
ELEVEN	11	3010 83.1 5.2	612 16.9 5.5		3622 5.2
TWELVE	12	13234 87.8 22.8	1840 12.2 16.6		15074 21.8
THIRTEEN	13	4689 87.2 8.1	690 12.8 6.2	1 .0 11.1	5380 7.8
FOURTEEN	14	6722 87.9 11.6	922 12.1 8.3		7644 11.0
FIFTEEN	15	9717 88.2 16.7	1295 11.8 11.7	1 .0 11.1	11013 15.9
SIXTEEN OR MORE	16	9733 88.5 16.7	1260 11.5 11.4	1 .0 11.1	10994 15.9
NOT STATED	17	131 72.4 .2	47 26.0 .4	3 1.7 33.3	181 .3
	Column Total	58136 84.0	11088 16.0	9 .0	69233 100.0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

STATUS Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	MARRIED 1	NOT MARRIED 2	NOT STATED 3	Row Total
NONE	0	151 13.9 1.3	936 86.1 4.4		1087 3.3
ONE	1	44 14.9 .4	252 85.1 1.2		296 .9
TWO	2	90 17.6 .8	421 82.4 2.0		511 1.5
THREE	3	115 18.2 1.0	516 81.8 2.4		631 1.9
FOUR	4	179 20.7 1.5	686 79.3 3.2		865 2.6
FIVE	5	246 21.0 2.1	925 79.0 4.4		1171 3.5
SIX	6	301 22.2 2.5	1055 77.8 5.0		1356 4.1
SEVEN	7	344 26.9 2.9	936 73.1 4.4		1280 3.9
EIGHT	8	501 25.4 4.2	1471 74.6 6.9		1972 6.0
NINE	9	539 30.2 4.6	1246 69.8 5.9	1 .1 20.0	1786 5.4
TEN	10	1180 31.5 10.0	2561 68.5 12.1		3741 11.3
(Continued)	Column Total	11832 35.8	21239 64.2	5 .0	33076 100.0

PCVISIT NUMBER OF PRENATAL VISITS by STATUS MARITAL STATUS OF MOTHER
Controlling for..
RACE Value = 2 NONWHITE

Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	STATUS: MARRIED (1)	NOT MARRIED (2)	NOT STATED (3)	Row Total
ELEVEN	11	631 35.2 5.3	1162 64.8 5.5		1793 5.4
TWELVE	12	2210 41.4 18.7	3131 58.6 14.7	1 .0 20.0	5342 16.2
THIRTEEN	13	833 43.6 7.0	1078 56.4 5.1		1911 5.8
FOURTEEN	14	1086 48.1 9.2	1174 51.9 5.5		2260 6.8
FIFTEEN	15	1791 46.4 15.1	2068 53.6 9.7	1 .0 20.0	3860 11.7
SIXTEEN OR MORE	16	1555 50.6 13.1	1517 49.4 7.1		3072 9.3
NOT STATED	17	36 25.4 .3	104 73.2 .5	2 1.4 40.0	142 .4
	Column Total	11832 35.8	21239 64.2	5 .0	33076 100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS

BY BIRTH ORDER

BY RACE

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
NONE	0	377	409	357	226	121	77	43	23	18	5	1656
		22.8	24.7	21.6	13.6	7.3	4.6	2.6	1.4	1.1	.3	1.6
		1.0	1.3	1.9	2.6	3.1	4.7	6.2	7.0	5.5	3.6	
ONE	1	91	93	112	63	32	14	9	3	5	1	423
		21.5	22.0	26.5	14.9	7.6	3.3	2.1	.7	1.2	.2	.4
		.3	.3	.6	.7	.8	.8	1.3	.9	1.5	.7	
TWO	2	184	218	132	90	52	30	19	4	9		738
		24.9	29.5	17.9	12.2	7.0	4.1	2.6	.5	1.2		.7
		.5	.7	.7	1.0	1.3	1.8	2.7	1.2	2.7		
THREE	3	227	284	215	114	70	41	13	6	4	3	977
		23.2	29.1	22.0	11.7	7.2	4.2	1.3	.6	.4	.3	1.0
		.6	.9	1.2	1.3	1.8	2.5	1.9	1.8	1.2	2.2	
FOUR	4	374	381	315	185	87	38	24	9	13	1	1427
		26.2	26.7	22.1	13.0	6.1	2.7	1.7	.6	.9	.1	1.4
		1.0	1.2	1.7	2.1	2.3	2.3	3.5	2.7	4.0	.7	
FIVE	5	505	540	383	211	139	60	25	12	14	8	1897
		26.6	28.5	20.2	11.1	7.3	3.2	1.3	.6	.7	.4	1.9
		1.4	1.7	2.1	2.4	3.6	3.6	3.6	3.6	4.3	5.8	
SIX	6	704	698	508	298	136	63	29	14	13	1	2464
		28.6	28.3	20.6	12.1	5.5	2.6	1.2	.6	.5	.0	2.4
		1.9	2.2	2.7	3.4	3.5	3.8	4.2	4.2	4.0	.7	
SEVEN	7	858	712	502	238	111	62	25	17	13	5	2543
		33.7	28.0	19.7	9.4	4.4	2.4	1.0	.7	.5	.2	2.5
		2.4	2.2	2.7	2.7	2.9	3.8	3.6	5.2	4.0	3.6	
EIGHT	8	1445	1255	805	407	182	79	27	12	19	4	4235
		34.1	29.6	19.0	9.6	4.3	1.9	.6	.3	.4	.1	4.1
		4.0	3.9	4.3	4.7	4.7	4.8	3.9	3.6	5.8	2.9	
NINE	9	1459	1268	767	363	170	64	34	14	17		4156
		35.1	30.5	18.5	8.7	4.1	1.5	.8	.3	.4		4.1
		4.0	4.0	4.1	4.2	4.4	3.9	4.9	4.2	5.2		
TEN	10	3264	2920	1758	874	398	160	61	31	28	11	9505
		34.3	30.7	18.5	9.2	4.2	1.7	.6	.3	.3	.1	9.3
		9.0	9.2	9.5	10.1	10.3	9.7	8.8	9.4	8.5	8.0	
(Continued)	Column Total	36197	31883	18557	8677	3858	1649	691	330	329	138	102309
		35.4	31.2	18.1	8.5	3.8	1.6	.7	.3	.3	.1	100.0

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	BO: 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
11 ELEVEN	1971 36.4 5.4	1713 31.6 5.4	962 17.8 5.2	438 8.1 5.0	178 3.3 4.6	89 1.6 5.4	30 .6 4.3	18 .3 5.5	10 .2 3.0	6 .1 4.3	5415 5.3
12 TWELVE	7562 37.0 20.9	6519 31.9 20.4	3615 17.7 19.5	1576 7.7 18.2	682 3.3 17.7	247 1.2 15.0	109 .5 15.8	40 .2 12.1	46 .2 14.0	20 .1 14.5	20416 20.0
13 THIRTEEN	2726 37.4 7.5	2386 32.7 7.5	1262 17.3 6.8	522 7.2 6.0	233 3.2 6.0	88 1.2 5.3	27 .4 3.9	24 .3 7.3	14 .2 4.3	9 .1 6.5	7291 7.1
14 FOURTEEN	3724 37.6 10.3	3225 32.6 10.1	1681 17.0 9.1	741 7.5 8.5	317 3.2 8.2	116 1.2 7.0	47 .5 6.8	22 .2 6.7	19 .2 5.8	12 .1 8.7	9904 9.7
15 FIFTEEN	5556 37.4 15.3	4744 31.9 14.9	2655 17.9 14.3	1122 7.5 12.9	457 3.1 11.8	190 1.3 11.5	70 .5 10.1	32 .2 9.7	32 .2 9.7	15 .1 10.9	14873 14.5
16 SIXTEEN OR MORE	5075 36.1 14.0	4413 31.4 13.8	2488 17.7 13.4	1179 8.4 13.6	481 3.4 12.5	223 1.6 13.5	95 .7 13.7	44 .3 13.3	52 .4 15.8	16 .1 11.6	14066 13.7
17 NOT STATED	95 29.4 .3	105 32.5 .3	40 12.4 .2	30 9.3 .3	12 3.7 .3	8 2.5 .5	4 1.2 .6	5 1.5 1.5	3 .9 .9	21 6.5 15.2	323 .3
Column Total	36197 35.4	31883 31.2	18557 18.1	8677 8.5	3858 3.8	1649 1.6	691 .7	330 .3	329 .3	138 .1	102309 100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
NONE	0	183 32.2 .7	128 22.5 .6	127 22.3 1.1	57 10.0 1.1	32 5.6 1.5	20 3.5 2.3	11 1.9 3.1	3 .5 1.9	7 1.2 4.6	1 .2 1.3	569 .8
ONE	1	32 25.2 .1	27 21.3 .1	38 29.9 .3	18 14.2 .3	5 3.9 .2	3 2.4 .3	1 .8 .3	1 .8 .6	1 .8 .7	1 .8 1.3	127 .2
TWO	2	76 33.5 .3	66 29.1 .3	27 11.9 .2	27 11.9 .5	18 7.9 .9	5 2.2 .6	4 1.8 1.1	1 .4 .6	3 1.3 2.0		227 .3
THREE	3	103 29.8 .4	88 25.4 .4	78 22.5 .6	33 9.5 .6	20 5.8 1.0	15 4.3 1.7	7 2.0 2.0	1 .3 .6	1 .3 .7		346 .5
FOUR	4	161 28.6 .6	170 30.2 .8	121 21.5 1.0	71 12.6 1.4	22 3.9 1.0	10 1.8 1.2	4 .7 1.1	2 .4 1.3		1 .2 1.3	562 .8
FIVE	5	209 28.8 .8	213 29.3 1.0	155 21.3 1.3	73 10.1 1.4	32 4.4 1.5	23 3.2 2.7	8 1.1 2.3	6 .8 3.9	6 .8 4.0	1 .1 1.3	726 1.0
SIX	6	347 31.3 1.3	331 29.9 1.5	208 18.8 1.7	126 11.4 2.4	52 4.7 2.5	23 2.1 2.7	10 .9 2.8	6 .5 3.9	5 .5 3.3		1108 1.6
SEVEN	7	461 36.5 1.8	366 29.0 1.6	237 18.8 2.0	104 8.2 2.0	45 3.6 2.1	29 2.3 3.4	9 .7 2.6	6 .5 3.9	3 .2 2.0	3 .2 3.8	1263 1.8
EIGHT	8	805 35.6 3.1	714 31.6 3.2	414 18.3 3.4	198 8.7 3.8	76 3.4 3.6	31 1.4 3.6	9 .4 2.6	7 .3 4.5	7 .3 4.6	2 .1 2.5	2263 3.3
NINE	9	866 36.5 3.4	760 32.1 3.4	425 17.9 3.5	176 7.4 3.4	78 3.3 3.7	30 1.3 3.5	19 .8 5.4	8 .3 5.2	8 .3 5.3		2370 3.4
TEN	10	2057 35.7 8.0	1839 31.9 8.2	1041 18.1 8.6	495 8.6 9.4	199 3.5 9.5	74 1.3 8.6	34 .6 9.7	11 .2 7.1	10 .2 6.6	4 .1 5.1	5764 8.3
(Continued)	Column Total	25848 37.3	22386 32.3	12056 17.4	5242 7.6	2104 3.0	862 1.2	351 .5	154 .2	151 .2	79 .1	69233 100.0

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	BO 1ST 1	2ND 2	3RD 3	4TH 4	5TH 5	6TH 6	7TH 7	8TH 8	9TH AND OVER 9	NOT STATED 10	Row Total
ELEVEN	11	1345	1208	617	273	95	59	12	6	5	2	3622
		37.1	33.4	17.0	7.5	2.6	1.6	.3	.2	.1	.1	5.2
		5.2	5.4	5.1	5.2	4.5	6.8	3.4	3.9	3.3	2.5	
TWELVE	12	5760	4931	2569	1094	438	153	66	22	27	14	15074
		38.2	32.7	17.0	7.3	2.9	1.0	.4	.1	.2	.1	21.8
		22.3	22.0	21.3	20.9	20.8	17.7	18.8	14.3	17.9	17.7	
THIRTEEN	13	2065	1835	905	332	142	55	18	14	6	8	5380
		38.4	34.1	16.8	6.2	2.6	1.0	.3	.3	.1	.1	7.8
		8.0	8.2	7.5	6.3	6.7	6.4	5.1	9.1	4.0	10.1	
FOURTEEN	14	2964	2532	1275	513	220	80	28	16	8	8	7644
		38.8	33.1	16.7	6.7	2.9	1.0	.4	.2	.1	.1	11.0
		11.5	11.3	10.6	9.8	10.5	9.3	8.0	10.4	5.3	10.1	
FIFTEEN	15	4262	3598	1904	771	289	107	38	15	20	9	11013
		38.7	32.7	17.3	7.0	2.6	1.0	.3	.1	.2	.1	15.9
		16.5	16.1	15.8	14.7	13.7	12.4	10.8	9.7	13.2	11.4	
SIXTEEN OR MORE	16	4098	3518	1893	863	335	143	71	27	33	13	10994
		37.3	32.0	17.2	7.8	3.0	1.3	.6	.2	.3	.1	15.9
		15.9	15.7	15.7	16.5	15.9	16.6	20.2	17.5	21.9	16.5	
NOT STATED	17	54	62	22	18	6	2	2	2	1	12	181
		29.8	34.3	12.2	9.9	3.3	1.1	1.1	1.1	.6	6.6	.3
		.2	.3	.2	.3	.3	.2	.6	1.3	.7	15.2	
	Column Total	25848	22386	12056	5242	2104	862	351	154	151	79	69233
		37.3	32.3	17.4	7.6	3.0	1.2	.5	.2	.2	.1	100.0

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT	Count / Row Pct / Col Pct	BO 1ST	2ND	3RD	4TH	5TH	6TH	7TH	8TH	9TH AND OVER	NOT STATED	Row Total
		1	2	3	4	5	6	7	8	9	10	
NONE	0	194	281	230	169	89	57	32	20	11	4	1087
		17.8	25.9	21.2	15.5	8.2	5.2	2.9	1.8	1.0	.4	3.3
		1.9	3.0	3.5	4.9	5.1	7.2	9.4	11.4	6.2	6.8	
ONE	1	59	66	74	45	27	11	8	2	4		296
		19.9	22.3	25.0	15.2	9.1	3.7	2.7	.7	1.4		.9
		.6	.7	1.1	1.3	1.5	1.4	2.4	1.1	2.2		
TWO	2	108	152	105	63	34	25	15	3	6		511
		21.1	29.7	20.5	12.3	6.7	4.9	2.9	.6	1.2		1.5
		1.0	1.6	1.6	1.8	1.9	3.2	4.4	1.7	3.4		
THREE	3	124	196	137	81	50	26	6	5	3	3	631
		19.7	31.1	21.7	12.8	7.9	4.1	1.0	.8	.5	.5	1.9
		1.2	2.1	2.1	2.4	2.9	3.3	1.8	2.8	1.7	5.1	
FOUR	4	213	211	194	114	65	28	20	7	13		865
		24.6	24.4	22.4	13.2	7.5	3.2	2.3	.8	1.5		2.6
		2.1	2.2	3.0	3.3	3.7	3.6	5.9	4.0	7.3		
FIVE	5	296	327	228	138	107	37	17	6	8	7	1171
		25.3	27.9	19.5	11.8	9.1	3.2	1.5	.5	.7	.6	3.5
		2.9	3.4	3.5	4.0	6.1	4.7	5.0	3.4	4.5	11.9	
SIX	6	357	367	300	172	84	40	19	8	8	1	1356
		26.3	27.1	22.1	12.7	6.2	2.9	1.4	.6	.6	.1	4.1
		3.4	3.9	4.6	5.0	4.8	5.1	5.6	4.5	4.5	1.7	
SEVEN	7	397	346	265	134	66	33	16	11	10	2	1280
		31.0	27.0	20.7	10.5	5.2	2.6	1.3	.9	.8	.2	3.9
		3.8	3.6	4.1	3.9	3.8	4.2	4.7	6.3	5.6	3.4	
EIGHT	8	640	541	391	209	106	48	18	5	12	2	1972
		32.5	27.4	19.8	10.6	5.4	2.4	.9	.3	.6	.1	6.0
		6.2	5.7	6.0	6.1	6.0	6.1	5.3	2.8	6.7	3.4	
NINE	9	593	508	342	187	92	34	15	6	9		1786
		33.2	28.4	19.1	10.5	5.2	1.9	.8	.3	.5		5.4
		5.7	5.3	5.3	5.4	5.2	4.3	4.4	3.4	5.1		
TEN	10	1207	1081	717	379	199	86	27	20	18	7	3741
		32.3	28.9	19.2	10.1	5.3	2.3	.7	.5	.5	.2	11.3
		11.7	11.4	11.0	11.0	11.3	10.9	7.9	11.4	10.1	11.9	
(Continued)	Column Total	10349	9497	6501	3435	1754	787	340	176	178	59	33076
		31.3	28.7	19.7	10.4	5.3	2.4	1.0	.5	.5	.2	100.0

TABLE 13

PCVISIT NUMBER OF PRENATAL VISITS by BO BIRTH ORDER
Controlling for..
RACE Value = 2 NONWHITE

PCVISIT (Count / Row Pct / Col Pct)	BO 1ST (1)	2ND (2)	3RD (3)	4TH (4)	5TH (5)	6TH (6)	7TH (7)	8TH (8)	9TH AND OVER (9)	NOT STATED (10)	Row Total
11 ELEVEN	626	505	345	165	83	30	18	12	5	4	1793
	34.9	28.2	19.2	9.2	4.6	1.7	1.0	.7	.3	.2	5.4
	6.0	5.3	5.3	4.8	4.7	3.8	5.3	6.8	2.8	6.8	
12 TWELVE	1802	1588	1046	482	244	94	43	18	19	6	5342
	33.7	29.7	19.6	9.0	4.6	1.8	.8	.3	.4	.1	16.2
	17.4	16.7	16.1	14.0	13.9	11.9	12.6	10.2	10.7	10.2	
13 THIRTEEN	661	551	357	190	91	33	9	10	8	1	1911
	34.6	28.8	18.7	9.9	4.8	1.7	.5	.5	.4	.1	5.8
	6.4	5.8	5.5	5.5	5.2	4.2	2.6	5.7	4.5	1.7	
14 FOURTEEN	760	693	406	228	97	36	19	6	11	4	2260
	33.6	30.7	18.0	10.1	4.3	1.6	.8	.3	.5	.2	6.8
	7.3	7.3	6.2	6.6	5.5	4.6	5.6	3.4	6.2	6.8	
15 FIFTEEN	1294	1146	751	351	168	83	32	17	12	6	3860
	33.5	29.7	19.5	9.1	4.4	2.2	.8	.4	.3	.2	11.7
	12.5	12.1	11.6	10.2	9.6	10.5	9.4	9.7	6.7	10.2	
16 SIXTEEN OR MORE	977	895	595	316	146	80	24	17	19	3	3072
	31.8	29.1	19.4	10.3	4.8	2.6	.8	.6	.6	.1	9.3
	9.4	9.4	9.2	9.2	8.3	10.2	7.1	9.7	10.7	5.1	
17 NOT STATED	41	43	18	12	6	6	2	3	2	9	142
	28.9	30.3	12.7	8.5	4.2	4.2	1.4	2.1	1.4	6.3	.4
	.4	.5	.3	.3	.3	.8	.6	1.7	1.1	15.3	
Column Total	10349	9497	6501	3435	1754	787	340	176	178	59	33076
	31.3	28.7	19.7	10.4	5.3	2.4	1.0	.5	.5	.2	100.0

Number of Missing Observations: 0

NUMBER OF PRENATAL VISITS

BY BIRTH WEIGHT

BY RACE

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	0	171 10.3 10.0	297 17.9 4.3	1178 71.1 1.3	10 .6 15.2	1656 1.6
ONE	1	42 9.9 2.5	73 17.3 1.1	308 72.8 .3		423 .4
TWO	2	76 10.3 4.4	129 17.5 1.9	533 72.2 .6		738 .7
THREE	3	116 11.9 6.8	154 15.8 2.2	706 72.3 .8	1 .1 1.5	977 1.0
FOUR	4	145 10.2 8.5	190 13.3 2.8	1087 76.2 1.2	5 .4 7.6	1427 1.4
FIVE	5	157 8.3 9.2	245 12.9 3.5	1493 78.7 1.6	2 .1 3.0	1897 1.9
SIX	6	167 6.8 9.7	307 12.5 4.4	1988 80.7 2.1	2 .1 3.0	2464 2.4
SEVEN	7	110 4.3 6.4	334 13.1 4.8	2098 82.5 2.2	1 .0 1.5	2543 2.5
EIGHT	8	134 3.2 7.8	464 11.0 6.7	3636 85.9 3.9	1 .0 1.5	4235 4.1
NINE	9	52 1.3 3.0	344 8.3 5.0	3759 90.4 4.0	1 .0 1.5	4156 4.1
TEN	10	144 1.5 8.4	846 8.9 12.3	8511 89.5 9.1	4 .0 6.1	9505 9.3
(Continued)	Column Total	1713 1.7	6902 6.7	93628 91.5	66 .1	102309 100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
XRACE Value = 0 TOTAL

Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
ELEVEN	11	32	285	5095	3	5415
		.6	5.3	94.1	.1	5.3
		1.9	4.1	5.4	4.5	
TWELVE	12	110	1053	19250	3	20416
		.5	5.2	94.3	.0	20.0
		6.4	15.3	20.6	4.5	
THIRTEEN	13	31	282	6973	5	7291
		.4	3.9	95.6	.1	7.1
		1.8	4.1	7.4	7.6	
FOURTEEN	14	28	357	9517	2	9904
		.3	3.6	96.1	.0	9.7
		1.6	5.2	10.2	3.0	
FIFTEEN	15	112	743	14015	3	14873
		.8	5.0	94.2	.0	14.5
		6.5	10.8	15.0	4.5	
SIXTEEN OR MORE	16	65	761	13235	5	14066
		.5	5.4	94.1	.0	13.7
		3.8	11.0	14.1	7.6	
NOT STATED	17	21	38	246	18	323
		6.5	11.8	76.2	5.6	.3
		1.2	.6	.3	27.3	
	Column Total	1713	6902	93628	66	102309
		1.7	6.7	91.5	.1	100.0

Number of Missing Observations: 0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	0	41	85	439	4	569
		7.2	14.9	77.2	.7	.8
		5.4	2.3	.7	12.1	
ONE	1	8	14	105		127
		6.3	11.0	82.7		.2
		1.1	.4	.2		
TWO	2	17	38	172		227
		7.5	16.7	75.8		.3
		2.2	1.0	.3		
THREE	3	39	35	271	1	346
		11.3	10.1	78.3	.3	.5
		5.2	1.0	.4	3.0	
FOUR	4	54	70	435	3	562
		9.6	12.5	77.4	.5	.8
		7.1	1.9	.7	9.1	
FIVE	5	61	75	589	1	726
		8.4	10.3	81.1	.1	1.0
		8.1	2.0	.9	3.0	
SIX	6	76	125	907		1108
		6.9	11.3	81.9		1.6
		10.1	3.4	1.4		
SEVEN	7	54	172	1036	1	1263
		4.3	13.6	82.0	.1	1.8
		7.1	4.7	1.6	3.0	
EIGHT	8	71	248	1943	1	2263
		3.1	11.0	85.9	.0	3.3
		9.4	6.8	3.0	3.0	
NINE	9	26	170	2174		2370
		1.1	7.2	91.7		3.4
		3.4	4.6	3.4		
TEN	10	80	463	5219	2	5764
		1.4	8.0	90.5	.0	8.3
		10.6	12.6	8.1	6.1	
(Continued)	Column Total	756	3669	64775	33	69233
		1.1	5.3	93.6	.0	100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 1 WHITE

Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
ELEVEN	11	14	155	3451	2	3622
		.4	4.3	95.3	.1	5.2
		1.9	4.2	5.3	6.1	
TWELVE	12	74	633	14366	1	15074
		.5	4.2	95.3	.0	21.8
		9.8	17.3	22.2	3.0	
THIRTEEN	13	13	151	5214	2	5380
		.2	2.8	96.9	.0	7.8
		1.7	4.1	8.0	6.1	
FOURTEEN	14	9	222	7411	2	7644
		.1	2.9	97.0	.0	11.0
		1.2	6.1	11.4	6.1	
FIFTEEN	15	69	469	10475		11013
		.6	4.3	95.1		15.9
		9.1	12.8	16.2		
SIXTEEN OR MORE	16	41	526	10426	1	10994
		.4	4.8	94.8	.0	15.9
		5.4	14.3	16.1	3.0	
NOT STATED	17	9	18	142	12	181
		5.0	9.9	78.5	6.6	.3
		1.2	.5	.2	36.4	
	Column Total	756	3669	64775	33	69233
		1.1	5.3	93.6	.0	100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 1 of 2

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	0	130 12.0 13.6	212 19.5 6.6	739 68.0 2.6	6 .6 18.2	1087 3.3
ONE	1	34 11.5 3.6	59 19.9 1.8	203 68.6 .7		296 .9
TWO	2	59 11.5 6.2	91 17.8 2.8	361 70.6 1.3		511 1.5
THREE	3	77 12.2 8.0	119 18.9 3.7	435 68.9 1.5		631 1.9
FOUR	4	91 10.5 9.5	120 13.9 3.7	652 75.4 2.3	2 .2 6.1	865 2.6
FIVE	5	96 8.2 10.0	170 14.5 5.3	904 77.2 3.1	1 .1 3.0	1171 3.5
SIX	6	91 6.7 9.5	182 13.4 5.6	1081 79.7 3.7	2 .1 6.1	1356 4.1
SEVEN	7	56 4.4 5.9	162 12.7 5.0	1062 83.0 3.7		1280 3.9
EIGHT	8	63 3.2 6.6	216 11.0 6.7	1693 85.9 5.9		1972 6.0
NINE	9	26 1.5 2.7	174 9.7 5.4	1585 88.7 5.5	1 .1 3.0	1786 5.4
TEN	10	64 1.7 6.7	383 10.2 11.8	3292 88.0 11.4	2 .1 6.1	3741 11.3
(Continued)	Column Total	957 2.9	3233 9.8	28853 87.2	33 .1	33076 100.0

PCVISIT NUMBER OF PRENATAL VISITS by BW BIRTH WEIGHT IN GRAMS
Controlling for..
RACE Value = 2 NONWHITE

Page 2 of 2

PCVISIT	Count / Row Pct / Col Pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
11 ELEVEN		18	130	1644	1	1793
		1.0	7.3	91.7	.1	5.4
		1.9	4.0	5.7	3.0	
12 TWELVE		36	420	4884	2	5342
		.7	7.9	91.4	.0	16.2
		3.8	13.0	16.9	6.1	
13 THIRTEEN		18	131	1759	3	1911
		.9	6.9	92.0	.2	5.8
		1.9	4.1	6.1	9.1	
14 FOURTEEN		19	135	2106		2260
		.8	6.0	93.2		6.8
		2.0	4.2	7.3		
15 FIFTEEN		43	274	3540	3	3860
		1.1	7.1	91.7	.1	11.7
		4.5	8.5	12.3	9.1	
16 SIXTEEN OR MORE		24	235	2809	4	3072
		.8	7.6	91.4	.1	9.3
		2.5	7.3	9.7	12.1	
17 NOT STATED		12	20	104	6	142
		8.5	14.1	73.2	4.2	.4
		1.3	.6	.4	18.2	
Column Total		957	3233	28853	33	33076
		2.9	9.8	87.2	.1	100.0

Number of Missing Observations: 0

MONTH PRENATAL CARE BEGAN

BY NUMBER OF PRENATAL VISITS

BY RACE

TABLE 15

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
XRACE Value = 0 TOTAL

MPCB (Count / Row Pct / Col Pct)	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	TEN 10	Row Total
0 NONE	1656 100.0 100.0											1656 1.6
1 FIRST MONTH		9 .1 2.1	12 .1 1.6	38 .2 3.9	40 .2 2.8	69 .4 3.6	90 .5 3.7	139 .8 5.5	276 1.6 6.5	283 1.7 6.8	911 5.4 9.6	16894 16.5
2 SECOND MONTH		21 .0 5.0	46 .1 6.2	68 .2 7.0	129 .3 9.0	213 .5 11.2	323 .8 13.1	442 1.0 17.4	890 2.1 21.0	1067 2.5 25.7	3033 7.2 31.9	42305 41.4
3 THIRD MONTH		21 .1 5.0	59 .3 8.0	82 .4 8.4	154 .8 10.8	201 1.1 10.6	363 1.9 14.7	431 2.3 16.9	813 4.3 19.2	1097 5.8 26.4	2318 12.3 24.4	18865 18.4
4 FOURTH MONTH		29 .3 6.9	54 .6 7.3	96 1.0 9.8	137 1.5 9.6	274 2.9 14.4	348 3.7 14.1	432 4.6 17.0	775 8.3 18.3	822 8.8 19.8	1607 17.2 16.9	9341 9.1
5 FIFTH MONTH		46 .8 10.9	86 1.5 11.7	137 2.4 14.0	179 3.1 12.5	304 5.3 16.0	513 8.9 20.8	451 7.8 17.7	686 11.9 16.2	478 8.3 11.5	962 16.7 10.1	5773 5.6
6 SIXTH MONTH		38 1.1 9.0	88 2.5 11.9	145 4.2 14.8	252 7.2 17.7	339 9.7 17.9	401 11.5 16.3	369 10.6 14.5	460 13.2 10.9	265 7.6 6.4	445 12.8 4.7	3485 3.4
7 SEVENTH MONTH		63 2.9 14.9	128 6.0 17.3	181 8.4 18.5	281 13.1 19.7	305 14.2 16.1	266 12.4 10.8	202 9.4 7.9	252 11.7 6.0	110 5.1 2.6	159 7.4 1.7	2147 2.1
8 EIGHTH MONTH		82 6.9 19.4	188 15.7 25.5	172 14.4 17.6	210 17.6 14.7	157 13.1 8.3	133 11.1 5.4	62 5.2 2.4	71 5.9 1.7	22 1.8 .5	48 4.0 .5	1196 1.2
9 NINTH MONTH		103 31.0 24.3	73 22.0 9.9	46 13.9 4.7	42 12.7 2.9	23 6.9 1.2	18 5.4 .7	6 1.8 .2	5 1.5 .1	4 1.2 .1	1 .3 .0	332 .3
10 NOT STATED		11 3.5 2.6	4 1.3 .5	12 3.8 1.2	3 1.0 .2	12 3.8 .6	9 2.9 .4	9 2.9 .4	7 2.2 .2	8 2.5 .2	21 6.7 .2	315 .3
Column Total	1656 1.6	423 .4	738 .7	977 1.0	1427 1.4	1897 1.9	2464 2.4	2543 2.5	4235 4.1	4156 4.1	9505 9.3	102309 100.0

(Continued)

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
XRACE Value = 0 TOTAL

MPCB	PCVISIT ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	Row Total
0 NONE								1656 1.6
1 FIRST MONTH	524 3.1 9.7	2987 17.7 14.6	1301 7.7 17.8	2053 12.2 20.7	4252 25.2 28.6	3868 22.9 27.5	42 .2 13.0	16894 16.5
2 SECOND MONTH	1949 4.6 36.0	11049 26.1 54.1	3585 8.5 49.2	4976 11.8 50.2	7568 17.9 50.9	6896 16.3 49.0	50 .1 15.5	42305 41.4
3 THIRD MONTH	1420 7.5 26.2	3901 20.7 19.1	1542 8.2 21.1	2136 11.3 21.6	2071 11.0 13.9	2220 11.8 15.8	36 .2 11.1	18865 18.4
4 FOURTH MONTH	844 9.0 15.6	1536 16.4 7.5	588 6.3 8.1	496 5.3 5.0	618 6.6 4.2	663 7.1 4.7	22 .2 6.8	9341 9.1
5 FIFTH MONTH	405 7.0 7.5	649 11.2 3.2	182 3.2 2.5	159 2.8 1.6	235 4.1 1.6	285 4.9 2.0	16 .3 5.0	5773 5.6
6 SIXTH MONTH	197 5.7 3.6	207 5.9 1.0	63 1.8 .9	51 1.5 .5	79 2.3 .5	81 2.3 .6	5 .1 1.5	3485 3.4
7 SEVENTH MONTH	57 2.7 1.1	50 2.3 .2	14 .7 .2	12 .6 .1	30 1.4 .2	28 1.3 .2	9 .4 2.8	2147 2.1
8 EIGHTH MONTH	8 .7 .1	12 1.0 .1	6 .5 .1	8 .7 .1	7 .6 .0	9 .8 .1	1 .1 .3	1196 1.2
9 NINTH MONTH	1 .3 .0	5 1.5 .0	1 .3 .0	3 .9 .0			1 .3 .3	332 .3
10 NOT STATED	10 3.2 .2	20 6.3 .1	9 2.9 .1	10 3.2 .1	13 4.1 .1	16 5.1 .1	141 44.8 43.7	315 .3
Column Total	5415 5.3	20416 20.0	7291 7.1	9904 9.7	14873 14.5	14066 13.7	323 .3	102309 100.0

TABLE 15

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 1 WHITE

MPCB (Count / Row Pct / Col Pct)	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	TEN 10	Row Total
0 NONE	569 100.0 100.0											569 .8
1 FIRST MONTH		4 .0 3.1	2 .0 .9	18 .1 5.2	18 .1 3.2	28 .2 3.9	43 .3 3.9	79 .6 6.3	186 1.4 8.2	188 1.4 7.9	640 4.9 11.1	13006 18.8
2 SECOND MONTH		9 .0 7.1	13 .0 5.7	27 .1 7.8	66 .2 11.7	102 .3 14.0	172 .5 15.5	272 .8 21.5	562 1.7 24.8	727 2.2 30.7	2098 6.4 36.4	32687 47.2
3 THIRD MONTH		9 .1 7.1	16 .1 7.0	37 .3 10.7	63 .5 11.2	80 .7 11.0	166 1.4 15.0	230 1.9 18.2	437 3.6 19.3	623 5.1 26.3	1393 11.5 24.2	12142 17.5
4 FOURTH MONTH		7 .1 5.5	16 .3 7.0	30 .6 8.7	55 1.1 9.8	109 2.2 15.0	141 2.9 12.7	200 4.0 15.8	381 7.7 16.8	401 8.1 16.9	832 16.8 14.4	4944 7.1
5 FIFTH MONTH		11 .4 8.7	20 .7 8.8	44 1.6 12.7	65 2.4 11.6	97 3.6 13.4	206 7.7 18.6	210 7.8 16.6	329 12.2 14.5	249 9.3 10.5	464 17.3 8.0	2686 3.9
6 SIXTH MONTH		6 .4 4.7	25 1.7 11.0	47 3.1 13.6	93 6.2 16.5	111 7.4 15.3	176 11.7 15.9	150 10.0 11.9	206 13.7 9.1	114 7.6 4.8	222 14.8 3.9	1503 2.2
7 SEVENTH MONTH		18 2.0 14.2	38 4.3 16.7	53 6.0 15.3	94 10.6 16.7	117 13.2 16.1	122 13.8 11.0	96 10.8 7.6	111 12.5 4.9	53 6.0 2.2	84 9.5 1.5	887 1.3
8 EIGHTH MONTH		29 5.8 22.8	71 14.2 31.3	58 11.6 16.8	84 16.8 14.9	71 14.2 9.8	68 13.6 6.1	21 4.2 1.7	45 9.0 2.0	9 1.8 .4	20 4.0 .3	500 .7
9 NINTH MONTH		30 21.9 23.6	26 19.0 11.5	23 16.8 6.6	24 17.5 4.3	9 6.6 1.2	10 7.3 .9	2 1.5 .2	3 2.2 .1	2 1.5 .1	1 .7 .0	137 .2
10 NOT STATED		4 2.3 3.1		9 5.2 2.6		2 1.2 .3	4 2.3 .4	3 1.7 .2	3 1.7 .1	4 2.3 .2	10 5.8 .2	172 .2
Column Total	569 .8	127 .2	227 .3	346 .5	562 .8	726 1.0	1108 1.6	1263 1.8	2263 3.3	2370 3.4	5764 8.3	69233 100.0

(Continued)

TABLE 15

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
XRACE Value = 0 TOTAL

MPCB	Count / Row Pct / Col Pct	PCVISIT ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	Row Total
NONE	0								1656 1.6
FIRST MONTH	1	524 3.1 9.7	2987 17.7 14.6	1301 7.7 17.8	2053 12.2 20.7	4252 25.2 28.6	3868 22.9 27.5	42 .2 13.0	16894 16.5
SECOND MONTH	2	1949 4.6 36.0	11049 26.1 54.1	3585 8.5 49.2	4976 11.8 50.2	7568 17.9 50.9	6896 16.3 49.0	50 .1 15.5	42305 41.4
THIRD MONTH	3	1420 7.5 26.2	3901 20.7 19.1	1542 8.2 21.1	2136 11.3 21.6	2071 11.0 13.9	2220 11.8 15.8	36 .2 11.1	18865 18.4
FOURTH MONTH	4	844 9.0 15.6	1536 16.4 7.5	588 6.3 8.1	496 5.3 5.0	618 6.6 4.2	663 7.1 4.7	22 .2 6.8	9341 9.1
FIFTH MONTH	5	405 7.0 7.5	649 11.2 3.2	182 3.2 2.5	159 2.8 1.6	235 4.1 1.6	285 4.9 2.0	16 .3 5.0	5773 5.6
SIXTH MONTH	6	197 5.7 3.6	207 5.9 1.0	63 1.8 .9	51 1.5 .5	79 2.3 .5	81 2.3 .6	5 .1 1.5	3485 3.4
SEVENTH MONTH	7	57 2.7 1.1	50 2.3 .2	14 .7 .2	12 .6 .1	30 1.4 .2	28 1.3 .2	9 .4 2.8	2147 2.1
EIGHTH MONTH	8	8 .7 .1	12 1.0 .1	6 .5 .1	8 .7 .1	7 .6 .0	9 .8 .1	1 .1 .3	1196 1.2
NINTH MONTH	9	1 .3 .0	5 1.5 .0	1 .3 .0	3 .9 .0			1 .3 .3	332 .3
NOT STATED	10	10 3.2 .2	20 6.3 .1	9 2.9 .1	10 3.2 .1	13 4.1 .1	16 5.1 .1	141 44.8 43.7	315 .3
	Column Total	5415 5.3	20416 20.0	7291 7.1	9904 9.7	14873 14.5	14066 13.7	323 .3	102309 100.0

Number of Missing Observations: 0

TABLE 15

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 1 WHITE

MPCB	Count / Row Pct / Col Pct	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	TEN 10	Row Total
NONE	0	569 100.0 100.0											569 .8
FIRST MONTH	1		4 .0 3.1	2 .0 .9	18 .1 5.2	18 .1 3.2	28 .2 3.9	43 .3 3.9	79 .6 6.3	186 1.4 8.2	188 1.4 7.9	640 4.9 11.1	13006 18.8
SECOND MONTH	2		9 .0 7.1	13 .0 5.7	27 .1 7.8	66 .2 11.7	102 .3 14.0	172 .5 15.5	272 .8 21.5	562 1.7 24.8	727 2.2 30.7	2098 6.4 36.4	32687 47.2
THIRD MONTH	3		9 .1 7.1	16 .1 7.0	37 .3 10.7	63 .5 11.2	80 .7 11.0	166 1.4 15.0	230 1.9 18.2	437 3.6 19.3	623 5.1 26.3	1393 11.5 24.2	12142 17.5
FOURTH MONTH	4		7 .1 5.5	16 .3 7.0	30 .6 8.7	55 1.1 9.8	109 2.2 15.0	141 2.9 12.7	200 4.0 15.8	381 7.7 16.8	401 8.1 16.9	832 16.8 14.4	4944 7.1
FIFTH MONTH	5		11 .4 8.7	20 .7 8.8	44 1.6 12.7	65 2.4 11.6	97 3.6 13.4	206 7.7 18.6	210 7.8 16.6	329 12.2 14.5	249 9.3 10.5	464 17.3 8.0	2686 3.9
SIXTH MONTH	6		6 .4 4.7	25 1.7 11.0	47 3.1 13.6	93 6.2 16.5	111 7.4 15.3	176 11.7 15.9	150 10.0 11.9	206 13.7 9.1	114 7.6 4.8	222 14.8 3.9	1503 2.2
SEVENTH MONTH	7		18 2.0 14.2	38 4.3 16.7	53 6.0 15.3	94 10.6 16.7	117 13.2 16.1	122 13.8 11.0	96 10.8 7.6	111 12.5 4.9	53 6.0 2.2	84 9.5 1.5	887 1.3
EIGHTH MONTH	8		29 5.8 22.8	71 14.2 31.3	58 11.6 16.8	84 16.8 14.9	71 14.2 9.8	68 13.6 6.1	21 4.2 1.7	45 9.0 2.0	9 1.8 .4	20 4.0 .3	500 .7
NINTH MONTH	9		30 21.9 23.6	26 19.0 11.5	23 16.8 6.6	24 17.5 4.3	9 6.6 1.2	10 7.3 .9	2 1.5 .2	3 2.2 .1	2 1.5 .1	1 .7 .0	137 .2
NOT STATED	10		4 2.3 3.1		9 5.2 2.6		2 1.2 .3	4 2.3 .4	3 1.7 .2	3 1.7 .1	4 2.3 .2	10 5.8 .2	172 .2
(Continued)	Column Total	569 .8	127 .2	227 .3	346 .5	562 .8	726 1.0	1108 1.6	1263 1.8	2263 3.3	2370 3.4	5764 8.3	69233 100.0

TABLE 15

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 1 WHITE

MPCB	PCVISIT (Count / Row Pct / Col Pct)	ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	Row Total
NONE	0								569 .8
FIRST MONTH	1	393 3.0 10.9	2259 17.4 15.0	1034 8.0 19.2	1638 12.6 21.4	3314 25.5 30.1	3133 24.1 28.5	29 .2 16.0	13006 18.8
SECOND MONTH	2	1489 4.6 41.1	8957 27.4 59.4	2735 8.4 50.8	4032 12.3 52.7	5743 17.6 52.1	5650 17.3 51.4	33 .1 18.2	32687 47.2
THIRD MONTH	3	946 7.8 26.1	2490 20.5 16.5	1092 9.0 20.3	1513 12.5 19.8	1421 11.7 12.9	1609 13.3 14.6	17 .1 9.4	12142 17.5
FOURTH MONTH	4	455 9.2 12.6	864 17.5 5.7	360 7.3 6.7	328 6.6 4.3	370 7.5 3.4	390 7.9 3.5	5 .1 2.8	4944 7.1
FIFTH MONTH	5	198 7.4 5.5	351 13.1 2.3	104 3.9 1.9	88 3.3 1.2	106 3.9 1.0	137 5.1 1.2	7 .3 3.9	2686 3.9
SIXTH MONTH	6	102 6.8 2.8	110 7.3 .7	37 2.5 .7	24 1.6 .3	36 2.4 .3	42 2.8 .4	2 .1 1.1	1503 2.2
SEVENTH MONTH	7	27 3.0 .7	23 2.6 .2	7 .8 .1	6 .7 .1	12 1.4 .1	21 2.4 .2	5 .6 2.8	887 1.3
EIGHTH MONTH	8	3 .6 .1	5 1.0 .0	3 .6 .1	6 1.2 .1	3 .6 .0	4 .8 .0		500 .7
NINTH MONTH	9	1 .7 .0	1 .7 .0	1 .7 .0	3 2.2 .0			1 .7 .6	137 .2
NOT STATED	10	8 4.7 .2	14 8.1 .1	7 4.1 .1	6 3.5 .1	8 4.7 .1	8 4.7 .1	82 47.7 45.3	172 .2
	Column Total	3622 5.2	15074 21.8	5380 7.8	7644 11.0	11013 15.9	10994 15.9	181 .3	69233 100.0

TABLE 15

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 2 NONWHITE

MPCB	PCVISIT NONE 0	ONE 1	TWO 2	THREE 3	FOUR 4	FIVE 5	SIX 6	SEVEN 7	EIGHT 8	NINE 9	TEN 10	Row Total
0 NONE	1087 100.0 100.0											1087 3.3
1 FIRST MONTH		5 .1 1.7	10 .3 2.0	20 .5 3.2	22 .6 2.5	41 1.1 3.5	47 1.2 3.5	60 1.5 4.7	90 2.3 4.6	95 2.4 5.3	271 7.0 7.2	3888 11.8
2 SECOND MONTH		12 .1 4.1	33 .3 6.5	41 .4 6.5	63 .7 7.3	111 1.2 9.5	151 1.6 11.1	170 1.8 13.3	328 3.4 16.6	340 3.5 19.0	935 9.7 25.0	9618 29.1
3 THIRD MONTH		12 .2 4.1	43 .6 8.4	45 .7 7.1	91 1.4 10.5	121 1.8 10.3	197 2.9 14.5	201 3.0 15.7	376 5.6 19.1	474 7.1 26.5	925 13.8 24.7	6723 20.3
4 FOURTH MONTH		22 .5 7.4	38 .9 7.4	66 1.5 10.5	82 1.9 9.5	165 3.8 14.1	207 4.7 15.3	232 5.3 18.1	394 9.0 20.0	421 9.6 23.6	775 17.6 20.7	4397 13.3
5 FIFTH MONTH		35 1.1 11.8	66 2.1 12.9	93 3.0 14.7	114 3.7 13.2	207 6.7 17.7	307 9.9 22.6	241 7.8 18.8	357 11.6 18.1	229 7.4 12.8	498 16.1 13.3	3087 9.3
6 SIXTH MONTH		32 1.6 10.8	63 3.2 12.3	98 4.9 15.5	159 8.0 18.4	228 11.5 19.5	225 11.4 16.6	219 11.0 17.1	254 12.8 12.9	151 7.6 8.5	223 11.3 6.0	1982 6.0
7 SEVENTH MONTH		45 3.6 15.2	90 7.1 17.6	128 10.2 20.3	187 14.8 21.6	188 14.9 16.1	144 11.4 10.6	106 8.4 8.3	141 11.2 7.2	57 4.5 3.2	75 6.0 2.0	1260 3.8
8 EIGHTH MONTH		53 7.6 17.9	117 16.8 22.9	114 16.4 18.1	126 18.1 14.6	86 12.4 7.3	65 9.3 4.8	41 5.9 3.2	26 3.7 1.3	13 1.9 .7	28 4.0 .7	696 2.1
9 NINTH MONTH		73 37.4 24.7	47 24.1 9.2	23 11.8 3.6	18 9.2 2.1	14 7.2 1.2	8 4.1 .6	4 2.1 .3	2 1.0 .1	2 1.0 .1		195 .6
10 NOT STATED		7 4.9 2.4	4 2.8 .8	3 2.1 .5	3 2.1 .3	10 7.0 .9	5 3.5 .4	6 4.2 .5	4 2.8 .2	4 2.8 .2	11 7.7 .3	143 .4
Column Total	1087 3.3	296 .9	511 1.5	631 1.9	865 2.6	1171 3.5	1356 4.1	1280 3.9	1972 6.0	1786 5.4	3741 11.3	33076 100.0

(Continued)

TABLE 15

MPCB MONTH PRENATAL CARE BEGAN by PCVISIT NUMBER OF PRENATAL VISITS
Controlling for..
RACE Value = 2 NONWHITE

MPCB (Count / Row Pct / Col Pct)	PCVISIT ELEVEN 11	TWELVE 12	THIRTEEN 13	FOURTEEN 14	FIFTEEN 15	SIXTEEN OR MORE 16	NOT STATED 17	Row Total
0 NONE								1087 3.3
1 FIRST MONTH	131 3.4 7.3	728 18.7 13.6	267 6.9 14.0	415 10.7 18.4	938 24.1 24.3	735 18.9 23.9	13 .3 9.2	3888 11.8
2 SECOND MONTH	460 4.8 25.7	2092 21.8 39.2	850 8.8 44.5	944 9.8 41.8	1825 19.0 47.3	1246 13.0 40.6	17 .2 12.0	9618 29.1
3 THIRD MONTH	474 7.1 26.4	1411 21.0 26.4	450 6.7 23.5	623 9.3 27.6	650 9.7 16.8	611 9.1 19.9	19 .3 13.4	6723 20.3
4 FOURTH MONTH	389 8.8 21.7	672 15.3 12.6	228 5.2 11.9	168 3.8 7.4	248 5.6 6.4	273 6.2 8.9	17 .4 12.0	4397 13.3
5 FIFTH MONTH	207 6.7 11.5	298 9.7 5.6	78 2.5 4.1	71 2.3 3.1	129 4.2 3.3	148 4.8 4.8	9 .3 6.3	3087 9.3
6 SIXTH MONTH	95 4.8 5.3	97 4.9 1.8	26 1.3 1.4	27 1.4 1.2	43 2.2 1.1	39 2.0 1.3	3 .2 2.1	1982 6.0
7 SEVENTH MONTH	30 2.4 1.7	27 2.1 .5	7 .6 .4	6 .5 .3	18 1.4 .5	7 .6 .2	4 .3 2.8	1260 3.8
8 EIGHTH MONTH	5 .7 .3	7 1.0 .1	3 .4 .2	2 .3 .1	4 .6 .1	5 .7 .2	1 .1 .7	696 2.1
9 NINTH MONTH		4 2.1 .1						195 .6
10 NOT STATED	2 1.4 .1	6 4.2 .1	2 1.4 .1	4 2.8 .2	5 3.5 .1	8 5.6 .3	59 41.3 41.5	143 .4
Column Total	1793 5.4	5342 16.2	1911 5.8	2260 6.8	3860 11.7	3072 9.3	142 .4	33076 100.0

Number of Missing Observations: 0

MEDICAL HISTORY

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

MEDS (tabulating 1) MEDICAL HISTORY, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

MEDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	MEDHI1	933	4176	72137	37	77283
		1.2	5.4	93.3	.0	75.5
		54.5	60.5	77.0	56.1	
ANEMIA	MEDHI2	40	188	2268	1	2497
		1.6	7.5	90.8	.0	2.4
		2.3	2.7	2.4	1.5	
DIABETES	MEDHI3	39	227	2850	1	3117
		1.3	7.3	91.4	.0	3.0
		2.3	3.3	3.0	1.5	
HYPERTENSION	MEDHI4	138	611	3893	1	4643
		3.0	13.2	83.8	.0	4.5
		8.1	8.9	4.2	1.5	
ALL OTHERS	MEDHI5	674	2124	14717	12	17527
		3.8	12.1	84.0	.1	17.1
		39.3	30.8	15.7	18.2	
ONE OR MORE	MEDHI6	777	2720	21430	14	24941
		3.1	10.9	85.9	.1	24.4
		45.4	39.4	22.9	21.2	
UNKNOWN	MEDHI7	3	6	61	15	85
		3.5	7.1	71.8	17.6	.1
		.2	.1	.1	22.7	
	Column Total	1713	6902	93628	66	102309
		1.7	6.7	91.5	.1	100.0

Percents and totals based on respondents

102,309 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

MEDS (tabulating 1) MEDICAL HISTORY, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

MEDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	MEDHI1	405	2179	50550	18	53152
		.8	4.1	95.1	.0	76.8
		53.6	59.4	78.0	54.5	
ANEMIA	MEDHI2	15	64	1149	0	1228
		1.2	5.2	93.6	.0	1.8
		2.0	1.7	1.8	.0	
DIABETES	MEDHI3	15	155	2119	0	2289
		.7	6.8	92.6	.0	3.3
		2.0	4.2	3.3	.0	
HYPERTENSION	MEDHI4	69	350	2692	0	3111
		2.2	11.3	86.5	.0	4.5
		9.1	9.5	4.2	.0	
ALL OTHERS	MEDHI5	298	1145	9698	6	11147
		2.7	10.3	87.0	.1	16.1
		39.4	31.2	15.0	18.2	
ONE OR MORE	MEDHI6	350	1487	14181	6	16024
		2.2	9.3	88.5	.0	23.1
		46.3	40.5	21.9	18.2	
UNKNOWN	MEDHI7	1	3	44	9	57
		1.8	5.3	77.2	15.8	.1
		.1	.1	.1	27.3	
	Column Total	756	3669	64775	33	69233
		1.1	5.3	93.6	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

MEDS (tabulating 1) MEDICAL HISTORY, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

MEDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	MEDHI1	528 2.2 55.2	1997 8.3 61.8	21587 89.5 74.8	19 .1 57.6	24131 73.0
ANEMIA	MEDHI2	25 2.0 2.6	124 9.8 3.8	1119 88.2 3.9	1 .1 3.0	1269 3.8
DIABETES	MEDHI3	24 2.9 2.5	72 8.7 2.2	731 88.3 2.5	1 .1 3.0	828 2.5
HYPERTENSION	MEDHI4	69 4.5 7.2	261 17.0 8.1	1201 78.4 4.2	1 .1 3.0	1532 4.6
ALL OTHERS	MEDHI5	376 5.9 39.3	979 15.3 30.3	5019 78.7 17.4	6 .1 18.2	6380 19.3
ONE OR MORE	MEDHI6	427 4.8 44.6	1233 13.8 38.1	7249 81.3 25.1	8 .1 24.2	8917 27.0
UNKNOWN	MEDHI7	2 7.1 .2	3 10.7 .1	17 60.7 .1	6 21.4 18.2	28 .1
	Column Total	957 2.9	3233 9.8	28853 87.2	33 .1	33076 100.0

Percents and totals based on respondents

102,309 valid cases; 0 missing cases

MATERNAL SMOKING

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

OMHS (tabulating 1) MATERNAL SMOKING, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

OMHS	BW: 1 UNDER 1500 GMS	2 1500 - 2499 GMS	3 2500+ GRAMS	4 UNKNOWN	Row Total
OMHS1 NO TOBACCO USE	1285 1.6 75.0	4801 5.9 69.6	75820 92.5 81.0	45 .1 68.2	81951 80.1
OMHS2 SMOKED	403 2.0 23.5	2074 10.3 30.0	17573 87.6 18.8	4 .0 6.1	20054 19.6
OMHS3 SMOKING UNKNOWN	25 8.2 1.5	27 8.9 .4	235 77.3 .3	17 5.6 25.8	304 .3
Column Total	1713 1.7	6902 6.7	93628 91.5	66 .1	102309 100.0

Percents and totals based on respondents

102,309 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

OMHS (tabulating 1) MATERNAL SMOKING, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

OMHS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NO TOBACCO USE	OMHIS1	539	2372	51264	19	54194
		1.0	4.4	94.6	.0	78.3
		71.3	64.6	79.1	57.6	
SMOKED	OMHIS2	207	1283	13363	2	14855
		1.4	8.6	90.0	.0	21.5
		27.4	35.0	20.6	6.1	
SMOKING UNKNOWN	OMHIS3	10	14	148	12	184
		5.4	7.6	80.4	6.5	.3
		1.3	.4	.2	36.4	
	Column Total	756	3669	64775	33	69233
		1.1	5.3	93.6	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

OMHS (tabulating 1) MATERNAL SMOKING, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

OMHS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NO TOBACCO USE	OMHIS1	746	2429	24556	26	27757
		2.7	8.8	88.5	.1	83.9
		78.0	75.1	85.1	78.8	
SMOKED	OMHIS2	196	791	4210	2	5199
		3.8	15.2	81.0	.0	15.7
		20.5	24.5	14.6	6.1	
SMOKING UNKNOWN	OMHIS3	15	13	87	5	120
		12.5	10.8	72.5	4.2	.4
		1.6	.4	.3	15.2	
	Column Total	957	3233	28853	33	33076
		2.9	9.8	87.2	.1	100.0

Percents and totals based on respondents

102,309 valid cases; 0 missing cases

MATERNAL WEIGHT GAIN

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

GAINED (tabulating 1) MATERNAL WEIGHT GAIN, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

GAINED	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0-9 LBS	WEIGHT1	268	456	2884	8	3616
		7.4	12.6	79.8	.2	3.5
		15.6	6.6	3.1	12.1	
10-19 LBS	WEIGHT2	562	1454	10615	12	12643
		4.4	11.5	84.0	.1	12.4
		32.8	21.1	11.3	18.2	
20-29 LBS	WEIGHT3	447	2324	28022	11	30804
		1.5	7.5	91.0	.0	30.1
		26.1	33.7	29.9	16.7	
30-39 LBS	WEIGHT4	188	1415	28428	7	30038
		.6	4.7	94.6	.0	29.4
		11.0	20.5	30.4	10.6	
40+ LBS	WEIGHT5	96	947	21293	3	22339
		.4	4.2	95.3	.0	21.8
		5.6	13.7	22.7	4.5	
UNKNOWN	WEIGHT6	152	306	2386	25	2869
		5.3	10.7	83.2	.9	2.8
		8.9	4.4	2.5	37.9	
	Column Total	1713	6902	93628	66	102309
		1.7	6.7	91.5	.1	100.0

Percents and totals based on respondents

102,309 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

GAINED (tabulating 1) MATERNAL WEIGHT GAIN, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

GAINED	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0-9 LBS	WEIGHT1	90	166	1551	4	1811
		5.0	9.2	85.6	.2	2.6
		11.9	4.5	2.4	12.1	
10-19 LBS	WEIGHT2	248	660	6205	4	7117
		3.5	9.3	87.2	.1	10.3
		32.8	18.0	9.6	12.1	
20-29 LBS	WEIGHT3	217	1276	19240	2	20735
		1.0	6.2	92.8	.0	29.9
		28.7	34.8	29.7	6.1	
30-39 LBS	WEIGHT4	104	835	20935	5	21879
		.5	3.8	95.7	.0	31.6
		13.8	22.8	32.3	15.2	
40+ LBS	WEIGHT5	46	601	15461	2	16110
		.3	3.7	96.0	.0	23.3
		6.1	16.4	23.9	6.1	
UNKNOWN	WEIGHT6	51	131	1383	16	1581
		3.2	8.3	87.5	1.0	2.3
		6.7	3.6	2.1	48.5	
	Column Total	756	3669	64775	33	69233
		1.1	5.3	93.6	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

GAINED (tabulating 1) MATERNAL WEIGHT GAIN, THIS PREGNANCY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

GAINED	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
0-9 LBS	WEIGHT1	178	290	1333	4	1805
		9.9	16.1	73.9	.2	5.5
		18.6	9.0	4.6	12.1	
10-19 LBS	WEIGHT2	314	794	4410	8	5526
		5.7	14.4	79.8	.1	16.7
		32.8	24.6	15.3	24.2	
20-29 LBS	WEIGHT3	230	1048	8782	9	10069
		2.3	10.4	87.2	.1	30.4
		24.0	32.4	30.4	27.3	
30-39 LBS	WEIGHT4	84	580	7493	2	8159
		1.0	7.1	91.8	.0	24.7
		8.8	17.9	26.0	6.1	
40+ LBS	WEIGHT5	50	346	5832	1	6229
		.8	5.6	93.6	.0	18.8
		5.2	10.7	20.2	3.0	
UNKNOWN	WEIGHT6	101	175	1003	9	1288
		7.8	13.6	77.9	.7	3.9
		10.6	5.4	3.5	27.3	
	Column Total	957	3233	28853	33	33076
		2.9	9.8	87.2	.1	100.0

Percents and totals based on respondents

102,309 valid cases; 0 missing cases

OBSTETRIC PROCEDURES

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

OPROC (tabulating 1) OBSTETRIC PROCEDURES
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

OPROC	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	OBP1	121	327	4732	15	5195
		2.3	6.3	91.1	.3	5.1
		7.1	4.7	5.1	22.7	
AMNIOCENTESIS	OBP2	64	339	2543	5	2951
		2.2	11.5	86.2	.2	2.9
		3.7	4.9	2.7	7.6	
ELECT FET MONITORING	OBP3	1396	6013	80617	31	88057
		1.6	6.8	91.6	.0	86.1
		81.5	87.1	86.1	47.0	
INDUCTION OF LABOR	OBP4	96	623	9691	1	10411
		.9	6.0	93.1	.0	10.2
		5.6	9.0	10.4	1.5	
STIMULATION OF LABOR	OBP5	84	637	11937	1	12659
		.7	5.0	94.3	.0	12.4
		4.9	9.2	12.7	1.5	
ULTRASOUND	OBP6	1146	4667	61576	29	67418
		1.7	6.9	91.3	.0	65.9
		66.9	67.6	65.8	43.9	
ALL OTHERS	OBP7	213	600	3863	3	4679
		4.6	12.8	82.6	.1	4.6
		12.4	8.7	4.1	4.5	
ONE OR MORE	OBP8	1588	6569	88845	36	97038
		1.6	6.8	91.6	.0	94.8
		92.7	95.2	94.9	54.5	
UNKNOWN	OBP9	4	6	51	15	76
		5.3	7.9	67.1	19.7	.1
		.2	.1	.1	22.7	
	Column Total	1713	6902	93628	66	102309
		1.7	6.7	91.5	.1	100.0

Percents and totals based on respondents

102,309 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

OPROC (tabulating 1) OBSTETRIC PROCEDURES
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

OPROC	Count / Row pct / Col pct	BW: UNDER 1500 GMS	1500 - 2499 GMS	2500+ GRAMS	UNKNOWN	Row Total
		1	2	3	4	
NONE	OBP1	47	150	3193	6	3396
		1.4	4.4	94.0	.2	4.9
		6.2	4.1	4.9	18.2	
AMNIOCENTESIS	OBP2	43	235	2099	3	2380
		1.8	9.9	88.2	.1	3.4
		5.7	6.4	3.2	9.1	
ELECT FET MONITORING	OBP3	624	3227	55858	14	59723
		1.0	5.4	93.5	.0	86.3
		82.5	88.0	86.2	42.4	
INDUCTION OF LABOR	OBP4	42	352	7387	0	7781
		.5	4.5	94.9	.0	11.2
		5.6	9.6	11.4	.0	
STIMULATION OF LABOR	OBP5	36	317	8184	1	8538
		.4	3.7	95.9	.0	12.3
		4.8	8.6	12.6	3.0	
ULTRASOUND	OBP6	532	2641	43596	15	46784
		1.1	5.6	93.2	.0	67.6
		70.4	72.0	67.3	45.5	
ALL OTHERS	OBP7	101	354	2827	2	3284
		3.1	10.8	86.1	.1	4.7
		13.4	9.6	4.4	6.1	
ONE OR MORE	OBP8	708	3516	61548	17	65789
		1.1	5.3	93.6	.0	95.0
		93.7	95.8	95.0	51.5	
UNKNOWN	OBP9	1	3	34	10	48
		2.1	6.3	70.8	20.8	.1
		.1	.1	.1	30.3	
	Column Total	756	3669	64775	33	69233
		1.1	5.3	93.6	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

OPROC (tabulating 1) OBSTETRIC PROCEDURES
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

OPROC	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	OBP1	74	177	1539	9	1799
		4.1	9.8	85.5	.5	5.4
		7.7	5.5	5.3	27.3	
AMNIOCENTESIS	OBP2	21	104	444	2	571
		3.7	18.2	77.8	.4	1.7
		2.2	3.2	1.5	6.1	
ELECT FET MONITORING	OBP3	772	2786	24759	17	28334
		2.7	9.8	87.4	.1	85.7
		80.7	86.2	85.8	51.5	
INDUCTION OF LABOR	OBP4	54	271	2304	1	2630
		2.1	10.3	87.6	.0	8.0
		5.6	8.4	8.0	3.0	
STIMULATION OF LABOR	OBP5	48	320	3753	0	4121
		1.2	7.8	91.1	.0	12.5
		5.0	9.9	13.0	.0	
ULTRASOUND	OBP6	614	2026	17980	14	20634
		3.0	9.8	87.1	.1	62.4
		64.2	62.7	62.3	42.4	
ALL OTHERS	OBP7	112	246	1036	1	1395
		8.0	17.6	74.3	.1	4.2
		11.7	7.6	3.6	3.0	
ONE OR MORE	OBP8	880	3053	27297	19	31249
		2.8	9.8	87.4	.1	94.5
		92.0	94.6	94.6	57.6	
UNKNOWN	OBP9	3	3	17	5	28
		10.7	10.7	60.7	17.9	.1
		.3	.1	.1	15.2	
	Column Total	957	3233	28853	33	33076
		2.9	9.8	87.2	.1	100.0

Percents and totals based on respondents

102,309 valid cases; 0 missing cases

EVENTS OF LABOR/DELIVERY

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

EVENTS (tabulating 1) EVENTS OF LABOR AND/OR DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

EVENTS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	EVLAB1	505	3229	59962	28	63724
		.8	5.1	94.1	.0	62.3
		29.5	46.8	64.0	42.4	
MECONIUM	EVLAB2	31	264	7219	3	7517
		.4	3.5	96.0	.0	7.3
		1.8	3.8	7.7	4.5	
PREM RUPTURE	EVLAB3	421	929	2913	6	4269
		9.9	21.8	68.2	.1	4.2
		24.6	13.5	3.1	9.1	
DYSFUNCTIONAL LABOR	EVLAB4	10	139	4005	0	4154
		.2	3.3	96.4	.0	4.1
		.6	2.0	4.3	.0	
BREECH-MALPRESENT.	EVLAB5	345	637	3151	4	4137
		8.3	15.4	76.2	.1	4.0
		20.1	9.2	3.4	6.1	
FETAL DISTRESS	EVLAB6	221	800	7276	4	8301
		2.7	9.6	87.7	.0	8.1
		12.9	11.6	7.8	6.1	
ALL OTHERS	EVLAB7	732	2013	17066	12	19823
		3.7	10.2	86.1	.1	19.4
		42.7	29.2	18.2	18.2	
ONE OR MORE	EVLAB8	1204	3667	33600	24	38495
		3.1	9.5	87.3	.1	37.6
		70.3	53.1	35.9	36.4	
UNKNOWN	EVLAB9	4	6	66	14	90
		4.4	6.7	73.3	15.6	.1
		.2	.1	.1	21.2	
	Column Total	1713	6902	93628	66	102309
		1.7	6.7	91.5	.1	100.0

Percents and totals based on respondents

102,309 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

EVENTS (tabulating 1) EVENTS OF LABOR AND/OR DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

EVENTS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	EVLAB1	226	1662	41993	16	43897
		.5	3.8	95.7	.0	63.4
		29.9	45.3	64.8	48.5	
MECONIUM	EVLAB2	15	134	4262	1	4412
		.3	3.0	96.6	.0	6.4
		2.0	3.7	6.6	3.0	
PREM RUPTURE	EVLAB3	168	486	2009	2	2665
		6.3	18.2	75.4	.1	3.8
		22.2	13.2	3.1	6.1	
DYSFUNCTIONAL LABOR	EVLAB4	5	59	2665	0	2729
		.2	2.2	97.7	.0	3.9
		.7	1.6	4.1	.0	
BREECH-MALPRESENT.	EVLAB5	159	411	2511	1	3082
		5.2	13.3	81.5	.0	4.5
		21.0	11.2	3.9	3.0	
FETAL DISTRESS	EVLAB6	106	391	4606	1	5104
		2.1	7.7	90.2	.0	7.4
		14.0	10.7	7.1	3.0	
ALL OTHERS	EVLAB7	328	1108	11918	5	13359
		2.5	8.3	89.2	.0	19.3
		43.4	30.2	18.4	15.2	
ONE OR MORE	EVLAB8	529	2005	22731	8	25273
		2.1	7.9	89.9	.0	36.5
		70.0	54.6	35.1	24.2	
UNKNOWN	EVLAB9	1	2	51	9	63
		1.6	3.2	81.0	14.3	.1
		.1	.1	.1	27.3	
	Column Total	756	3669	64775	33	69233
		1.1	5.3	93.6	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

EVENTS (tabulating 1) EVENTS OF LABOR AND/OR DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

EVENTS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	EVLAB1	279 1.4 29.2	1567 7.9 48.5	17969 90.6 62.3	12 .1 36.4	19827 59.9
MECONIUM	EVLAB2	16 .5 1.7	130 4.2 4.0	2957 95.2 10.2	2 .1 6.1	3105 9.4
PREM RUPTURE	EVLAB3	253 15.8 26.4	443 27.6 13.7	904 56.4 3.1	4 .2 12.1	1604 4.8
DYSFUNCTIONAL LABOR	EVLAB4	5 .4 .5	80 5.6 2.5	1340 94.0 4.6	0 .0 .0	1425 4.3
BREECH-MALPRESENT.	EVLAB5	186 17.6 19.4	226 21.4 7.0	640 60.7 2.2	3 .3 9.1	1055 3.2
FETAL DISTRESS	EVLAB6	115 3.6 12.0	409 12.8 12.7	2670 83.5 9.3	3 .1 9.1	3197 9.7
ALL OTHERS	EVLAB7	404 6.3 42.2	905 14.0 28.0	5148 79.6 17.8	7 .1 21.2	6464 19.5
ONE OR MORE	EVLAB8	675 5.1 70.5	1662 12.6 51.4	10869 82.2 37.7	16 .1 48.5	13222 40.0
UNKNOWN	EVLAB9	3 11.1 .3	4 14.8 .1	15 55.6 .1	5 18.5 15.2	27 .1
	Column Total	957 2.9	3233 9.8	28853 87.2	33 .1	33076 100.0

Percents and totals based on respondents

102,309 valid cases; 0 missing cases

METHOD OF DELIVERY

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

METHOD (tabulating 1) METHOD OF DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

METHOD	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
VAGINAL	MDEL1	1020	4779	72256	40	78095
		1.3	6.1	92.5	.1	76.3
		59.5	69.2	77.2	60.6	
PRIMARY C-SECT	MDEL2	617	1670	13433	7	15727
		3.9	10.6	85.4	.0	15.4
		36.0	24.2	14.3	10.6	
REPEAT C-SECT	MDEL3	74	403	6952	5	7434
		1.0	5.4	93.5	.1	7.3
		4.3	5.8	7.4	7.6	
FORCEPS	MDEL4	14	223	4979	0	5216
		.3	4.3	95.5	.0	5.1
		.8	3.2	5.3	.0	
VACUUM	MDEL5	6	285	8076	4	8371
		.1	3.4	96.5	.0	8.2
		.4	4.1	8.6	6.1	
UNKNOWN	MDEL6	4	10	85	14	113
		3.5	8.8	75.2	12.4	.1
		.2	.1	.1	21.2	
	Column Total	1713	6902	93628	66	102309
		1.7	6.7	91.5	.1	100.0

Percents and totals based on respondents

102,309 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

METHOD (tabulating 1) METHOD OF DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

METHOD	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
VAGINAL	MDEL1	407	2387	49577	19	52390
		.8	4.6	94.6	.0	75.7
		53.8	65.1	76.5	57.6	
PRIMARY C-SECT	MDEL2	313	1028	9566	3	10910
		2.9	9.4	87.7	.0	15.8
		41.4	28.0	14.8	9.1	
REPEAT C-SECT	MDEL3	38	224	4884	2	5148
		.7	4.4	94.9	.0	7.4
		5.0	6.1	7.5	6.1	
FORCEPS	MDEL4	6	149	4081	0	4236
		.1	3.5	96.3	.0	6.1
		.8	4.1	6.3	.0	
VACUUM	MDEL5	3	186	6440	3	6632
		.0	2.8	97.1	.0	9.6
		.4	5.1	9.9	9.1	
UNKNOWN	MDEL6	1	6	53	9	69
		1.4	8.7	76.8	13.0	.1
		.1	.2	.1	27.3	
	Column Total	756	3669	64775	33	69233
		1.1	5.3	93.6	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

METHOD (tabulating 1) METHOD OF DELIVERY
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

METHOD	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
VAGINAL	MDEL1	613	2392	22679	21	25705
		2.4	9.3	88.2	.1	77.7
		64.1	74.0	78.6	63.6	
PRIMARY C-SECT	MDEL2	304	642	3867	4	4817
		6.3	13.3	80.3	.1	14.6
		31.8	19.9	13.4	12.1	
REPEAT C-SECT	MDEL3	36	179	2068	3	2286
		1.6	7.8	90.5	.1	6.9
		3.8	5.5	7.2	9.1	
FORCEPS	MDEL4	8	74	898	0	980
		.8	7.6	91.6	.0	3.0
		.8	2.3	3.1	.0	
VACUUM	MDEL5	3	99	1636	1	1739
		.2	5.7	94.1	.1	5.3
		.3	3.1	5.7	3.0	
UNKNOWN	MDEL6	3	4	32	5	44
		6.8	9.1	72.7	11.4	.1
		.3	.1	.1	15.2	
	Column Total	957	3233	28853	33	33076
		2.9	9.8	87.2	.1	100.0

Percents and totals based on respondents

102,309 valid cases; 0 missing cases

CONDITIONS OF THE NEWBORN

BY BIRTH WEIGHT

BY RACE

* * * C R O S S T A B U L A T I O N * * *

CONDS (tabulating 1) CONDITIONS OF NEWBORN
by BW BIRTH WEIGHT IN GRAMS
by XRACE
Category = 0 TOTAL

CONDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	COND1	735	5579	88595	42	94951
		.8	5.9	93.3	.0	92.8
		42.9	80.8	94.6	63.6	
ASSISTED VENTILATION	COND2	529	701	3514	4	4748
		11.1	14.8	74.0	.1	4.6
		30.9	10.2	3.8	6.1	
ALL OTHERS	COND3	723	795	1713	9	3240
		22.3	24.5	52.9	.3	3.2
		42.2	11.5	1.8	13.6	
ONE OR MORE	COND4	970	1314	4965	10	7259
		13.4	18.1	68.4	.1	7.1
		56.6	19.0	5.3	15.2	
UNKNOWN	COND5	8	9	68	14	99
		8.1	9.1	68.7	14.1	.1
		.5	.1	.1	21.2	
	Column Total	1713	6902	93628	66	102309
		1.7	6.7	91.5	.1	100.0

Percents and totals based on respondents

102,309 valid cases; 0 missing cases

* * * C R O S S T A B U L A T I O N * * *

CONDS (tabulating 1) CONDITIONS OF NEWBORN
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 1 WHITE

CONDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	COND1	328	2900	61175	19	64422
		.5	4.5	95.0	.0	93.1
		43.4	79.0	94.4	57.6	
ASSISTED VENTILATION	COND2	233	423	2522	3	3181
		7.3	13.3	79.3	.1	4.6
		30.8	11.5	3.9	9.1	
ALL OTHERS	COND3	335	473	1236	4	2048
		16.4	23.1	60.4	.2	3.0
		44.3	12.9	1.9	12.1	
ONE OR MORE	COND4	425	765	3549	5	4744
		9.0	16.1	74.8	.1	6.9
		56.2	20.9	5.5	15.2	
UNKNOWN	COND5	3	4	51	9	67
		4.5	6.0	76.1	13.4	.1
		.4	.1	.1	27.3	
	Column Total	756	3669	64775	33	69233
		1.1	5.3	93.6	.0	100.0

Percents and totals based on respondents

* * * C R O S S T A B U L A T I O N * * *

CONDS (tabulating 1) CONDITIONS OF NEWBORN
by BW BIRTH WEIGHT IN GRAMS
by RACE
Category = 2 NONWHITE

CONDS	Count / Row pct / Col pct	BW: UNDER 1500 GMS (1)	1500 - 2499 GMS (2)	2500+ GRAMS (3)	UNKNOWN (4)	Row Total
NONE	COND1	407	2679	27420	23	30529
		1.3	8.8	89.8	.1	92.3
		42.5	82.9	95.0	69.7	
ASSISTED VENTILATION	COND2	296	278	992	1	1567
		18.9	17.7	63.3	.1	4.7
		30.9	8.6	3.4	3.0	
ALL OTHERS	COND3	388	322	477	5	1192
		32.6	27.0	40.0	.4	3.6
		40.5	10.0	1.7	15.2	
ONE OR MORE	COND4	545	549	1416	5	2515
		21.7	21.8	56.3	.2	7.6
		56.9	17.0	4.9	15.2	
UNKNOWN	COND5	5	5	17	5	32
		15.6	15.6	53.1	15.6	.1
		.5	.2	.1	15.2	
	Column Total	957	3233	28853	33	33076
		2.9	9.8	87.2	.1	100.0

Percents and totals based on respondents

102,309 valid cases; 0 missing cases

STATE LIBRARY OF NORTH CAROLINA
3 3091 00795 5446

Department of Environment, Health, and Natural Resources
State Center for Health and Environmental Statistics
P.O. Box 29538
Raleigh, N.C. 27626-0538
919/733-4728

BULK RATE
U.S. Postage
PAID
Raleigh, N.C. 27626-0538
Permit No. 1862

500 copies of this public document were printed at a cost of $329.90 or 66¢ per copy.